

Section 1 - Identification

Product Identifier MAXIFLEX HT Recommended use Floor finish.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

NO SKIDDING PRODUCTS, INC. **Company Name**

Address 266 Wildcat Road, Toronto, Ontario, Canada M3J 2N5

Telephone 1-416-667-1788

Emergency Phone CANUTEC 1-613-996-6666

Section 2 - Hazard(s) Identification

Classification Category

Not Classified **Physical Hazards Health Hazards** Not Classified

OSHA defined hazards Not Classified.

Label Elements

Hazard Symbol None.

Signal Word Not Available **Hazard statement** Not available.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components

CAS# Ingredient Name % Tris(2-Butoxyethyl) Phosphate 78-51-3 1 - 5 Diethylene Glycol Monoethyl Ether 111-90-0 1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Wash skin with soap and water. Get medical attention if irritation persists. Skin contact Eye contact

Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if

irritation persists.

Rinse mouth thoroughly with water. Seek medical advice. Ingestion Mild eye irritation.

Most Important symptoms /effects, acute and delayed

Indication of immediate medical attention and special treatment

Treat symptomatically.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

MAXIFLEX HT Page 1 of 5

Unsuitable extinguishing media

Specific hazards arising from the

chemical

Not available. None known.

Special protective equipment and

precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case

Fire-fighting equipment /instruction Move containers from fire area if you can do it without risk. Use water spray to keep

fire-exposed containers cool.

This product is not flammable or combustible. General fire hazards

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as

recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

After removal flush contaminated area thoroughly with water.

LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with

water

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use

Personal Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Keep container closed.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component Type Value

Diethylene Glycol Monoethyl Ether (CAS 111-90-0) **TWA** 140 mg/m³, 25 ppm

Biological limit values No biological exposure limits noted for the ingredient(s). **Exposure guidelines** Use personal protective equipment as required. Keep working clothes separately.

Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Appropriate engineering controls

Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection

If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Impervious gloves are recommended for prolonged use. Hand protection

If use of product risk exposure to contact, wear suitable protective clothing. Other

Respiratory protection Use a respirator when local exhaust or ventilation is not adequate to keep exposures

below the OEL. In a confined space a supplied respirator may be required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the

material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance Opaque Liquid.

Physical state Liquid. **Form** Liquid. Color White. Odor Acrylic. **Odor threshold** Not available.

Hq

Melting point/freezing point Not available.

> MAXIFLEX HT Page 2 of 5

Initial boinging point and

boiling range

Not available.

Flash point None to boiling. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. **Explosive limit - lower (%)** Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.03 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Soluable. Partition Coefficient n-Not available

octanol/water

Auto-ignition temperature Not Available **Decomposition temperature** Not Available **Viscosity** < 10 cP

75 °F (23.9 °C) **Viscosity Temperature**

Section 10 - Stability and reactivity

Reactivity Not available.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactio Hazardous polymerization does not occur. **Conditions to Avoid** Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous Decomposition Pro Carbon monoxide. Carbon dioxide.

Section 11 - Toxicological information

Information on likely routes of exposure

No adverse effects due to ingestion are expected. Ingestion

Inhalation Under normal conditions of intended use, this material is not expected to be an

inhalation hazard.

Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eve contact May cause eye irritation.

Symptoms related to the physical,

chemical and toxicological

characteristics

May cause eye irritation. Prolonged or repeated skin contact may cause drying,

cracking, or irritation.

Information on toxicological effects.

Not expected to be hazardous. Acute toxicity

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/ eye irritation May cause eye irritation.

Not classified. Respiratory sensitization Skin sensitization Not available. Germ cell mutagenicity Not classified. Carcinogenicity Not classified. Not classified. Reproductive toxicity Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard**

Not available.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

Partition coeficient n-octanol / water log (Kow)

Components Results Diethylene Glycol Monoethyl Ether (CAS 111-90-0) -0.54 Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3) 3.75

Mobility in soil Not available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects None known.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the

product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods. **IATA** Not regulated as dangerous goods. Not regulated as dangerous goods. IMDG

Transportation in bulk according to Annex II of MARPOL 73/78 and

IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA

Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export

Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-

CERCLA Hazardous Substance

List (40 CFR 302.4

Not listed.

Not regulated.

Components Result Diethylene Glycol Monoethyl Ether (CAS 111-90-0) LISTED

Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard Hazard Nο Categories **Delayed Hazard** No

Fire Hazard No Pressure Hazard No Reactivity Hazard Nο

SARA 302 Extremely hazardous

substance

No

Not listed.

chemical

SARA 313 (TRI reporting)

SARA 311/312 Hazardous

Chemical name CAS# % by wt. 1 - 5 Diethylene Glycol Monoethyl Ether 111-90-0 Tris(2-Butoxyethyl) Phosphate 78-51-3 1 - 5

Other federal regulations

Components

Diethylene Glycol Monoethyl Ether (CAS 111-90-0) Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)

> MAXIFLEX HT Page 4 of 5

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants

Clean Air Act (CAA) Section 112(r) Accidental Release

Not regulated.

112(r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA) Not regulated. **Food and Drug Administration** Not regulated.

(FDA)

US state regulations

US.Massachusetts RTK - Components

Substance List Diethylene Glycol Monoethyl Ether (CAS 111-90-0)

Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)

US.New Jersey Worker and Components

Community Right-to-Know Act Diethylene Glycol Monoethyl Ether (CAS 111-90-0)

Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)

US.Pennsylvania RTK - Components

Hazardous Substances Diethylene Glycol Monoethyl Ether (CAS 111-90-0)

Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)

US.Rhode Island RTK Components

Diethylene Glycol Monoethyl Ether (CAS 111-90-0) Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)

US - California Propsition 65 This product does not contain a chemical known to the State of California

to cause cancer, birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

 Revision date
 1/17/2018

 Version #
 02

Disclaimer The information contained herein was obtained from current and reliable sources.

However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various

government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this

SDS. The user should review these regulations to ensure full compliance.

MAXIFLEX HT Page 5 of 5

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).