

# **Safety Data Sheet**

according to OSHA HCS 2012 (CFR 29 1910.1200)

Page 1/9
Revised on: 06/29/2015

## 1 Identification

· Product identifier:

· Product Name: Aquatuff Beige

· Product Number: 78004

· Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Manufacturer/Supplier:

No Skidding Products, Inc.

266 Wildcat Road

Toronto, Ontario

Canada M3J 2N5

· Information telephone number:

Toll Free 1-800-375-0571

Local 416-667-1788

· Emergency telephone number: Canutec: 1-613-996-6666

# 2 Hazard identification

· Classification of the substance or mixture:

Flam. Liq. 3 H226 Flammable liquid and vapor.

Carc. 2 H351 Suspected of causing cancer.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS08

· Signal word: Warning

· Hazard-determining components of labeling:

titanium dioxide

· Hazard statements:

Flammable liquid and vapor.

Suspected of causing cancer.

· Precautionary statements:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

Store locked up.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

according to OSHA HCS 2012 (CFR 29 1910.1200)

Page 2/9 Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2

Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 2

· Other hazards:

· Results of PBT and vPvB assessment:

· PBT: Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:							
13463-67-7	titanium dioxide	10-20%					
2807-30-9	2-(propyloxy)ethanol	5-<10%					
67-63-0	propan-2-ol	2.5-5%					

#### 4 First-aid measures:

- · Description of first aid measures:
- · For inhalation: Supply fresh air; consult doctor in case of complaints.
- For skin contact: Generally the product does not irritate the skin.
- For eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · For swallowing:

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

- **Information for doctor:**
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# 5 Fire-fighting measures:

- · Extinguishing media:
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment: Wear self-contained respiratory protective device.

## 6 Accidental release measures:

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

(Contd. from page 1)

# **Safety Data Sheet**

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 06/29/2015

Revised on: 06/29/2015

Product Name: Aquatuff Beige

(Contd. from page 2)

#### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binder or other inert absorbent).

Do not flush with water or aqueous cleansing agents

#### Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage:

- · Handling:
- Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities:
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s): No further relevant information available.

### 8 Exposure controls/personal protection:

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters:

#### · Components with limit values that require monitoring at the workplace:

# 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

Ingredients with biological limit values:

# 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before eating, smoking, using the restroom and at the end of the workday.

(Contd. on page 4)

Page 4/9

Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

(Contd. from page 3)

#### Breathing equipment:

In case of brief exposure or low concentrations, use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

71 hysical and enchical properties								
· Information on basic physical and chemical properties: · General Information:								

General Information.	
· Appearance:	
Form:	Liquid
Color:	Beige
· Odor:	Alcohol-like
Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition: Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 80 °C (> 176 °F)
· Flash point:	54 °C (129 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	230 °C (446 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

(Contd. on page 5)

# Safety Data Sheet according to OSHA HCS 2012 (CFR 29 1910.1200)

Page 5/9 Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

	(Contd. fr	om page
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.19 g/cm³ (9.931 lbs/gal)	
· Relative density:	Not determined.	
· Vapour density:	Heavier than air.	
Evaporation rate:	Slower than ether.	
· Solubility in / Miscibility with:		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	10.2 %	
Water:	50.4 %	
VOC content:	10.2 %	
	<250 g/l when blend with part B	
Solids content:	39.5 %	
· Other information:	No further relevant information available.	

# 10 Stability and reactivity

- Reactivity:
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: Do not store or use near sparks, flame, or other ignition sources.
- · Incompatible materials: Strong acids and alkalis, bleach, strong oxidizers.
- · Hazardous decomposition products:

Burning may yield carbon monoxide, carbon dioxide, oxides of nitrogen, and various hydrocarbons.

# 11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories:

· IARC (International Agency for Research on Cancer):									
13463-67-7	tanium dioxide								
	propan-2-ol	3							
	silicon dioxide, chemically prepared	3							
1333-86-4	Carbon black	2B							
14807-96-6	Talc (Mg3H2(SiO3)4)	2B							
111-76-2	2-butoxyethanol	3							
	· · · · · · · · · · · · · · · · · · ·	<i>(</i> )							

(Contd. on page 6)

# **Safety Data Sheet**

according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

(Contd. from page 5)

Page 6/9

## · NTP (National Toxicology Program):

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity:
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods:
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

1	<i>4</i> ′	ľ	$^{c}a$	ns	DO	ri	i ii	n	Ю	ri	n	$\boldsymbol{a}$	ti	0	'n	ı
-					$r \cdot$		~~	47	~	•	•••	•••	~	•	•	•

· UN-Number:	
--------------	--

· DOT, IMDG, IATA UN1263

· UN proper shipping name:

• **DOT** This material has a flash point at or above 38°C and may be

reclassified as a combustible liquid. A combustible liquid in non-bulk packaging (≤450 liters; ≤119 gallons) is exempt from

the DOT regulation when transported by ground.

Paint

· **IMDG, IATA** PAINT

- Transport hazard class(es):
- $\cdot$  DOT



· Class 3 Flammable liquids

This material has a flash point at or above 38 °C and may be reclassified as a combustible liquid. A combustible liquid in non-bulk packaging (≤450 liters; ≤119 gallons) is exempt from

(Contd. on page 7)

# Safety Data Sheet according to OSHA HCS 2012 (CFR 29 1910.1200)

Page 7/9 Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

(Contd. from page 6) the DOT regulation when transported by ground. ·Label ·IMDG 3 Flammable liquids Class ·Label  $\cdot$  IATA · Class 3 Flammable liquids ·Label 3(8)· Packing group: · DOT, IMDG, IATA III · Environmental hazards: · Marine pollutant: No Special precautions for user: Warning: Flammable liquids Danger code (Kemler): F-E,S-E **EMS Number:** Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable. · Transport/Additional information: On passenger aircraft/rail: 5 L **Quantity limitations:** On cargo aircraft only: 60 L ·IMDG · Limited quantities (LQ): 5L Code: E1 Excepted quantities (EQ): Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN1263, Paint, 3 (8), III

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:

· SARA:

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

107-21-1 ethanediol

111-76-2 2-butoxyethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 8)

Page 8/9

Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

## (Contd. from page 7) **Proposition 65:** · Chemicals known to cause cancer: 13463-67-7 titanium dioxide 1333-86-4 Carbon black · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories: · EPA (Environmental Protection Agency) 111-76-2 2-butoxyethanol NL TLV (Threshold Limit Value established by ACGIH) 13463-67-7 titanium dioxide A4 67-63-0 propan-2-ol A4 107-21-1 ethanediol A4 1333-86-4 Carbon black Α4 14807-96-6 Tale (Mg3H2(SiO3)4) Α4 111-76-2 2-butoxyethanol A3 · NIOSH-Ca (National Institute for Occupational Safety and Health) 13463-67-7 titanium dioxide

#### · GHS label elements

1333-86-4 Carbon black

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### · Hazard pictograms:





CHEON CHEON

Signal word: Warning

#### Hazard-determining components of labeling:

titanium dioxide

#### **Hazard statements:**

Flammable liquid and vapor.

Suspected of causing cancer.

#### Precautionary statements:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

(Contd. on page 9)

# Safety Data Sheet according to OSHA HCS 2012 (CFR 29 1910.1200)

Printing date: 06/29/2015 Revised on: 06/29/2015

Product Name: Aquatuff Beige

(Contd. from page 8)

Page 9/9

Store locked up.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: No Skidding Technical
- · Contact: Compliance Manager
- · Date of preparation / last revision: 06/29/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Care. 2: Carcinogenicity, Hazard Category 2

US