

# No Skidding®

PRODUCTS INC.



# Safety Tapes

No Skidding® Premium Grade Anti-Slip Grit, Vinyl, Resilient and Conformable Tapes & Treads offer superior longevity, water, chemical, wear and slip resistance. Our anti-skid tapes are economical, durable, quick solutions to help reduce slips and falls in the workplace.

Our aggressive, heavy-duty pressure sensitive adhesive systems are among the best in the industry. No Skidding's durable anti-slip tapes and treads meet or exceed the standards and recommended guidelines for slip resistance in accordance with ASTM requirements, help to ensure an OSHA compliant environment and are certified as High Traction by the NFSI. We also offer a full range of glow-in-the-dark tapes, vinyl tapes, and engineering grade reflective tapes.

No Skidding® offers the widest selection of standard rolls and precut treads available in a wide selection of sizes, colors and textures. Our custom capabilities are among the best in the industry. We have been supplying OEMs with anti-slip solutions since 1993.




## No Skidding® - First in Anti-Slip Products Since 1993




Anti-Slip Grit Tapes - Black



Anti-Slip Grit Tapes - Colors



Anti-Slip Vinyl & Resilient Tapes




Anti-Slip Vinyl Bath & Shower Mats




Anti-Slip Treads & Cleats



Anti-Slip Conformable Tapes



Egress & Anti Slip Glow-in-the-Dark Tapes



Vinyl Aisle Marking Tapes



Reflective Tapes



OEM & Custom Solutions

# ANTI-SLIP TAPES

Protect your employees and visitors from accidental slips and falls with No Skidding® Anti-Skid Tapes. Our Anti-Slip Tapes help to assure solid footing and sure traction, even in wet conditions on floors, aisles and stairwells.

No Skidding® offers a full range of black, clear and colored anti-slip adhesive tapes for almost anywhere a slippery condition may exist, as well as anti-skid products that signal a visual warning, such as “Caution” or “Watch Your Step”. Our tapes and cleats offer easy peel and stick application for quick and economical compliance with ASTM, OSHA, ADA, ANSI/NFSI standards. Our Grit tapes are compliant with OSHA Spec 1910.24 Stair Tread and OSHA Spec 1910.26 Ladder Rungs and are Certified High Traction by the NFSI.

ITEM NO.	SIZE
NS5101B	1" X 60 ft.
NS5102B	2" X 60 ft.
NS5103B	3" X 60 ft.
NS5104B	4" X 60 ft.
NS5106B	6" X 60 ft.
NS5112B	12" X 60 ft.
NS5118B	18" X 60 ft.
NS5124B	24" X 60 ft.
NS5136B	36" X 60 ft.
NS5142B	42" X 60 ft.
NS5100B-5.5X5.5	5.5" X 5.5"
NS5100B-6X24	6" X 24"
NS5100B-9X33	9" X 33"

## No Skidding® NS5100B Series Anti-Slip Tapes, 60 Grit – Black:

Premium quality anti-slip black grit tape that provides an excellent and economical choice for most indoor and outdoor requirements for anti-slip grit tape.

- Manufactured from a durable 60 grit aluminum oxide formulation.
- Easy to apply anti-slip high traction safety tape that applies firm traction and durable protection.
- Our traction tapes adhere to clean and dry surfaces including metal, sealed wood and sealed concrete. Resistant to water and many chemicals while providing excellent slip resistance.
- Superior embedded grit technology for extended wear.
- NS5100B has an aggressive acrylic adhesive system for longevity that forms a strong, water resistant bond to most clean, dry, sealed surfaces.

### Applications:

Suitable for light to heavy shoe traffic areas including: industrial areas, ramps, dock areas, walkways, stairways, work areas, construction machinery, industrial equipment, trucks & trailers, RV's, hazardous floors, boat decks, snowmobiles, residential.

### Features:

- Indoor and outdoor use • Adheres to clean, dry, smooth surfaces including metal, sealed or painted wood and concrete.
- Easy to use • Ready to use • Cost effective • Certified High Traction by NFSI • Exceeds SCOF requirements for ASTM, OSHA, ADA, ANSI/NFSI.
- Premium construction • Aggressive adhesive system • Durable abrasive mineral grit • Water resistant • Chemical & oil resistant
- Long term weatherability

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 42 inches (106.68cm) by 60 ft. (18.3m) long.

Cleats and Treads: 5.5" X 5.5", 6" X 24", 9" X 33".

Custom slitting and die cut shapes for OEM applications also available.



# ANTI-SLIP TAPES

## No Skidding® NS5100 Series Anti-Slip Tapes, 60 Grit - Clear and Colors:

Our premium quality anti-slip grit tape NS5100 Series, is also available in clear and colors. NS5100 provides an excellent and economical choice for most indoor and outdoor requirements for anti-slip grit tape.

- Manufactured from a 60 grit aluminum oxide formulation.
- Easy to apply anti-slip high traction safety tape that applies firm traction and durable protection with a full selection of bright colors and hazard stripes.
- Our traction tape will adhere to clean dry surfaces including metal, sealed wood and sealed concrete. Resistant to water and many chemicals while providing excellent slip resistance.
- Superior embedded grit technology for extended wear.

### Applications:

Suitable for light to heavy shoe traffic areas including: industrial areas, ramps, dock areas, walkways, stairways, work areas, construction machinery, industrial equipment, trucks & trailers, RV's, hazardous floors, boat decks, sailing, snowmobiles, residential, stair nosings for both visual warning and anti-slip protection.

### Features:

- Indoor and outdoor use • Adheres to clean, dry, smooth surfaces including metal, sealed or painted wood and concrete. • Easy to use • Ready to use • Cost effective
- Certified High Traction by NFSI • Exceeds SCOF requirements for ASTM, OSHA, ADA, ANSI/NFSI • Premium construction • Aggressive adhesive system • Water resistant
- Chemical & oil resistant • Long term weatherability • Vibrant color choices and clear.

### Colors:


NS5100 colored anti-skid tapes are ideal when visual warning is required to mark potential slip and fall hazards. Developed with maximum visual warning characteristics in mind and includes a full range of colors: Yellow (Y), Yellow / Black hazard striped (YB), Red / White hazard striped (WR), Blue (BU), Brown (BR), White (W), Green (GN), Red (R), Orange (O), Grey (GR) and Clear (C). Our Yellow/Black hazard striped tape is a popular choice for maximum visual warning and anti-slip protection on stair nosings. Also available in Light Grey (GRL) in 42 inch by 60 ft. rolls.

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 42 inches (106.68cm) by 60 ft. (18.3m) long. Available as wide as 45 inches by 60 ft, special order. 6" X 24" colored treads, "Caution" and "Watch Your Step" treads. Custom slitting and die cut shapes for OEM applications also available.



ITEM NO.	SIZE
NS5101	1" X 60 ft.
NS5102	2" X 60 ft.
NS5103	3" X 60 ft.
NS5104	4" X 60 ft.
NS5106	6" X 60 ft.
NS5112	12" X 60 ft.
NS5118	18" X 60 ft.
NS5124	24" X 60 ft.
NS5136	36" X 60 ft.
NS5142	42" X 60 ft.
NS5100-6X24	6"X24" available in clear, colors and "Watch Your Step" and "Caution".
<b>Product Suffix Denotes Color</b>	
C-Clear	
O-Orange	
R-Red	
GR-Grey	
GN-Green	
BU-Blue	
Y-Yellow	
BR-Brown	
W-White	
YB-Yellow & Black	
WR-White & Red	



Black

Brown

Blue

Clear

Grey

Green



Orange

Red

White

White / Red

Yellow

Yellow / Black

Available in  
42 inch by 60 ft. rolls  
ONLY

Light Grey

Printed colors may vary from actual tape colors. Light grey is only available in wider rolls.

# ANTI-SLIP TAPES

## No Skidding® NS5200B Series Anti-Slip Tapes, 80 Grit – Black:

Our premium quality anti-slip black grit tape provides an excellent and economical choice for most indoor and outdoor requirements for anti-slip grit tape. Slightly finer texture than our NS5100B series.

- Manufactured from a hard-wearing 80 grit silicon carbide formulation.
- Easy to apply anti-slip high traction safety tape that applies firm traction and durable protection.
- Our traction tape will adhere to clean dry surfaces including metal, sealed wood and sealed concrete. Resistant to water and many chemicals while providing reliable slip resistance.
- Superior embedded grit technology for extended wear.
- Silicon carbide grit.
- Rubber based adhesive.
- Smaller traction grit size than our regular NS5100B series without compromising safety.
- Long lasting and chemical resistant product used around the world in OEM and MRO applications that require a consistent, reliable, quality anti slip product.

6" x 24" also available with photoluminescent or reflective stripe.



ITEM NO.	SIZE
NS5201B	1" X 60 ft.
NS5202B	2" X 60 ft.
NS5203B	3" X 60 ft.
NS5204B	4" X 60 ft.
NS5206B	6" X 60 ft.
NS5212B	12" X 60 ft.
NS5218B	18" X 60 ft.
NS5224B	24" X 60 ft.
NS5236B	36" X 60 ft.
NS5248B	48" X 60 ft.
NS5200B-5.5X5.5	5.5" X 5.5"
NS5200B-.75X24	.75" X 24"
NS5200B-6X24	6" X 24"
NS5200B-6X24PS With Photoluminescent Stripe	6" X 24"
NS5200B-6X24RS With Reflective Stripe	6" X 24"

### Applications:

Suitable for light to heavy shoe traffic areas including: industrial areas, ramps, dock areas, walkways, stairways, work areas, construction machinery, industrial equipment, trucks & trailers, RV's, hazardous floors, boat decks, sailing, snowmobiles, residential and hundreds of OEM applications.

### Features:

- Premium construction • Aggressive adhesive system • Durable abrasive mineral grit • Water resistant • Chemical & oil resistant
- Long term weatherability • Indoor and outdoor use • Adheres to clean, dry, smooth surfaces including metal, sealed or painted wood and concrete.
- Easy to use • Ready to use • Cost effective • Certified High Traction by NFSI • Exceeds SCOF requirements for ASTM, OSHA, ADA, ANSI/NFSI

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long. Available as wide as 54 inches (137.16cm) by 60 ft. (18.3m), special order.

Cleats and Treads: 5.5" X 5.5", 6" X 24", ¾" by 24".

Custom slitting and die cut shapes for OEM applications also available.



No Skidding® NS5200B Series Anti-Slip Grit Tape.



# ANTI-SLIP TAPES

## No Skidding® NS5300B Series Coarse Anti-Slip Tapes, 46 Grit - Black:

Our premium coarse anti-slip black grit tape is ideal for most indoor or outdoor requirements for a coarser textured anti-slip grit tape.

- Manufactured from a durable 46 grit silicon carbide formulation.
- Engineered for heavy foot traffic and work environments where a larger grit is required to resist clogging due to excessive dirt and dust.
- Dirt can clog up standard grit products with mud, dust, grease and liquids. Our NS5300B Coarse Grit Tape offers a larger grit surface to address this.
- Easy to apply anti-slip high traction safety tape that provides firm traction and durable protection.
- Our traction tape will adhere to clean dry surfaces including metal, sealed wood and sealed concrete. Resistant to water and many chemicals while providing excellent slip resistance.
- Superior embedded grit technology for extended wear.
- Silicon carbide grit.
- Rubber based adhesive.
- Long lasting and chemical resistant product used world wide in OEM and MRO applications.



ITEM NO.	SIZE
NS5301B	1" X 60 ft.
NS5302B	2" X 60 ft.
NS5303B	3" X 60 ft.
NS5304B	4" X 60 ft.
NS5306B	6" X 60 ft.
NS5312B	12" X 60 ft.
NS5318B	18" X 60 ft.
NS5324B	24" X 60 ft.
NS5336B	36" X 60 ft.
NS5348B	48" X 60 ft.
NS5300B-5.5X5.5	5.5" X 5.5"
NS5300B-.75X24	.75" X 24"
NS5300B-6X24	6" X 24"

### Applications:

- Suitable for light to heavy shoe traffic areas including: industrial areas, ramps, dock areas, walkways, stairways, work areas, construction machinery, industrial equipment, trucks & trailers, RV's, hazardous floors, ship decks, snowmobiles and hundreds of OEM applications.

### Features:

- Premium construction • Aggressive adhesive system • Durable abrasive mineral grit • Water resistant • Chemical & oil resistant
- Long term weatherability • Indoor and outdoor use • Adheres to clean, dry, smooth surfaces including metal, sealed wood and concrete.
- Easy to use • Ready to use • Cost effective • Certified High Traction by NFSI • Exceeds SCOF requirements for ASTM, OSHA, ADA, ANSI/ NFSI

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long. Available as wide as 54 inches (137.16cm) by 60 ft. (18.3m), special order.

Cleats and Treads: 5.5" X 5.5", 6" X 24", ¾" by 24".

Custom slitting and die cut shapes for OEM applications also available.



## No Skidding® NS5600B & NS5600Y Anti-Slip Safety Mop Friendly Grit Tape:

No Skidding® Premium Mop Friendly Black and Yellow Grit Tape is our commercial grade aluminum oxide anti slip tape that provides an enhanced level of anti-skid protection and also provides a surface that is easy to clean with a mop. Designed to meet OSHA standards. The grit particles from this product have been modified to allow the surface to be mopped without the mop strings catching on the grit particles. This product has an aggressive acrylic adhesive system that will bond to most clean and dry surfaces. NS5600B/Y is the choice for areas where there is frequent cleaning with a mop but still the requirements for a premium traction grip tape.

### Applications:

No Skidding® Mop Friendly Black and Yellow Grit Tape is designed for indoor and outdoor anti-skid applications that require bonding to a variety of surfaces. Suitable for a wide range of markets including OEM, Building Safety and Hospitality.

### Features:

- Mop friendly • Water resistant • Excellent durability • Chemical & oil resistant
- Traction grit surface • High performance adhesive system

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 12 inches (30.48cm) by 60 ft. (18.3m) long and 6" X 24" cleats.



ITEM NO.	SIZE
NS5601	1" X 60 ft.
NS5602	2" X 60 ft.
NS5603	3" X 60 ft.
NS5604	4" X 60 ft.
NS5606	6" X 60 ft.
NS5612	12" X 60 ft.
NS5600-6X24	6" X 24"
Add Suffix "B" for Black "Y" for Yellow	



# ANTI-SLIP TAPES

## No Skidding® NS5700 Series Conformable Foil Backed Anti-Slip Grit Tape - Black and Yellow/Black Diagonal Stripe:

Our conformable foil backed anti-slip tape is engineered for irregular or textured surfaces and stair nosing applications. The foil backing allows this product to conform and hold its shape to most textured or embossed surfaces with its aggressive adhesive.

### Features:

- A durable choice for most applications involving rough, contoured or irregular surfaces.
- Indoor and outdoor application.
- Manufactured from a durable 60 grit aluminum oxide formulation.
- Foil backing conforms to corners and irregular surfaces.
- Economical and simple to apply anti-slip high traction to irregular surfaces.
- An anti-slip material that can be rolled and bent or angled to fit most contours. Constructed from diamond hard mineral grit coated on to adhesive backed aluminum foil. Simply peel off liner, press into place then use rubber mallet to help it form to the irregular surface.
- Conformable Black and Yellow/Black Diagonal Stripe Anti-Slip Abrasive Tape is for use on irregular or non smooth surfaces including steel tread plate, stair nosing, uneven sealed concrete and most uneven surfaces.
- Certified High Traction by NFSI.



ITEM NO.	SIZE
NS5702	2" X 60 ft.
NS5703	3" X 60 ft.
NS5704	4" X 60 ft.
NS5706	6" X 60 ft.
NS5712	12" X 60 ft.
NS5700-6X24	6" X 24"

Add Suffix  
"B" for Black  
"YB" for Yellow & Black

### Standard sizes:

Tapes: Widths ranging from 2 inches (5.08cm) to 12 inches (30.48cm) by 60 ft. (18.3m) long and 6" X 24" cleats.

Custom slit widths and die cut applications also available.



When applying our conformable anti-slip tape onto diamond tread plate and checker plates our soft rubber mallet is ideal for helping the material to conform onto irregular surfaces. Simply press the conformable anti slip tape into place then use the rubber mallet to help it form to the irregular surface. Product code: NS57-S/RM

Edge Sealing Compound for sealing edges after installing anti-slip tape that may be exposed to water, oil or grease for extended periods. One tube seals between 75 to 100 linear feet. Product code: NS5-ESC



# ANTI-SLIP TAPES

## No Skidding® NS5900 Series Industrial Heavy-Duty Grit Tape

No Skidding® Heavy-Duty Industrial Grit Tape and Cleats are engineered for heavy-duty industrial environments including offshore marine applications, oil & gas rigs, heavy traffic areas, work areas, loading docks, stairways, ramps & walkways, bleachers, power equipment, the transportation industry and OEM applications. Our heavy-duty adhesive is designed to withstand some of the toughest environments where slip-and-fall prevention is required. No Skidding® Heavy-Duty Industrial Grit Tape and Cleats are ideal for tough applications. They offer the same slip-resistance as aggressive industrial anti-slip paint coatings with the ease of application of a peel and stick tape or cleat. These tapes are manufactured from a proprietary formula traction grit that is embedded into the product. These extremely durable tapes and treads are specifically developed for industrial environments.

### Applications:

Suitable for Offshore Marine, Oil & Gas Rigs, Heavy Traffic Areas, Work Areas, Loading Docks, Stairways, Ramps & Walkways, Bleachers & Stadiums, Power Equipment (Large & Small), Trucks, Military and Transportation.

### Features:

- Available in Safety Yellow or Black.
- Available in Standard & Coarse Grit Surfaces.
- Coarse is a blended combination of 8,16,30 grits.
- Standard is a blend of 20, 30 grits.
- Superior bonding properties with stronger adhesive compared with conventional anti-slip tapes.
- Multi-layer process embeds the grit for longer product life.
- Simple peel and stick application.
- Easy to cut and trim.
- Useful temperature range of -40°F to +140°F (-40°C to +60 °C) (when applied properly per installation instructions).
- Will tolerate steam cleaning, detergent cleaning, low PSI pressure washing.
- Resistant to oil, grease, saltwater or alkali exposure under normal conditions.
- Exceeds OSHA and ADA recommendations for Coefficient of Friction.
- Manufactured in North America.
- Shelf Life: Two years.



Product No.	Size	Color	Item Description
NS5900CY-4X12	4" x 12"	Safety Yellow	4" X 12" Heavy-Duty Industrial Coarse Grit -Yellow
NS5900CY-3X24	3" X 24"	Safety Yellow	3" X 24" Heavy-Duty Industrial Coarse Grit -Yellow
NS5900CY-6X24	6" X 24"	Safety Yellow	6" X 24" Heavy-Duty Industrial Coarse Grit -Yellow
NS5900CY-6X36	6" X 36"	Safety Yellow	6" X 36" Heavy-Duty Industrial Coarse Grit -Yellow
NS5900SY-4X12	4" x 12"	Safety Yellow	4" X 12" Heavy-Duty Industrial Standard Grit -Yellow
NS5900SY-3X24	3" X 24"	Safety Yellow	3" X 24" Heavy-Duty Industrial Standard Grit -Yellow
NS5900SY-6X24	6" X 24"	Safety Yellow	6" X 24" Heavy-Duty Industrial Standard Grit -Yellow
NS5900SY-6X36	6" X 36"	Safety Yellow	6" X 36" Heavy-Duty Industrial Standard Grit -Yellow
NS5900CB-4X12	4" x 12"	Black	4" X 12" Heavy-Duty Industrial Coarse Grit -Black
NS5900CB-3X24	3" X 24"	Black	3" X 24" Heavy-Duty Industrial Coarse Grit -Black
NS5900CB-6X24	6" X 24"	Black	6" X 24" Heavy-Duty Industrial Coarse Grit -Black
NS5900CB-6X36	6" X 36"	Black	6" X 36" Heavy-Duty Industrial Coarse Grit -Black
NS5900SB-4X12	4" x 12"	Black	4" X 12" Heavy-Duty Industrial Standard Grit -Black
NS5900SB-3X24	3" X 24"	Black	3" X 24" Heavy-Duty Industrial Standard Grit -Black
NS5900SB-6X24	6" X 24"	Black	6" X 24" Heavy-Duty Industrial Standard Grit -Black
NS5900SB-6X36	6" X 36"	Black	6" X 36" Heavy-Duty Industrial Standard Grit -Black

### ROLLS

NS5904SY	4" X 30'	Safety Yellow	4" X 30' Heavy-Duty Industrial Standard Grit -Yellow
NS5904SB	4" X 30'	Black	4" X 30' Heavy-Duty Industrial Standard Grit - Black
NS5904CY	4" X 30'	Safety Yellow	4" X 30' Heavy-Duty Industrial Coarse Grit -Yellow
NS5904CB	4" X 30'	Black	4" X 30' Heavy-Duty Industrial Coarse Grit - Black



# ANTI-SLIP TAPES

## No Skidding® NS4000 Series Anti-Slip Vinyl Safety Tape – Fine Texture:

- Available in White or Clear.
- Barefoot friendly.
- Designed for wet, barefoot-traffic areas.
- Non-mineral, fine-textured, slip-resistant vinyl surface that has our water-resistant, acrylic adhesive ideal for wet conditions.
- Applications include: Showers, bathtubs, locker rooms, therapy rooms, swimming pools, around hot tubs, aquatic equipment, and many more applications.
- Used in senior care, hospitals, hotels, motels, and residences for years.
- Engineered from a unique type of vinyl that is both comfortable to the skin, pleasing to the eye, easy to clean and durable.
- Stocked in sizes from 1 inch to 48 inches and we routinely do custom sizing for larger projects.
- Our vinyl tape is sanitary and it's vinyl construction can limit the growth of odor causing germs and bacteria.
- Simple application - as simple as peeling off the release liner and pressing firmly onto a clean, dry surface.
- Simple removal when ready.

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long. Available as wide as 54 inches (137.16cm) by 60 ft. (18.3m), special order.

Strips, bathmats and shower mats: ¾" X 7.5", ¾" X 17.5", 16" X 34", 16" X 40" (White only) and 24" X 24" (White only).

Custom slitting and die cut shapes for OEM applications also available.

ITEM NO.	SIZE
NS4001	1" X 60 ft.
NS4002	2" X 60 ft.
NS4003	3" X 60 ft.
NS4004	4" X 60 ft.
NS4006	6" X 60 ft.
NS4012	12" X 60 ft.
NS4018	18" X 60 ft.
NS4024	24" X 60 ft.
NS4036	36" X 60 ft.
NS4048	48" X 60 ft.
NS4000-.75X7.5	.75" X 7.5"
NS4000-.75X17.5	.75" X 17.5"
NS4000-16X34	16" X 34"
NS4000-16X40W	16" X 40"
NS4000-24X24W	24" X 24"
Add Suffix "W" for White "C" for Clear	



NS4000-16X34C Anti-Slip Clear Vinyl Bathmat, 16" X 34"




NS4000-16X40W Anti-Slip White Vinyl Bathmat, 16" X 40"



NS4000-16X34W Anti-Slip White Vinyl Bathmat, 16" X 34"



NS4000-3/4X17.5W Anti-Slip White Vinyl Bath Strips, 0.75" X 17.5"




NS4000-24X24C Clear Vinyl Anti-Slip Shower Mat, 24" X 24"



NS4000-3/4X7.5C Anti-Slip Clear Vinyl Bath Strips, 0.75" X 7.5"

NS4000-3/4X7.5W Anti-Slip White Vinyl Bath Strips, 0.75" X 7.5"



NS4000C and NS4000W Series, available in White or Clear, 1 inch to 48 inches by 60 ft. rolls



# ANTI-SLIP TAPES

## No Skidding® NS4400 Series Anti-Slip Vinyl Safety Tape – Coarse Texture:

- Available in Black or White.
- Anti-Slip Vinyl Safety Tape is a coarse, textured anti slip vinyl tape that provides slip resistance in both wet and dry conditions.
- NS4400 is constructed from a non-mineral, coarse, textured, slip-resistant vinyl surface that has a water-resistant, acrylic adhesive for wet conditions.
- Applications: Showers, bathtubs, locker rooms, therapy rooms, swimming pools, around hot tubs, surfboards, step stools, aquatic equipment, and many more applications.
- Ideal for senior care, hospitals, hotels, motels and residences.
- Our vinyl tape is constructed from a unique type of vinyl that is both comfortable to the skin, pleasing to the eye, easy to clean and durable.
- Stocked in sizes from 1 inch to 48 inches and we routinely do custom sizing for larger projects.
- Our vinyl tape is sanitary and it's vinyl construction can limit the growth of odor causing germs and bacteria.
- Simple application - Peel off the release liner and press firmly onto a clean, dry surface. When ready to replace your vinyl tape, lift one corner and remove. Releases cleanly.



### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long. Available as wide as 54 inches (137.16cm) by 60 ft. (18.3m), special order. Also available in 16" X 34" bathmats. Custom slitting and die cut shapes for OEM applications also available.

ITEM NO.	SIZE
NS4401	1" X 60 ft.
NS4402	2" X 60 ft.
NS4403	3" X 60 ft.
NS4404	4" X 60 ft.
NS4406	6" X 60 ft.
NS4412	12" X 60 ft.
NS4418	18" X 60 ft.
NS4424	24" X 60 ft.
NS4436	36" X 60 ft.
NS4448	48" X 60 ft.
NS4400-16X34W	16"X34" coarse white vinyl bathmat
Add Suffix "W" for White "B" for Black	

## No Skidding® NS45000 Series - Anti-Slip Resilient Tape:

- Available in Black, Grey or Clear.
- Softer, resilient, rubberized anti-slip tape.
- Engineered from a unique rubberized material that is comfortable enough for barefoot traffic yet tough enough to withstand boot, shoe, or cart traffic.
- No Skidding® Resilient Anti-Slip Tape is the solution to help prevent slips and falls on most commercial applications for both barefoot and shoe traffic as well as being mop friendly.
- Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn mowers, entryways, stairs, hand rails, locker rooms, around hot tubs, exercise equipment and dozens more applications.
- This rubberized, textured anti-slip tape was designed for heavy shoe and cart traffic, yet is comfortable enough for bare feet.
- Provides excellent slip-resistance in many scenarios where customers want to help prevent their product from slipping on a hard floor surface.
- Coated with an aggressive adhesive designed with industrial and commercial applications in mind.
- Certified High Traction by NFSI.



### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long and 6" X 24" cleats.

Custom slitting and die cut shapes for OEM applications also available. Available as wide as 54 inches by 60 ft, special order.

ITEM NO.	SIZE
NS45001	1" X 60 ft.
NS45002	2" X 60 ft.
NS45003	3" X 60 ft.
NS45004	4" X 60 ft.
NS45006	6" X 60 ft.
NS45012	12" X 60 ft.
NS45018	18" X 60 ft.
NS45024	24" X 60 ft.
NS45036	36" X 60 ft.
NS45048	48" X 60 ft.
NS45000-6X24	6" X 24"
Add Suffix 'B' for Black 'C' for Clear 'G' for Grey	



NS45000B Black



NS45000C Clear



NS45000G Grey

# ANTI-SLIP TAPES

## No Skidding® NS46000 Series – Anti-Slip Coarse Rubberized Resilient Tape – Black or Grey:

No Skidding® Coarse Resilient Tape – Black or Grey is a heavily embossed anti-slip rubber coated PVC formulated using the same technology as our NS45000 Series but thicker. It has been engineered with a heavy duty adhesive system to offer firm adhesion to a wide variety of flat surfaces where a thicker, stable anti-slip solution is required. Suitable for indoor and outdoor applications that require flexible, very durable long term adhesion to a wide variety of surfaces. It has been successfully used in a wide range of markets including Marine, OEM, Action Sports, Building Safety, etc. Excellent die cut ability for many custom and OEM applications for treads, steps, matting, water sport, exercise equipment, pedals, footrests, etc.

### Features:

- Available in Black, Grey or Clear.
- Softer, resilient, rubberized anti-slip tape.
- Engineered from a unique rubberized material that is comfortable enough for barefoot traffic yet tough enough to withstand boot, shoe, or cart traffic.
- No Skidding® Resilient Anti-Slip Tape is the solution to help prevent slips and falls on most commercial applications for both barefoot and shoe traffic as well as being mop friendly.
- Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn mowers, entryways, stairs, hand rails, locker rooms, around hot tubs, exercise equipment and dozens more applications.
- This rubberized, textured anti-slip tape was designed for heavy shoe and cart traffic, yet is comfortable enough for bare feet.
- Provides excellent slip-resistance in many scenarios where customers want to help prevent their product from slipping on a hard floor surface.
- Coated with an aggressive adhesive designed with industrial and commercial applications in mind.
- Certified High Traction by NFSI.

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 48 inches (121.92cm) wide by 60 ft. (18.3m) long and 6" X 24" cleats.

Custom slitting and die cut shapes for OEM applications also available. Available as wide as 54 inches by 60 ft, special order.

ITEM NO.	SIZE
NS46001	1" X 60 ft.
NS46002	2" X 60 ft.
NS46003	3" X 60 ft.
NS46004	4" X 60 ft.
NS46006	6" X 60 ft.
NS46012	12" X 60 ft.
NS46018	18" X 60 ft.
NS46024	24" X 60 ft.
NS46036	36" X 60 ft.
NS46048	48" X 60 ft.
NS46000-6X24	6" X 24"
Add Suffix 'B' for Black 'G' for Grey	



No Skidding® NS4600B Series Custom OEM Application.



No Skidding® NS5100YB Series

Select by product, application or environment

Type of No Skidding®  
Anti-Slip Tape and Treads

Industrial Grade Coarse NS3300B, NS5900CB/SB & NS5900CY/SY  
Industrial Grade NS3200B 80 Grit and NS100 60 Grit Series  
Compatible Foil Backed Anti-Slip NS5600B & NS700YB  
Mop Friendly Grit Tape NS5600B or NS5600Y  
Resilient NS45000 Series or NS46000 Series non mineral  
Coarse Vinyl NS4400 Series  
Fine Vinyl NS4000 Series

Environment

Commercial & MRO  
Industrial Facilities  
Food Service  
Health & Senior Care Facilities  
OEM  
Residential  
Transportation  
Hospitality & Hotels  
Sports & Leisure

This Product Selection Guide is only a guide. User is solely responsible for evaluating the product and determining whether it is fit for user's specific purpose. Many factors beyond our control and uniquely within user's knowledge and control can affect the use and performance of any of these products for a particular application. Given the variety of factors that can affect the use and performance of a No Skidding® product, user is solely responsible for evaluating the No Skidding® product and determining whether it is fit for a particular purpose and suitable for user's method of application. All tapes must be applied to clean, dry, grease free surfaces.


Application	Type of No Skidding® Anti-Slip Tape and Treads	Industrial Grade Coarse NS3300B, NS5900CB/SB & NS5900CY/SY	Industrial Grade NS3200B 80 Grit and NS100 60 Grit Series	Compatible Foil Backed Anti-Slip NS5600B & NS700YB	Mop Friendly Grit Tape NS5600B or NS5600Y	Resilient NS45000 Series or NS46000 Series non mineral	Coarse Vinyl NS4400 Series	Fine Vinyl NS4000 Series	Commercial & MRO	Industrial Facilities	Food Service	Health & Senior Care Facilities	OEM	Residential	Transportation	Hospitality & Hotels	Sports & Leisure
Action sports																	
Agriculture equipment																	
Aircraft																	
Airline decks & ramps																	
Airplane hangars																	
Aquatic equipment																	
ATVs																	
Auto repair																	
Balconies																	
Bathrooms																	
Boat decks																	
Buses																	
Cafeterias																	
Cars																	
Catwalks																	
Cold storage																	
Construction equipment																	
Corridors																	
Conveyors & pulleys																	
Cranes																	
Decks																	
Diamond plate																	
Dishwashing and disposal areas																	
Diving boards																	
Docks																	
Dock plates																	
Elevators																	
Emergency rooms																	
Entrances																	
Farm equipment																	
Fire escapes																	
Floors																	
Food processing																	
Forklifts																	
Garages																	
Garden tractors																	
Golf carts																	
Grab bars																	
Greasy areas																	
Hand rails																	
Horse trailers																	
Hot tubs																	
Irregular surfaces																	
Labs																	
Ladders																	
Ladder rungs																	
Laundry areas																	
Lawn mowers																	
Loading docks																	
Loading ramps																	
Locker rooms																	
Patient bathrooms																	
Personal watercrafts																	
Platforms																	
Rails																	
Ramps																	
Recreational vehicles																	
Sailing																	
Scaffolds																	
Ship and plane decks																	
Showers																	
Stairs																	
Stairwells																	
Steps																	
Step stools																	
Surf boards																	
Surgical suites																	
Swimming pools and accessories																	
Therapy tubs																	
Trains																	
Trucks																	
Waiting areas																	
Walk in fridge/freezers																	
Warehouse floors																	
Wet areas																	
Wheel chairs & crutches																	

Product Selection Guide

# PHOTOLUMINESCENT TAPES

ITEM NO.	SIZE
NS4201PH	1" X 60 ft.
NS4202PH	2" X 60 ft.
NS4203PH	3" X 60 ft.
NS4204PH	4" X 60 ft.
NS4206PH	6" X 60 ft.
NS4212PH	12" X 60 ft.
NS4224PH	24" X 60 ft.
NS4200PH-6X24	6" X 24"

During the day v



At night or during blackout conditions.

## No Skidding® NS4200PH Glow-in-the-Dark Anti-Slip Grit Tape:

- Slip-resistant, mineral-coated photoluminescent tape that absorbs and stores energy from artificial or natural light and when tape is charged it becomes immediately visible in the event of a blackout.
- No Skidding® Glow-in-the-Dark Anti-Slip Safety Tape is ideal for stairs, ramps, landings, emergency exits and other potentially slick surfaces that are part of your low-level emergency egress system.
- The initial phase consists of a strong immediate glow followed by an accelerated decrease in the initial brilliance thereafter.
- Non radioactive abrasive texture provides safe, anti-slip surface for stairs.
- Easily affixes to most surfaces and has an excellent peel-and-stick adhesive backing that facilitates low-cost, easy installation.
- Can help to prevent costly slip and fall accidents during blackout conditions.
- Exceeds OSHA standards for anti-slip protection on hazardous surfaces.
- Meets: DIN 67510, ASTM 2072, ISO 15370, MEA# 235-05-M.
- Certified High Traction by NFSI

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 24 inches (60.96cm) by 60 ft. (18.3m) long and 6" X 24" treads.

## No Skidding® Premium NS4300PH Glow-in-the-Dark Anti-Slip Grit Tape:

- No Skidding® Premium Anti-Slip Photoluminescent Grit Tape is a safety grade glow-in-the-dark anti skid grit tape coated with an aggressive pressure sensitive adhesive. It has been designed to exceed requirements for OSHA and other safety standards.
- Slip-resistant, mineral-coated photoluminescent tape that absorbs and stores energy from artificial or natural light and when tape is charged it becomes immediately visible in the event of a blackout.
- No Skidding® Glow-in-the-Dark Anti-Slip Safety Tape is ideal for stairs, ramps, landings, emergency exits and other potentially slick surfaces that are part of your low-level emergency egress system.
- The initial phase consists of a strong immediate glow followed by an accelerated decrease of the initial brilliance thereafter.
- Non radioactive abrasive texture provides safe, anti-slip surface for stairs.
- Easily affixes to most surfaces and has an excellent peel-and-stick adhesive backing that facilitates low-cost, easy installation.
- Can help to prevent costly slip and fall accidents during blackout conditions.
- Exceeds OSHA standards for anti-slip protection on hazardous surfaces.
- No Skidding® Anti-Slip Photoluminescent Grit Tape is designed for applications such as egress markings in building, marine, rail, and military applications.
- Meets: DIN 67510, ASTM 2072, ISO 15370, MEA# 235-05-M.
- Certified High Traction by NFSI.

### Standard sizes:

Tapes: Widths ranging from 1 inch (2.54cm) to 24 inches (60.96cm) by 60 ft. (18.3m) long and 6" X 24" treads, 3" Circles and 4" Arrows.



ITEM NO.	SIZE
NS4301PH	1" X 60 ft.
NS4302PH	2" X 60 ft.
NS4303PH	3" X 60 ft.
NS4304PH	4" X 60 ft.
NS4306PH	6" X 60 ft.
NS4312PH	12" X 60 ft.
NS4324PH	24" X 60 ft.
NS4300PH-6X24	6" X 24"
NS4300PH-ARROW	3" Arrow 20 pack
NS4300PH-CIRCLE	3" Circle 20 pack

During the day v



At night or during blackout conditions.

## No Skidding® NS5402PH Glow-in-the-Dark Anti-Slip Safety Tape:

NS5402PH is our standard 60 grit anti-slip tape featuring a glow-in-the-dark strip down the center. This strip can be charged in artificial or natural light giving illumination during power outages. Glow in the dark anti-slip stripe tape is suitable for areas where high-visibility photoluminescent qualities and an anti-slip surface are required, such as walkways and stairwells. Only available 2 inches by 60 ft rolls.

During the day v




At night or during blackout conditions.

# PHOTOLUMINESCENT TAPES

## No Skidding® NS75200 Series - Vertical Surfaces Photoluminescent Glow-in-the-Dark Tape – Safety Grade:

- Durable glow-in-the-dark tape essential for your low-level emergency egress system.
- Our photoluminescent glow-in-the-dark tape is a flexible laminated film that absorbs and stores energy from ambient light.
- When tape is charged and in the event of a power failure or power outage this tape is immediately visible thereby providing people with a clearly illuminated evacuation route.
- Our photoluminescent tape is peel and stick and easily affixes to walls, columns, around door or window frames, handrails, along stairways and baseboards.
- Constructed from a flexible laminated film that is coated with permanent acrylic pressure sensitive adhesive and backed by poly-coated release liner.
- It is UV stable, and installation is simply position, peel off backing, and apply to clean and dry surface.
- Please ensure that the minimum application temperature is 50 degrees Fahrenheit or 10 degrees Celsius. Custom sizes and shapes are available upon request.
- Meets: DIN 67510, ASTM 2072, ISO 15370, IMO Resolution A. 752 (18), PSPA Class B.




ITEM NO.	SIZE
NS75201	1" X 30 ft.
NS75202	2" X 30 ft.
NS75203	3" X 30 ft.
NS75206	6" X 30 ft.
NS75200-ARROW20	3" Arrows 20 pack
NS75200-CIRCLE20	3" Circle 20 pack
NS75200B-STRIPE	2" X 30 ft. with Black stripe
NS75200GN-STRIPE	2" X 30 ft. with Green stripe
NS75200R-STRIPE	2" X 30 ft. with Red stripe

## No Skidding® NS75500 Series- Vertical Surfaces Photoluminescent Glow-in-the-Dark Tape – Premium Safety Grade:

- Our premium high tack photoluminescent glow-in-the-dark tape.
- Available with standard adhesive and also ‘High Tack’ adhesive designed for low energy surface bonding. Order product no. below with suffix “HT”.
- A flexible laminated film that absorbs and stores energy from ambient light. When tape is charged and in the event of a power failure or power outage this tape is immediately visible thereby providing people with a clearly illuminated evacuation route.
- Our photoluminescent tape is peel and stick and easily affixes to walls, columns, around door or window frames, handrails, along stairways and baseboards, it is ideal for your low-level emergency egress system.
- Constructed from a flexible laminated film that is coated with permanent acrylic pressure sensitive adhesive and backed by poly-coated release liner.
- UV stable peel off backing and apply to dry, non oily surface. Ensure that the minimum application temperature is 50 degrees Fahrenheit or 10 degrees Celsius.
- Custom sizes and shapes are available upon request.
- Meets: DIN 67510, ASTM 2072, ISO 15370, EU marine Equipment Directive, IMO RES A. 752 (18), PSPA class C, JIS Z9100, NYC RS6-1



At night or during blackout conditions.



ITEM NO.	SIZE
NS75501	1" X 30 ft.
NS75502	2" X 30 ft.
NS75503	3" X 30 ft.
NS75506	6" X 30 ft.

Available with regular and also rubber based adhesive for low energy surfaces. Add HT suffix if ordering our rubber based adhesive system for low energy surface bonding.

NS75500-ARROW20HT	3" Arrow 20 pack
NS75500-CIRCLE20HT	3" Circle 20 pack

# ENGINEERING GRADE REFLECTIVE TAPES

ITEM NO.	SIZE
SI-REF-1X30	1" X 30 ft. Solid
SI-REF-2X30	2" X 30 ft. Solid
SI-REF-3X30	3" X 30 ft. Solid
SI-REF-4X30	4" X 30 ft. Solid
SI-REF-1X150	1" X 150 ft. Solid
SI-REF-2X150	2" X 150 ft. Solid
SI-REF-3X150	3" X 150 ft. Solid
SI-REF-4X150	4" X 150 ft. Solid
SI-REF-6X150	6" X 150 ft. Solid
SI-REST-1X30	1" X 30 ft. Hazard Striped
SI-REST-2X30	2" X 30 ft. Hazard Striped
SI-REST-3X30	3" X 30 ft. Hazard Striped
SI-REST-4X30	4" X 30 ft. Hazard Striped

## No Skidding® SI-REF Series - Engineering Grade Reflective Tape:

- A high quality, engineering grade reflective material designed for poles, barricades, fences, buildings, roads, etc. to help signify danger and/or roadway hazards.
- Excellent daytime and night time visibility.
- Our adhesive adheres to most clean and dry surfaces.
- Material is rated for 7 years of outdoor life, depending on conditions.
- Meets ASTM D 4956-01 Type-I
- Helps reduce accidental damage to poles, dock doors and racking.
- Hazard striped tape has a protective lamination to help ensure that the printed stripe will not wear off.
- Available in White, Brown, Red, Orange, Black, Green, Dark Blue, Gold, Yellow, Red/White diagonal stripe.




# AISLE MARKING / HAZARD WARNING TAPES

## No Skidding® SI-NSVM Series - Vinyl Aisle Marking / Hazard Warning Tape:

- Highly visible, tough, pressure-sensitive vinyl tapes are perfect for: aisle marking, color coding, duct sealing, abrasion protection, joint sealing, pipe wrapping, decorating, light bundling, packaging, safety marking, etc.
- Available in 8 colors and clear. Please specify color.
- One roll of vinyl tape measures 36 yards or 108 feet in length.
- Promote safety and mark specific areas by identifying potential hazardous areas with visible tapes.
- Vinyl tapes adhere to floors, walls, piping, posts, beams, handrails, stairways, machinery, and equipment.
- Vinyl Tapes can be used for color-coding and identifying aisles, walkways, indoor traffic lines, danger zones, boundaries, doorways, and any other general purpose marking.
- Available in: Yellow, Red, Blue, Green, White, Black, Clear, Black / Yellow, Red / White diagonal stripe.



ITEM NO.	SIZE
SI-NSVM101X108	1"X108 FT
SI-NSVM102X108	2"X108 FT
SI-NSVM103X108	3"X108 FT
SI-NSVM104X108	4"X108 FT
SI-NSVM106X108	6"X108 FT



# CUSTOM

## OEM Custom Converting and Die Cutting Capabilities

No Skidding Products are leaders in supplying OEM and custom anti-slip tape solutions to industry and commerce on six continents since 1993. We supply OEM and custom solutions for a multitude of markets including commercial and home, transportation, retail, military, sports, sailing, boating, construction, healthcare, mining, industrial facilities, recreational vehicles, hospitality and food service.

Our OEM capabilities include custom die cuts, back slit, kiss cut, laser cut, custom widths, custom lengths and custom adhesive systems. We have custom capabilities for anti-slip grit materials and also anti-slip vinyl, rubberized vinyl & glow-in-the-dark materials.

Our anti-slip tapes are available in die cut custom shapes and sizes to suit any requirement. Our flexibility allows you to be creative. Supply us with your specific product design or drawings and we will supply you with samples for approval before production.



No Skidding® Anti-Slip Tapes are in use in over fifty countries around the world and include a wide and varied selection of OEM custom applications that include:

- Fitness/Exercise Equipment
- Military Equipment
- Heavy Construction Equipment
- Farm Equipment
- Trailers
- Racing Yachts & Sailing
- Boats (Yachts, Ships, Paddle Boats, Boat Ladders, etc.)
- RVs (Steps, Ladders, Roof etc.)
- Running Boards
- Golf Carts
- Riding Lawn Mowers
- Airlines
- Ramps (Wheel Chair, Equipment)
- Home Health Care Equipment (Ramps, Lifts, Scooters)
- Medical Equipment (Dialysis Chairs, Foot Rests, Rehabilitation Equipment, Scales)
- Van/Bus Lifts and Ramps
- Food Handling Equipment
- Walk-in Coolers
- Bleachers
- Office Furniture and Step Stools
- Ladders
- Scaffolding
- Gravel Guard material for Trailers and Trucks
- Forklifts
- Industrial Equipment

Visit [www.noskidding.com/custom/](http://www.noskidding.com/custom/) to learn more or to contact us.







NS45000G Grey, Custom Circles



NS4000C Clear custom



No Skidding® NS5300B Series Coarse Anti-Slip Grit Tape.



No Skidding® NS45000C Series Anti-Slip Resilient Tape-Clear.  
(Affixed to underside of product to prevent movement during play)



No Skidding® NS5200B Series Anti-Slip Grit Tape.



Please ask about our comprehensive **No Skidding® Anti-Slip Coatings and Anti-Slip Treatments catalog** or our **Anti-Slip FRP Step Covers, Deck Plates and Panels catalog**.

## The Problem:


- Slips and falls are the second leading cause of accidental death and third leading cause of disability - CDC
- Slips and falls are the leading cause of workers' compensation claims - NFSI
- Slips and falls are the greatest source of general liability claims within the restaurant industry in the USA - National Restaurant Association
- Slips and falls are the most common of workplace hazards and make up over a third of all major injuries - HSE, UK
- In the USA alone 85% of worker's compensation claims are attributed to employees slipping on slippery floors (Industrial Safety & Occupational Health Markets 5th edition)
- Compensation & medical costs associated with employee slip/fall accidents is approximately \$70 billion annually (in the USA alone) - National Safety Council
- Slips and falls in public places are the leading cause of premises liability injuries - CNA Insurance
- Over eight million people treated for slip-and-fall related injuries (per year) in the USA alone - NCIPC, CDC, CPSC joint study.




Anti-Slip Treatments



Anti-Slip Coatings and Anti-Slip Aerosols



FRP Anti-Slip Step Covers and Anti-Slip Panels



FRP Anti-Slip Deck Strips and Plates

## The Solution:

No Skidding® high-traction anti-slip tapes, slip-resistant coatings, anti-slip treatments, anti-slip step covers, plates, panels and deck strips are all proven, proactive and cost effective ways to reduce slip-and-falls and help to ensure a safer environment for workers and visitors.

Let us help you create a safer environment today.

### Typical Applications:

- Ramps
- Steps & stairs
- Aisles
- Walkways
- Around machinery
- Exits/entrances
- Swimming pool decks
- Wet areas
- Loading docks
- Platforms
- Forklifts
- Garages
- Handicap zones
- Diamond plate surfaces
- Bathrooms, bathtubs & showers
- Stages
- OEM
- Residential
- Wood decking
- Diving boards
- Platforms
- Playgrounds
- Boating & Sailing

### Typical Surfaces:

- Floor tiles
- Granite, travertine, natural stone
- Sealed concrete
- Sealed wood
- Painted surfaces
- Linoleum & VCT
- Laminate
- Metal & Steel
- Acrylic
- Enamel... and more

Your No Skidding® dealer is:

### Typical Industries & Environments:

- Hotels and Resorts
- Office buildings
- Condominiums & apartment buildings
- Manufacturing & warehousing
- Marine
- Restaurants
- Supermarkets
- Food processing plants
- Shipping & transportation
- Public facilities
- Military
- Hospitals & senior care
- Railroads & subway systems
- Sewage treatment
- RV's
- Breweries & wineries
- Theme parks
- Sports stadiums
- Refineries
- Schools & universities
- Public institutions
- Retail
- Shopping malls
- Mining
- Farming
- Health clubs
- Live theatre & dance
- OEM
- Residential



266 Wildcat Rd, Toronto, ON M3J 2N5 Canada • Ph: 416-667-1788 • Toll Free: 1-800-375-0571 • Fax: 416-667-1783

[sales@noskidding.com](mailto:sales@noskidding.com) [www.noskidding.com](http://www.noskidding.com)

We warehouse within the USA for our US customers. Made in North America.

Many factors beyond our control and uniquely within user's knowledge and control can affect the performance and useful life of No Skidding® products, including the type and preparation of the surface, and the condition of use. User is solely responsible for evaluating the product and determining whether it is fit for user's specific purpose and adequately maintained. Technical data and suggestions for use in this brochure are currently correct to the best of our knowledge, but are subject to change without notice. Because application and conditions vary, and are beyond our control, we are not responsible for results obtained in using these products, even when used as suggested. The user should conduct tests to determine the suitability of the product for the intended use under then existing conditions. Any liability we may have with respect to a product or its use (including liability for breach of warranty, strict liability in tort, negligence or otherwise) is limited exclusively to replacement of the product or refund of its price. Under no circumstances are we liable for incidental, punitive or consequential damages. These products cannot eliminate slipping. E&OE.

No Skidding® is a registered trademark of No Skidding® Products, Inc., Toronto, Canada.