No Skidding® instant anti-slip solutions for stairs, ramps, floors, decking, vehicles.

Provide immediate anti-slip safety with very durable Anti-Slip FRP Step Covers, Treads or Panels. No Skidding® FRP Step Covers, Treads and Panels are suitable for interior and exterior concrete, wood, stone, metal or brick. They are used on stairs, walkways, ramps, vehicles, decks and landings to rapidly remedy slippery areas with minimal downtime. Unlike Anti-Slip Coatings or Anti-Slip Tapes, No Skidding® FRP Treads and Panels can be installed in winter and are ideal for application in very cold or wet areas where the application of a coating may be impractical.

Before

No Skidding



No Skidding® Anti-Slip Fiberglass (FRP) Solutions



No Skidding® FRP Step Covers, Treads and Panels are a quick and simple solution for greasy, slippery floors and stairs which cannot be painted or coated due to weather, lack of downtime or are chemically damaged. Anti-Slip FRP Walkway Panels have a heavy duty resin bonded anti-slip surface that matches FRP Step Covers and FRP Landing Covers. These sheets can be butted together to produce slip-resistant walkways and work areas.

Features and Benefits of No Skidding® Anti-Slip FRP Solutions:

- Durable FRP base that resists warping, stretching and swelling.
- Resistant to salt and salt water.
- Superior gritted anti-slip surface available in coarse, medium and fine textures.
- Quick and easy installation in all weather conditions.
- Can be walked on immediately with minimal lost time and work stoppages.
- Suitable for concrete, wood, brick, stone and metal interior and exterior applications.
- Easy to install can be screwed into place or glued into place with a urethane / polyurethane adhesive.
- Can be installed onto grating using our grating clip kit.
- Can be installed even in winter months using screws.
- Available in easy to install treads and panels.
- Available in black or yellow and also black with yellow safety stripe for our flat plates and step covers.
- Our anti-slip step covers, plates, treads and walkway panels provide slip-resistance and durability on surfaces such as inclines, ramps, and stairs.
- Lightweight and ideal for use on structurally sound flooring and steps.


Maintenance

Our FRP Panels and Step Covers can be swept to loosen and remove dirt. Step covers and walkways can be cleaned using a general purpose industrial floor cleaner. For embedded dirt, use a stiff bristled brush with an industrial cleaner. Our FRP Step Covers and Panels can be pressure sprayed up to 1000 psi.





Before After




No Skidding® FRP Anti-Slip Step Covers - black with yellow nose


Colors and Textures Available



Coarse



Coarse



Medium



Medium





Popular No Skidding® Step Covers By Industry

INDUSTRY	No Skidding® Step Covers	GRIT TYPE	COLOR	COMMENTS
Education/Medical	11.75" x 48" L	Medium	Yellow/Black	Custom and Standard lengths popular
Flooring	9" & 11.75" x 36" – 48" L	Medium	Yellow/Black	Custom and Standard lengths popular
Gas, Oil, Mining	3", 9" & 11.75" x 24" – 36" L	Coarse	Yellow	Coarse installed on gratings
Industrial	3", 9", 11.75", 24" – 48" L	AII	All	All grit sizes popular in industrial environments depending upon application.
Transportation	9" & 11.75" x 24" — 48" L	Medium & Coarse	Yellow/Black	Coarse grit typically used in outdoor applications.





No Skidding® Step Covers and Treads

No Skidding® FRP Step Covers are durable anti-slip fiberglass treads and nosings designed for stairs. They are used for both exterior and interior applications and are suitable for concrete, wood, stone, metal, brick or grated steps.

No Skidding® FRP Step Covers are lightweight, versatile, easy to install, available black, yellow or black with yellow nosing for easy identification. Our **No Skidding**® FRP Treads are constructed with our proprietary blend of mineral abrasives applied over thermoset polyester fiber reinforced polymer panels.

Many slips on stairs happen at the edge of a step when the surface wears and the edge becomes rounded. Wear, water, dust, dirt, ice, oil on the stairs heightens the problem creating a potentially dangerous situation.

No Skidding® Step Covers and Treads are designed to be applied over existing stairs thereby quickly creating a safe, slip-resistant surface that provides traction and safety.

- Panels are 1/8" thick prior to grit-coating
- Available with three grit options: Coarse/Heavy Duty, Medium and Fine

Single Color Treads - YELLOW or BLACK only

Depth	Nose Length	Product No.	Shipping Weight	Supplied and Priced per Linear Foot
3 inch	1 inch	NSFRP(Y or B)3X1XL	.75 lbs. per linear ft.	Min 1 ft. Max 12 ft.
6 inch	1 inch	NSFRP(Y or B)6X1XL	1.5 lbs. per linear ft	Min 1 ft. Max 12 ft
8 inch	2 inch	NSFRP(Y or B)8X2XL	1.5 lbs. per linear ft.	Min 1 ft. Max 12 ft.
9 inch	1 inch	NSFRP(Y or B)9X1XL	1.5 lbs. per linear ft.	Min 1 ft. Max 12 ft.
11.75 inch	2 inch	NSFRP(Y or B)11.75X2XL	2.25 lbs. per linear ft.	Min 1 ft. Max 12 ft.

• A beveled back edge to minimize any potential trip hazard supplied with our 3 inch tread.







Two Color Treads - 2" YELLOW edge with BLACK tread

Depth	Nose Length	Product No.	Shipping Weight	Supplied and Priced per Linear Foot
6 inch	1 inch	NSFRPYB6X1XL	1.5 lbs. per linear ft.	Min 1 ft. Max 12 ft.
8 inch	2 inch	NSFRPBY8X2XL	1.5 lbs. per linear ft.	Min 1 ft. Max 12 ft.
9 inch	1 inch	NSFRPBY9X1XL	1.5 lbs. per linear ft.	Min 1 ft. Max 12 ft.
11.75 inch	2 inch	NSFRPBY11.75X2XL	2.25 lbs. per linear ft.	Min 1 ft. Max 12 ft.

[&]quot;L" denotes length. Add Suffix "C" for Coarse, "M" for Medium and "F" for Fine.



(Fine is only available on single color treads, not two color options.)



No Skidding® Anti-Slip FRP Step Covers - Black

No Skidding® Walkway and Ramp Panels


No Skidding® Anti-Slip FRP Panels are heavy duty solutions providing immediate and durable anti-slip protection for exterior and interior areas over wood, concrete, brick, stone and metal. They provide a quick fix for slippery surfaces that can't be easily resurfaced. Our panels can be butted together to create slip-resistant walkways, landings, ramps or working areas rapidly with virtually no downtime or inconvenience. They are easily installed and affixed to floors or ramps using adhesive or screws.


Product No.	Size	Colors		
NSFRP-PANEL-(Y or B)0.125X48X48	1/8" Thickness by 48" Width by 48" Length	Available Black or Yellow		
NSFRP-PANEL-(Y or B)0.125X48X96	1/8"Thickness by 48" Width by 96" Length	Available Black or Yellow		
Available in coarse/heavy duty, medium or fine.				


Available in coarse/heavy duty, medium or fine.

Add Suffix "C" for Coarse, "M" for Medium or "F" for Fine when ordering.

Please inquire about custom sizes.







NSFRP-PANEL-B 0.125X48X96 NSFRP-PANEL-Y 0.125X48X96

No Skidding® Industrial Anti-Slip Flat Plates


No Skidding® Anti-Slip FRP Plates are constructed from a durable FRP base which is resistant to buckling, rotting and extreme weather. Available in three grit textures for excellent anti-slip properties. Ideal for indoor and outdoor applications.

Features and Benefits of No Skidding® FRP Plate Anti-Slip Products:

- Reduces slips on steps, railway ties, walkways, wooden decks, marine applications, bridges, etc. Used in both indoor and outdoor applications.
 - Suitable for concrete, wood, brick, stone and metal. Available in a variety of sizes. Can be fixed permanently with screws or adhesive.
- Suitable for outdoor environments where anti-slip tapes can't be applied because of winter weather constraints. Tapered edges minimize trip hazards.
 - For Industrial, Marine, Commercial and Off-Shore Applications.



NSFRP-PLATE-Y1/8X2X96



Product No.	Size (2 Inch Width)	Color	Shipping Wt. Ea.	Texture	
NSFRP-PLATE-B1/8X2X24	1/8" X 2"WX24" Length	Black	0.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X2X24	1/8" X 2"WX24" Length	Yellow	0.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X2X36	1/8" X 2"WX36" Length	Black	0.75 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X2X36	1/8" X 2"WX36" Length	Yellow	0.75 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X2X48	1/8" X 2"WX48" Length	Black	1 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X2X48	1/8" X 2"WX48" Length	Yellow	1 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X2X60	1/8" X 2"WX60" Length	Black	1.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X2X60	1/8" X 2"WX60" Length	Yellow	1.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X2X96	1/8" X 2"WX96" Length	Black	2 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X2X96	1/8" X 2"WX96" Length	Yellow	2 lbs.	Fine, Medium or Coarse	

Product No.	Size (4 Inch Width)	Color	Shipping Wt. Ea.	Texture	
NSFRP-PLATE-B1/8X4X24	1/8" X 4"WX24" Length	Black	0.75 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X4X24	1/8" X 4"WX24" Length	Yellow	0.75 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X4X36	1/8" X 4"WX36" Length	Black	1 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X4X36	1/8" X 4"WX36" Length	Yellow	1 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X4X48	1/8" X 4"WX48" Length	Black	1.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X4X48	1/8" X 4"WX48" Length	Yellow	1.5 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X4X60	1/8" X 4"WX60" Length	Black	2 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X4X60	1/8" X 4"WX60" Length	Yellow	2 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-B1/8X4X96	1/8" X 4"WX96" Length	Black	3 lbs.	Fine, Medium or Coarse	
NSFRP-PLATE-Y1/8X4X96	1/8" X 4"WX96" Length	Yellow	3 lbs.	Fine, Medium or Coarse	

No Skidding® Anti-Slip FRP Tapered Deck Strips

No Skidding® Anti-Slip FRP Tapered Deck Strips are highly slip-resistant and deliver a durable permanent anti-slip solution.


Light Deck Strips for Consumer and Light Industrial Applications

No Skidding's Grit-Coated FRP (Fiber reinforced polymers) Anti-Slip Deck Strips are made with proprietary blend of mineral abrasive epoxy grit and are lightweight and ideal for use on structurally sound flooring and decking.

Our Anti-Slip Deck plates can be used on any pedestrian walking surfaces such as ramps, floors, steps and decking. Our Deck Strips meet and exceed OSHA and ADA recommendations for slip-resistance.

We recommend the fine grit version for residential and light industrial applications. Our Fine Grit Deck Strips are also suited for barefoot traffic and are available in 5 popular colors: Brown, Tan, White, Pool Blue and Grey. If Yellow or Black are required, please request our Industrial Anti-Slip Flat Plates, shown on previous page.

Product No.	Size	Color	Shipping Wt. Ea.	Texture
NSFRP-PLATE-(X)1/8X2X24	1/8" X 2"WX24" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	0.5 lbs.	Fine, Medium or Coarse
NSFRP-PLATE-(X)1/8X4X24	1/8" X 4"WX24" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	0.75 lbs.	Fine, Medium or Coarse
NSFRP-PLATE-(X)1/8X2X36	1/8" X 2"WX36" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	0.75 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X4X36	1/8" X 4"WX36" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	1.0 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X2X48	1/8" X 2"WX48" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	1 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X4X48	1/8" X 4"WX48" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	1.5 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X2X60	1/8" X 2"WX60" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	1.5 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X4X60	1/8" X 4"WX60" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	2 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X2X96	1/8" X 2"WX96" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	2 lbs.	Fine, Medium or Coarse
NSFRP-PLATE(X)1/8X4X96	1/8" X 4"WX96" Length	White (WH), Grey (GR), Brown (BR), Tan (TA), Pool Blue (PB)	3 lbs.	Fine, Medium or Coarse







In addition to our No Skidding® FRP Panels, Treads and Stair Covers for instant anti-slip protection, No Skidding® also offers a comprehensive range of Anti-Slip Coatings, Anti-Slip Treatments, Anti-Slip Floor Care, Anti-Slip Strips and Tapes, Reflective and Photoluminescent Tapes.

The Problem:

- Slips and falls are the second leading cause of accidental death and third leading cause of disability CDC
- Slips and falls are the leading cause of workers' compensation claims NFSI
- Slips and falls are the greatest source of general liability claims within the restaurant industry in the USA National Restaurant Association
- Slips and falls are the most common of workplace hazards and make up over a third of all major injuries HSE, UK
- In the USA alone 85% of worker's compensation claims are attributed to employees slipping on slippery floors Industrial Safety & Occupational Health Markets 5th edition
- Compensation and medical costs associated with employee slip/fall accidents is approximately \$70 billion annually (in the USA alone) National Safety Council
- Slips and falls in public places are the leading cause of premises liability Injuries CNA Insurance
- Over eight million people treated for slip-and-fall related injuries (per year) in the USA alone NCIPC, CDC, CPSC joint study.

The Solution:

No Skidding® high-traction, slip-resistant coatings, treatments, floor care, sealers, tapes, and FRP step covers, panels and plates are proven, proactive and cost effective ways to reduce slip-and-falls and help to ensure a safer environment for workers and visitors. No Skidding® FRP step covers, panels and plates are a quick and easy solution for making walk ways, ramps and stairs anti-slip when weather conditions won't accommodate an anti-slip coating or anti-slip tape or limited downtime won't accommodate an anti-slip coating.

Let us help you create a safer environment today.





Typical Applications:

- Ramps
- Steps & stairs
- Walkways
- Fire escape landings and stairs
- Decking
- Around machinery

Typical Industries and Environments:

- Outdoor stairs and ramps
- Oil & gas
- Maritime & marine
- Manufacturing & warehousing
- Transportation & vehicles
- Institutional & public buildings
- Condominiums & apartment stairs
- Hospitality & restaurant stairs
- Food processing plants
- Shipping & transportation

Your No Skidding® dealer is:

Typical Surfaces:

No Skidding® Anti-Slip FRP Strips, Stair Covers and Panels are durable, instant anti-slip solutions that can be used both indoors and outdoors and are suitable for concrete, wood, brick, tile, stone, grating and metal.

Typical Industries and Environments:

- Shipping & transportation
- Military
- Hospitals & senior care
- Railroads & subway systems
- Sewage treatment
- RV's
- Breweries & wineries
- Theme parks
- Sports stadiums
- Refineries
- Schools & universities
- Retail & restaurants
- Shopping malls
- Mining
- Farming
- Courier trucks
- OEM
- Residential



266 Wildcat Rd, Toronto, ON M3J 2N5 Canada • Ph: 416-667-1788 • Toll Free: 1-800-375-0571 • Fax: 416-667-1783

sales@noskidding.com www.noskidding.com

We warehouse within the USA for our US customers. Made in North America.

Many factors beyond our control and uniquely within user's knowledge and control can affect the performance and useful life of No Skidding® products, including the type and preparation of the surface, and the condition of use. User is solely responsible for evaluating the product and determining whether it is fit for user's particular purpose and adequately maintained. Technical data and suggestions for use in this brochure are currently correct to the best of our knowledge, but are subject to change without notice. Because application and conditions vary, and are beyond our control, we are not responsible for results obtained in using these products, even when used as suggested. The user should conduct tests to determine the suitability of the product for the intended use under then existing conditions. Any liability we may have with respect to a product or its use (including liability for breach of warranty, strict liability in tort, negligence or otherwise) is limited exclusively to replacement of the product or refund of its price. Under no circumstances are we liable for incidental, punitive or consequential damages. These products cannot eliminate slipping. E&OE.