STARCO

Multi-Star 1810 rectangle adjustable Modular Downlights

SKU: SL-MSM12WTC-1010 (Tri-colour 3000k, 4000k, 5000k)


SKU: SL-MSM12W3K-1010 (CREE X LAMP CRI93) SKU: SL-MSM12W4K-1010 (CREE X LAMP CRI93)
























Tri-Colour / CREE X Lamp

The Multi-Star range of luminaires is named for its multitude of light and fitting options.

The 1810 Module fittings are a rectangle adjustable recessed dowlight fitting consisting of a 185mm long x 100mm wide x 25mm high frame that has the option of being black or white.

This type of downlight is commonly used in residential houses and retail environments where light needs to be directed to specific areas.

Voltage 240VAC

Power 12 watt

Emitting Colour Warm white, Natural white, Daylight

Kelvin (CRI) 3000k, 4000k, 5000k

Lumens/watt 86.6 (ww) 93.3 (nw) 100 (dl)

Delivered lumens 1040 (x2) 1120 (x2) 1200 (x2)

Dimensions 185mm long x 100mm wide x 25mm high

Colour rendering >83 (tri-color), >93 (CREE X-Lamp)

IP rating IP20
Dimming Yes

Beam angle 15°, 28°, 40°, 60° - reflector

24°, 36°, 60° - UGR19 lens

Fitting colour White / Black

Cut out 160mm x 80mm square

Warranty 3 years

MultiStar - Choose your options

D = Diameter H = Height C/O = Cut out W = Width




D1810 x W100 x H25 Adjustable round - 160 x 90mm cut out


Lens angle 24°, 36°, 60° Beam angle 15°, 28°, 40°, 60°

SKU: 1810

1810 Frame










Example Product code for this product:

SL-MSM12W3K-1810WH-BA40

Starco lighting - multi-star module 12 watt 3000k (warm white) - 1810 white frame - Beam angle 40°

Other fitting options:



Product case study and code explanation:

Lets say you have a shop that sells flower vases displayed on medium size round tables. Your ceilings are black and 4 meters high with the light fittings positioned above your product but they are off centre. Therefore you need an adjustable fitting to shine onto your vase.

Based on your store aesthetic you choose a '100mm adjustable black fitting with 90 degree cut out' and a '40° beam angle' will be perfect to shine on the vase table. You want it to be bright and are not worried about glare so a 'direct beam angle without low glare lens is ok'. You want a crisp 'warm white (3000k) light with high colour reproduction' to highlight the colours in the vase. Below is your product code.

SL-MSM12W3K-8643BK-BA40RRG

Product code breakdown:

SL-MSM12W3K-1025BK-BA40

Starco lighting-multi-star module 12 watt 3000k-1025 black frame-Beam angle 40°







STARCO LIGHTING

PH: 0451 366 669 info@starcolighting.com.au www.starcolighting.com.au Unit 6, 11 Eileen Street Underwood QLD 4119