

Lash Baby
Address: 74 MERCER ST GEELONG VIC 3220
Phone: 0401 215 863
E-Mail: lashbabyau@outlook.com

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

Product Name: Adhesive Accelerator

Recommendation & Restriction on use: Do NOT USE except for the purpose of Adhesive Accelerator.

Supplier: Lash Baby

Address: 74 Mercer Street Geelong VIC 3220

Contact Number: 0401 215 863

Email Address: lashbabyau@outlook.com

2. COMPOSITION / INFORMATION ON INGREDIENTS.

No.	INGREDIENTS
1	Dimethyl Ketone
2	Sodium Polyacrylate
3	Ethanol
4	PVP

3. RISK & HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW :

Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

POTENTIAL HEALTH EFFECTS :

May cause sensitization by inhalation. Narcotic effects, headache, dizziness, vomiting.

Inhalation: Vapor can cause headache, nausea and irritation of the nose, throat and lungs.

Eye: Contact with vapor or liquid may irritate the eyes.

Skin: Slightly irritating to the skin.

Ingestion: May cause pain, nausea and vomiting

POTENTIAL ENVIROMENTAL EFFECTS :

Not available.

SIGN AND SYMPTOMS OF EXPOSURE:

Vapor is irritating to eyes and mucous membranes above TLV. Prolonged and repeated overexposure to vapours may produce symptoms of non-allergic asthma in sensitive individuals.

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:

Unknown

Precautionary Statement(s)

(Prevention)

Avoid Dust, Fumes, Gas, Vapours and Inhalation of Spray

Use in a well-ventilated place

Inhalation: Vapor can cause headache, nausea and irritation of the nose, throat and lungs.

Eye: Contact with vapor or liquid may irritate the eyes.

Skin: Slightly irritating to the skin.

Ingestion: May cause pain, nausea and vomiting

4. FIRST AID MEASURES

Inhalation: Remove person to fresh air and provide oxygen if breathing is difficult, give artificial respiration if not breathing. Get medical attention immediately.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. If redness, itching or a burning sensation

develops, see a physician.

Skin Contact: Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, get medical attention.

Ingestion: Not likely - get medical attention immediately.

Note to Physicians: None for this material.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Particulate Powder extinguishing agent, carbon, water regular Foam, if necessary, alcohol-resistant foam.

Unusual Fire or explosion hazards; None. Special Hazards arising from the Chemical (toxic substances generated during combustion): cyanides, carbon oxides, nitrogen.

Fire-Fighting Instructions: If possible and no hazards, move container from fire area. Be careful of scattering spilled materials in a high-pressure stream of water. Build a dike for further handling. Avoid inhalation of combustion. Do not enter any enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.

6. ACCIDENTAL RELEASE MEASURES

Evacuate non-essential personnel. Shut off all sources of ignition. No fires, smoking or flames in area.

Precautions required to protect environment: Keep out of water supplies and sewers. Dispose with a suitable container for disposal of spilled material.

Purification or Removal Method:

Small Spills: Dike and absorb with inert material such as sand then place in a chemical waste container using non-sparking tools. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water.

Decontaminate all clothing and the spill area with a detergent and large amount of water.

Large Spills: Use same procedure as small spill.

7. HANDLING AND STORAGE

Handling: Keep away from heat, sparks and flame. No smoking or flames in the work area. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Wear protective equipment. Use only in well ventilated areas. Use exhaust ventilation to keep air concentration below exposure limit. Have emergency eyewash facility in working area. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

Storage: Keep container closed when not in use. Keep away from all possible sources of ignition. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep containers tightly closed. Keep away from oxidizing agents, strong alkalis, amines and alkalis. Keep away from combustible materials, heat, steam pipe or sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use local ventilation. Exposure Limits: in the case that fumes are created during use, ventilate so that air pollution is to be maintained below the exposure limit. Install washing equipment.

Personal Protective Equipment:

Respiratory Protection: under conditions of frequent use or heavy exposure, use respiratory protection.

Respiratory protection is classified from min concentration to max concentration. Consider warning properties before use.

Air Supplied Respirator (Pressure-demand type, full-face)

Air Respirator (pressure demand type, full face)

Chemical cartridge respirator with organic vapour. Local exhausts should be used to control vapours in work area. Use a breathing mask. Protective globes: polyethylene: no rubber, no cotton. Eye Protection: Safety glasses, face shield. Skin Protection: Chemical resistant clothing and gloves. Other protective clothing or equipment impervious clothing, apron and boots, barrier creams etc.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Boiling Point (°C)	Above 100 °C
Water Solubility	Soluble

10. STABILITY AND REACTIVITY

Chemical Stability and the possibility of Hazardous Reactions	Stable (cool and dry area)
Conditions to Avoid	High humidity, high temperature or direct sunlight

Hazardous Decomposition Products	Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.
---	---

11. TOXICOLOGICAL INFORMATION

Toxicity: Eye irritant. Anaesthetic. Moderately toxic by ingestion. Residue after Evaporation of solvent is destructive to tissue of the mucous membranes, and upper respiratory tract, eyes and skin.

12. ECOLOGICAL INFORMATION

No information available.

13. DISPOSAL INFORMATION

Disposal Method: Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

14. TRANSPORT INFORMATION

IATA: Dangerous goods class: "Not restricted"
Unrestricted (Not more than 450 litres.)

Hazard Class or Division:
Unrestricted (not more than 450 litres)
ID Number: None (not more than 450 litres)
Marine Pollutant: None

15. REGULATORY INFORMATION

CA Proportion 65:
No California proposition 65 chemicals are known to be present

16. OTHER INFORMATION

Other Risk · Hazards Not included Classification of Risk · Hazards (NFTA)

Health: 2
Fire: 2
Reactivity: 2

The information contained herein is based upon data and information available to us, and reflects our best professional judgement, but is offered without guarantee or warranty. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use. All materials may present unknown.