


RUGGEDCOM RSG2300P



G_RCM0_XX_00153

Product	Article number	
RUGGEDCOM RSG2300P	6GK6023-0PS2	. - 8 . . . - Z
Power supply 1		
24 VDC (10 - 36 VDC) with screw terminal block	1	
48 VDC (36 - 72 VDC) with screw terminal block	2	
88 - 300 VDC / 85 - 264 VAC with screw terminal block	3	
24 VDC (10 - 36 VDC) with pluggable terminal block	4	
48 VDC (36 - 72 VDC) with pluggable terminal block	5	
88 - 300 VDC / 85 - 264 VAC with pluggable terminal block	6	
Mounting options		
No mounting option		A
19" rack mounting kit		D
DIN/rail and panel mounting kit		E
19" rack, DIN/rail and panel mounting kit		F
Connections		
Ethernet interfaces on rear; LED panel on front; power connector on rear		B
Ethernet interfaces on front; LED panel on front; power connector on rear		C
Ethernet interfaces on rear; LED panel on top; power connector on rear		D
Ethernet interfaces on front; LED panel on top; power connector on rear		E
Manufacturing modification		
Standard		0
Conformal coating		1

Examples	Order code
RUGGEDCOM RSG2300P with 1 x HI with screw terminal block power supplies, 19" rack mounting kit, Ethernet connectors on rear; LED panel on front; power connector on rear + 4 x 10/100BASE-TX RJ45 (PoE), 4 x 10/100/1000BASE-TX RJ45 + 24 x 10/100BASE-TX RJ45	6GK6023-0PS23-8DB0-Z A01+B01+C01+D01

Z options	Slot 1
No module	A00
2 x 10/100BASE-TX PoE ports	A01
2 x 10BASE-FL, multi-mode, 850 nm, ST	A02
2 x 100BASE-FX, multi-mode, 1300 nm, ST	A03
2 x 100BASE-FX, multi-mode, 1300 nm, SC	A04
2 x 100BASE-FX, multi-mode, 1300 nm, LC	A05
2 x 100BASE-FX, multi-mode, 1300 nm, MTRJ	A06
2 x 100BASE-FX, single-mode, 1310 nm, ST, 20 km	A07
2 x 100BASE-FX, single-mode, 1310 nm, SC, 20 km	A08
2 x 100BASE-FX, single-mode, 1310 nm, LC, 20 km	A09
2 x 100BASE-FX, single-mode, 1310 nm, SC, 50 km	A10
2 x 100BASE-FX, single-mode, 1310 nm, LC, 50 km	A11
2 x 100BASE-FX, single-mode, 1310 nm, SC, 90 km	A12
2 x 100BASE-FX, single-mode, 1310 nm, LC, 90 km	A13

Z options	Slot 2
2 x 10/100BASE-TX RJ45 (PoE ports)	B01

Z options	Slot 3	Slot 4
No module	C00	D00
2 x 10/100/1000BASE-TX RJ45	C01	D01
2 x 1000BASE-SX, multi-mode, 850 nm, LC, 500 m	C02	D02
2 x 1000BASE-LX, single-mode, 1310 nm, SC, 10 km	C03	D03
2 x 1000BASE-LX, single-mode, 1310 nm, LC, 10 km	C04	D04
2 x 1000BASE-LX, single-mode, 1310 nm, SC, 25 km	C05	D05
2 x 1000BASE-LX, single-mode, 1310 nm, LC, 25 km	C06	D06
2 x 1000BASE-LX SFP, blank (no optical transceiver)	C07	D07
2 x 1000BASE-SX SFP, multi-mode, 850 nm, LC, 500 m (Incl. 2 x SFP1122-1SX)	C08	D08
2 x 1000BASE-LX SFP, single-mode, 1310 nm, LC, 10 km (Incl. 2 x SFP1132-1LX10)	C09	D09
2 x 1000BASE-LX SFP, single-mode, 1310 nm, LC, 25 km (Incl. 2 x SFP1132-1LX25)	C10	D10
2 x 1000BASE-LX SFP, single-mode, 1550 nm, LC, 70 km (Incl. 2 x SFP1132-1LX70)	C11	D11
2 x 1000BASE-LX GBIC, blank (no optical transceiver)	C12	D12
2 x 1000BASE-LX GBIC, single-mode, 1310 nm, SC, 10 km	C13	D13
2 x 1000BASE-LX GBIC, single-mode, 1310 nm, SC, 25 km	C14	D14
2 x 1000BASE-LX GBIC, single-mode, 1550 nm, SC, 70 km	C15	D15
2 x 100BASE-FX, multi-mode, 1300 nm, ST	C16	D16
2 x 100BASE-FX, multi-mode, 1300 nm, SC	C17	D17
2 x 100BASE-FX, multi-mode, 1300 nm, LC	C18	D18
2 x 100BASE-FX, multi-mode, 1300 nm, MTRJ	C19	D19
2 x 100BASE-FX, single-mode, 1310 nm, ST, 20 km	C20	D20
2 x 100BASE-FX, single-mode, 1310 nm, SC, 20 km	C21	D21
2 x 100BASE-FX, single-mode, 1310 nm, LC, 20 km	C22	D22
2 x 100BASE-FX, single-mode, 1310 nm, SC, 50 km	C23	D23
2 x 100BASE-FX, single-mode, 1310 nm, LC, 50 km	C24	D24
2 x 100BASE-FX, single-mode, 1310 nm, SC, 90 km	C25	D25
2 x 100BASE-FX, single-mode, 1310 nm, LC, 90 km	C26	D26
2 x 1000BASE-TX, SFP, RJ45 (Incl. 2 x SFP1112-1)	C27	D27