




MaxMedica

DIGESTIVE HEALTH

YOUR HEALTHY SUPPORT!

ENZYNORM

DIETARY SUPPLEMENT



Digestive enzymes obtained from plants or microbiological organisms, necessary for food digestion.

Enzynorm contains a mixture of digestive enzymes from plant and microbiological source that participate in digestion of proteins, fats and carbohydrates. Digestive enzymes are essential for decomposition of food ingredients, which begins in the mouth and generally end in the proximal part of the small intestine. Disorders of food digestion or intolerance to certain food ingredients, are manifested by symptoms such as bloating, feeling of weight, frequent gases, cramps, etc.

Enzynorm is recommended to people with problems in food digestion such as:

- Flatulence
- Stomach problems
- Constipation

Supplemental Facts:

Active Ingredient	1 capsule	2 capsules	RDI*
DigeZyme®			
α-Amylase 29035 DU/g			
Protease 7 110 PC/g	100 mg	200 mg	/
Lipase 245 FIP/g			
Cellulase 1 135 CU/g			
Lactase 7 110 PC/g			
Dry papaya fruit extract (Carica papaya) 4:1	100 mg	200 mg	/
Bromelain 2400 GDU/g	100 mg	200 mg	/

Suggested Use:
2 times a day for 1 gastro-resistant capsule, during meal. Capsules should be swallowed without chewing.
One Pack: 20 gastro-resistant capsules

*RDI - Reference Daily Intake

MAXOGAST

DIETARY SUPPLEMENT



Helps with stomach problems and difficult digestion.

MaxoGast is formulated on the basis of a mixture of extracts of 9 plants that work together to help with the symptoms of indigestion (bloating, gas, stomach cramps, feelings of fullness, nausea). The synergistic effect of mixtures of extracts of chamomile, wild candytuft, greater celandine, licorice, cumin, lemon balm, angelica, milk thistle and mint can contribute to:

- Regulation of intestinal peristalsis
- Normal function of abdominal muscles
- Relaxation of the abdominal nerves
- Reducing bloating and flatulence
- Calming inflammatory processes

Suggested Use:

20 drops three times daily before or during meals, with little fluid.
Shake before use.
One Pack: 50 ml

Supplemental Facts:

Active Ingredient	20 drops	RDI*
Aqueous-ethanol extract of chamomile flower (<i>Matricaria recucita</i>) (1:2-4)	104 mg	/
Aqueous-ethanol extract of whole wild candytuft (<i>Iberis amara</i>) (1:20)	78 mg	/
Aqueous-ethanol extract of greater celandine (<i>Chelidonium majus</i>)(1:2.5-3.5)	52 mg	/
Aqueous-ethanol extract of licorice root (<i>Glycyrrhiza glabra</i>) (1:2.5-3.5)	52 mg	/
Aqueous-ethanol extract of cumin fruit (<i>Carum carvi</i>) (1:2.5-4)	52 mg	/
Aqueous-ethanolic extract of lemon balm leaves (<i>Melissa officinalis</i>) (1:2.5-3.5)	52 mg	/
Water-ethanol extract of garden angelica (wild celery) root (<i>Angelica archangelica</i>)(1:2.5-3)	52 mg	/
Aqueous-ethanol extract of milk thistle (<i>Silybum marianum</i>) (1:2.5-3.5)	52 mg	/
Aqueous-ethanolic extract of mint leaf (<i>Mentha piperita</i>) (1:2.5-3.5)	26 mg	/

*RDI - Reference Daily Intake

REHIDRO MAX

FOOD FOR SPECIAL
MEDICAL PURPOSES



Rehidro Max is a glucose-electrolyte powder with added probiotic *Saccharomyces boulardii* which is intended for preparing solutions for rehydrating children and adults and regenerating the intestinal microflora. Its recommended use includes light and medium to high degrees of dehydration accompanied by diarrhea and/or vomiting. Seeing how the most common causes of dehydration of acute diarrhea are viral and bacterial infections which harm the balance of the intestinal microflora and immunity, Rehidro Max is the ideal formula to supplement liquids and electrolytes and re-establish the balance of the intestinal microflora, while strengthening the immune system.

Rehidro Max powder is recommended for the following use:

- To re-supplement liquids and electrolytes
- To re-establish the balance in the intestinal microflora
- To reinforce immunity on the intestinal level

Supplemental Facts:

Active Ingredient	1 sachet (5,5g)
Glucose	2882,56 mg
Chlorides	425,51 mg
Sodium	275,88 mg
Citrates	258,70 mg
Potassium	160 mg
Saccharomyces boulardii	200 mg (4 x 10 ⁹ CFU)


*RDI - Reference Daily Intake

Suggested Use:

Infants (2 mo and up), children, adults: dissolve the contents of a sachet in 200 ml bottled or boiled water that has been cooled to room temperature. Administer in small portions and in time intervals of 5-10 minutes (with teaspoons or sips from a bottle/cup). Prepared solution should be used up within 24 hours. Do not add sugar and/or sweeteners to the mixture. Depending on the level of dehydration it is recommended to use 1-2 sachets of the product per day. One Pack: 10 sachets

HEPAGARD

DIETARY SUPPLEMENT



Contributes to the normal liver function

Hepagard capsules contain a combination of biologically active compounds, including the milk thistle extract and artichoke leaves that contribute to the maintenance of normal liver function. Milk thistle and its active ingredient silymarin are used in the treatment of liver damage, chronic inflammatory liver disease and cirrhosis of the liver. Clinical studies have shown that artichoke-based products have a beneficial effect on digestive problems such as dyspepsia, flatulence, nausea and other digestive disorders, as well as lower lipids in the blood in hypercholesterolemia.

Supplemental Facts:

Active Ingredient	1 capsule	2 capsules	RDI*
Dry extract of milk thistle (Silybum marianum L. Gaertn.)	162,5 mg	325 mg	
- silymarin	130 mg	260 mg	/
Dry extract of artichoke leaves (Cynara scolimus L.) 4-5:1	100 mg	200mg	/
Holin	80 mg	160 mg	/
Methionine	40 mg	80mg	/
Vitamin B6	1,4 mg	2,8 mg	150%
Vitamin C	60 mg	120 mg	200%

Suggested Use: During the first 8 weeks, it's necessary to take 2 capsules daily and then continue with one capsule a day. The capsule should be taken with a meal and a little liquid.
One Pack: 30 capsules

*RDI - Reference Daily Intake

UNISELTZER

DIETARY SUPPLEMENT



Uniseltzer is gel based on sodium-alginates, calcium-carbonates, sodium-bicarbonates and dried extract of Indian fig fruit, olive leaf, mint leaf, licorice root, kiwi fruit and green tea leaf.

Uniseltzer is recommended for:

- Regulating acidity inside the stomach
- Preventing gastric reflux
- Maintaining a healthy digestive function

Suggested Use: 1 sachet after every one of two main meals, or 1 sachet at night before bed. Shake the sachet while lightly pressing on the sides, then open the sachet and consume the contents.
Package: 10 sachets

Supplemental Facts:

Active Ingredient	1 sachet	RDI*
Sodium-alginate	500 mg	/
Calcium-carbonate of which Calcium amounts to	266,67 mg 106,4 mg	13,3%
Sodium-hydrogen carbonate	150 mg	/
Dried extract of Indian fig fruit (<i>Opuntia-ficus-indica</i>), 4:1	52 mg	/
Dried extract of olive leaf (<i>Olea europea</i>) standardized to 10% of oleuropein	38 mg	/
Dried licorice root extract (<i>Glycyrrhiza glabra</i>) standardized to 3% of glycyrrhizin acid	30 mg	/
Dried mint leaf extract (<i>Mentha x piperita</i>), 4:1	30 mg	/
Dried kiwi fruit extract (<i>Actinidia chinensis</i>), 10:1	20 mg	/
Dried green tea leaf extract (<i>Camelia siensis</i>) standardized to 40% of polyphenol	0,55 mg	/

*RDI - Reference Daily Intake

AKTIVNI UGALJ

DIETARY SUPPLEMENT



Medical activated carbon prepared from coconut shell charcoal

Aktivni ugalj capsules are based on medical activated carbon, obtained by carbonation of coconut shell so that each capsule contains 250 mg of this substance. It's recommended to use Aktivni ugalj capsules for digestive, flatulent or gastric problems and aerophagia (unconscious air swallowing during meals). Active charcoal contributes to the reduction of excessive bloating after meals.

Supplemental Facts:

Active Ingredient	1 capsule	RDI*
Active carbon	250 mg	/

*RDI - Reference Daily Intake


*RDI not established

Suggested Use:

For digestive problems: take 2-3 capsules, if necessary, 3-4 times a day. If needed, the contents of the capsule can be mixed in a glass of water.
 For post-meal overflow: take 1 g (4 capsules) 30 minutes before and 1 g (4 capsules) immediately after the meal.
 Children under 3 years: 1 capsule a day in consultation with the doctor.
 The contents of the capsule should be split into a glass of water.
 One Pack: 20 capsules

JABUKOVO SIRĆE + C

DIETARY SUPPLEMENT



For faster metabolism and blood lipids regulation

Jabukovo sirće + c capsules contain apple vinegar and vitamin C. Working principles originating from apple vinegar favorably influence the regulation of blood fat levels and accelerate metabolism, and the synergistic effect with vitamin C makes it easier to detoxify the organism.

It's recommended to use Jabukovo sirće + c capsules:

- If you are on a reduction diet
- To accelerate metabolism
- For regulation of lipidlevel in the blood
- For detoxification
- To reduce fatigue and exhaustion
- For normal functioning of the immune system

Supplemental Facts:

Active Ingredient	3 capsules	RDI*
Apple vinegar powder standardized to 8% malic acid	600 mg	/
Vitamin C	150mg	187,5%


*RDI - Reference Daily Intake

*RDI not established

Suggested Use:
1 capsule 3 times a day,
with a higher fluid intake.
One Pack: 30 capsules

HEMORRHIAL PLUS

MEDICAL DEVICE



Active Ingredients: Hyaluronic acid, Chlorhexidine, Dihydroquercetin, Peppermint essential oil, Menthol.

Synergistic action of active ingredients with a protective, emollient and calming effect on vulnerable anal and perianal surfaces.

Indications:

- Hemorrhoids
- Anal and perianal fissures
- Proctitis
- The need to facilitate and accelerate the healing of injuries or trauma resulting from the surgical treatment of hemorrhoids and anal ulcers
- Anal itching

Suggested Use:

Anal and perianal use: apply the gel to the anal or perianal region 2-3 times a day.

Endorectal use: apply the gel 1-2 times a day with the help of an intrarectal cannula.

One Pack: 30 ml

MACROGOL MAX

MACROGOL MAX JUNIOR

MEDICAL DEVICE



Active Ingredient: Macrogol 4000

Macrogol 4000 as an osmotic laxative increases the volume of stool, softens its consistency and facilitates emptying, without irritating the mucous membrane.

Indications:

- Constipation
- Primary constipation
- Constipation associated with irritable bowel syndrome
- Preparation for diagnostic procedures

Suggested Use: 1 micro-enema as needed or as recommended by a doctor.

One Pack: Macrogol Max: 4 micro-enemas of 9 g

Macrogol Max Junior: 4 micro-enemas of 6 g

REFLU MAX

MEDICAL DEVICE



Active Ingredient: Sodium hyaluronate, Magnesium alginate, Simethicone

Sodium hyaluronate hydrates and protects the mucous membrane of the GIT and supports the process of epithelialization and regeneration of damaged epithelium.

Magnesium alginate creates an alginate raft and prevents the return of acid from the stomach to the esophagus, while coating the mucosa protecting it from gastric juices, helping to reduce their harmful effects and the feeling of tingling and irritation due to reflux episodes.

Simethicone has an antifatulent effect or reduces the surface tension of gases present in the stomach fluids stimulate their elimination.

Indications:

- Symptomatic therapy of GERD and dyspepsia, mitigation non-specific symptoms: regurgitation, belching, heartburn, discomfort, early satiety, bloating, abdominal pain, gas, burning sensation

Suggested Use: 1 sachet 2-3 times a day, preferably after meals, as needed.
One Pack: 12 sachets of 15 ml