

# **SAFETY DATA SHEET**

#### SECTION 1: IDENTIFICATION

Product identifier used on the label:

**UV Boost Additive** Product Name:

Product Code: 229871

Other means of identification:

Recommended use of the chemical and restrictions on use:

Chemical manufacturer address and telephone number:

Manufacturer Name: Perma-Chink Systems, Inc.

1605 Prosser Road Address: Knoxville, TN 37914

USA

Website: www.permachink.com

General Phone Number: 800-548-3554 General Fax Number: 865-523-9475

Customer Service Phone Number: 865-524-7343

Emergency phone number:

Emergency Phone Number: CHEMTREC 1-800-424-9300

# SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with CFR 1910.1200(d)(f):

GHS Pictograms:

Signal Word: DANGER.

GHS Class: Serious Eye Damage. category 1.

Hazard Statements: H318 - Causes serious eye damage.

Precautionary Statements:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.

Hazards not otherwise classified that have been identified during the classification process:

Potential Health Effects:

Eye: Eye contact may cause severe irritation, redness, tearing, and blurred vision.

Skin: Prolonged or repeated contact may cause skin irritation.

Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting. Target Organs: Eyes. Skin. Respiratory system. Digestive system.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

**Chemical Name** CAS# **Ingredient Percent** EC Num. Non Hazardous ingredient(s) No Data 90 by weight 10 by weight Proprietary ingredient No Data

UV Boost Additive Perma-Chink Systems, Inc. UVBoost Revision: 5/24/2019 Page 1 of 5

#### SECTION 4: FIRST AID MEASURES

#### Description of necessary measures:

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue

rinsing. Get medical attention, if irritation or symptoms of overexposure persists.

Skin Contact: Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give Ingestion:

anything by mouth to an unconscious person

#### SECTION 5: FIRE FIGHTING MEASURES

#### Suitable and unsuitable extinguishing media:

Suitable Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires

involving this material.

#### Special protective equipment and precautions for fire-fighters:

As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear. Protective Equipment:

#### **NFPA Ratings:**

Inhalation:

NFPA Health: 2 NFPA Flammability: 1 NFPA Reactivity: 1



### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Personal Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use

proper personal protective equipment as listed in Section 8.

Environmental precautions:

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

Methods and materials for containment and cleaning up:

Methods for containment: Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by

covering, diking or other means. Provide ventilation.

Methods for cleanup: Clean up spills immediately observing precautions in the protective equipment section. Provide

ventilation.

# SECTION 7: HANDLING and STORAGE

Precautions for safe handling:

Handling: Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing. Wash

hands thoroughly after handling.

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

Conditions for safe storage, including any incompatibilities:

Storage: Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and

incompatible substances. Keep container tightly closed when not in use.

## SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

**EXPOSURE GUIDELINES:** 

Appropriate engineering controls:

UV Boost Additive Perma-Chink Systems, Inc. UVBoost Revision: 5/24/2019 Page 2 of 5 **Engineering Controls:** 

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

Individual protection measures:

Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166. Eye/Face Protection:

Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing. Skin Protection Description:

Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Other Protective: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

PPE Pictograms:



#### SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

#### PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid.

Color: dark orange. Odor: Odorless. Odor Threshold: No Data Boiling Point: 212°F

Not determined. Melting Point:

Density: 8.3 - 8.8 Specific Gravity: 1.00 - 1.05 Specific Volume: Not applicable.

Solubility: Miscible with water; insoluble in most petroleum solvents

Vapor Density: >1 Air=1

Vapor Pressure: Not determined. Percent Volatile: 75 - 95 by volume >1 n-Butyl Acetate = 1 Evaporation Rate:

**Evaporation Point:** No Data

pH: Not determined.

Molecular Formula:

Molecular Weight: Not applicable. Not determined. Viscosity: Coefficient of Water/Oil

Not applicable.

Distribution

Non-Flammable Flammability:

Flash Point: Not Flammable Lower Flammable/Explosive Limit: Not applicable. Upper Flammable/Explosive Limit: Not applicable. Auto Ignition Temperature: Not determined. **Explosive Properties:** Not explosive.

Oxidizing Properties: No Data Refractive Index: No Data

Optical Rotation: Not applicable.

VOC Content: No Data

## SECTION 10: STABILITY and REACTIVITY

**Chemical Stability:** 

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

UV Boost Additive Perma-Chink Systems, Inc. UVBoost Revision: 5/24/2019 Page 3 of 5 Hazardous Polymerization: Not reported.

Conditions To Avoid:

Conditions to Avoid: Heat, flames, incompatible materials, freezing or temperatures below 32 deg. F.

**Incompatible Materials:** 

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### TOXICOLOGICAL INFORMATION:

#### 1-Piperidinyloxy, 4-hydroxy-2,2,6,6-tetramethyl-:

Ingestion:

Oral - Rat LD50 - Lethal dose, 50 percent kill: 1053 mg/kg [Sense Organs and Special Senses (Eye) - effect, not otherwise specified Behavioral - Convulsions or effect on seizure threshold Lungs, Thorax, or Respiration - Dyspnea] (RTECS)

#### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Ecotoxicity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

#### SECTION 13: DISPOSAL CONSIDERATIONS

Description of waste:

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous

waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local

#### SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not restricted as a dangerous good.

DOT UN Number: Not restricted as a dangerous good.

IATA Shipping Name: Not restricted as a dangerous good.

IATA UN Number: Not restricted as a dangerous good.

Canadian Shipping Name: Not restricted as a dangerous good.

Canadian UN Number: Not restricted as a dangerous good.

IMDG UN Number: Not restricted as a dangerous good.

IMDG Shipping Name: Not restricted as a dangerous good.

ADR UN Number: Not restricted as a dangerous good.

ADR Shipping Name: Not restricted as a dangerous good.

# SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product:

# 1-Piperidinyloxy, 4-hydroxy-2,2,6,6-tetramethyl-:

TSCA Inventory Status: Listed Canada DSL: Listed

#### SECTION 16: ADDITIONAL INFORMATION

**HMIS Ratings**:

UV Boost Additive Perma-Chink Systems, Inc. UVBoost Revision: 5/24/2019 Page 4 of 5 HMIS Health Hazard: 2
HMIS Fire Hazard: 1
HMIS Reactivity: 1
HMIS Personal Protection: X

Health Hazard 2

Fire Hazard 1

Reactivity 1

Personal Protection X

SDS Creation Date: November 10, 2015

SDS Revision Date: May 24, 2019

SDS Format:

SDS Author: Actio Corporation

Disclaimer:

The information contained herein is, to the best of Perma-Chink Systems, Inc. knowledge, accurate as of the data indicated. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its use. This information is furnished on the condition that the person receiving it shall make his own determination as to the suitability of the material for his particular purpose and on the condition that he assumes the risk of his use thereof.

 $\label{local_copyright} \textbf{Copyright} \circledS \ 1996\mbox{-}2018 \ \textbf{Enviance}. \ \textbf{All Rights Reserved}.$ 

UV Boost Additive Revision: 5/24/2019