

**TRADE
GLASS
DEPOT**

PRODUCT CATALOGUE

Ver 9.0

Trade Glass Depot Pty Ltd

PHONE 1300 889 375









www.tradeglassdepot.com.au | sales@tradeglassdepot.com.au

TRADE GLASS DEPOT





Contents

Glass Pool Fencing

 Frameless - 12mm Glass Panels	4
 Frameless - 12mm Glass Panels Handrail Variant (balustrade compliant for under 4m drop)	5
 12mm Frameless Glass Spring Hinge Panels	6
 8mm Glass Spring Gate Panels	6
 12mm Frameless Glass Hydraulic Hinge Panels	7
 12mm Frameless Glass Hydraulic Gate Panels	7
 Pool Fencing - Frameless - 12mm Raked Panels	8
 Pool Fencing - Frameless - 12mm Pinned Panels	8









Glass Balustrade

 Frameless - 12mm Glass Panels For Side-Mounted Handrails, Heat Soaked	9
 Frameless - 12mm Glass Panels For Top-Mounted Handrails, Heat Soaked	10
 Pin Fixed - 12mm Glass Panels For Side-Mounted Handrails	11
 Pin Fixed - 12mm Glass Panels For U-Channel Handrails	12

EnduroShield

13

Hardware

 Spigots - Value Range - Suitable for Glass Pool Fencing	14
 Spigots - Pro Range - Suitable for Glass Pool Fencing & Balustrade	14
 Posts and Glass Clips - Stainless Steel	15
 50x10mm Handrail System	16
 U-Channel Handrail Systems	17
 Glass Gate Hinges	18
 Glass Gate Latches	18
 Stand-Off Point Fixings	19

Shipping

20

Site Diagram

21


Notes

22


The Last Page

24

Glass Pool Fencing Frameless - 12mm Glass Panels



PRODUCT DIAGRAM



PRODUCT SPECS

- Glass panels for pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- No holes
- For use with friction spigots
- **Independently tested and certified by NATA to meet Australian Standards**


FOR USE WITH:
Base plated or core drilled friction spigots




ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GP 12MM 0100	1200	100	12	4
GP 12MM 0150	1200	150	12	5
GP 12MM 0200	1200	200	12	7
GP 12MM 0250	1200	250	12	9
GP 12MM 0300	1200	300	12	11
GP 12MM 0350	1200	350	12	13
GP 12MM 0400	1200	400	12	14
GP 12MM 0450	1200	450	12	16
GP 12MM 0500	1200	500	12	18
GP 12MM 0550	1200	550	12	20
GP 12MM 0600	1200	600	12	22
GP 12MM 0650	1200	650	12	23
GP 12MM 0700	1200	700	12	25
GP 12MM 0750	1200	750	12	27
GP 12MM 0800	1200	800	12	29
GP 12MM 0850	1200	850	12	31
GP 12MM 0900	1200	900	12	32
GP 12MM 0950	1200	950	12	34
GP 12MM 1000	1200	1000	12	36
GP 12MM 1050	1200	1050	12	38
GP 12MM 1100	1200	1100	12	40
GP 12MM 1150	1200	1150	12	41
GP 12MM 1200	1200	1200	12	43
GP 12MM 1250	1200	1250	12	45
GP 12MM 1300	1200	1300	12	47
GP 12MM 1350	1200	1350	12	49
GP 12MM 1400	1200	1400	12	50
GP 12MM 1450	1200	1450	12	52
GP 12MM 1500	1200	1500	12	54
GP 12MM 1550	1200	1550	12	56
GP 12MM 1600	1200	1600	12	58
GP 12MM 1650	1200	1650	12	59
GP 12MM 1700	1200	1700	12	61
GP 12MM 1750	1200	1750	12	63
GP 12MM 1800	1200	1800	12	65
GP 12MM 1900	1200	1900	12	69
GP 12MM 2000	1200	2000	12	72

Glass Pool Fencing

Frameless - 12mm Glass Panels Handrail Variant (Balustrade Compliant)



PRODUCT DIAGRAM



PRODUCT SPECS

- Balustrade compliant pool fencing— for pool fences with 1+ metre fall from pool coping level. **CANNOT** be used where falls are greater than 4metres
- Can also be used with standard pool panels as a means of including towel rails in the pool area
- Glass panels for pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- 2x 20mm holes for side-mounted handrails
- For use with friction spigots
- **Independently tested and certified by NATA to meet Australian Standards**

ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GPH 12MM 0600	1200	600	12	22
GPH 12MM 0650	1200	650	12	23
GPH 12MM 0700	1200	700	12	25
GPH 12MM 0750	1200	750	12	27
GPH 12MM 0800	1200	800	12	29
GPH 12MM 0850	1200	850	12	31
GPH 12MM 0900	1200	900	12	32
GPH 12MM 0950	1200	950	12	34
GPH 12MM 1000	1200	1000	12	36
GPH 12MM 1050	1200	1050	12	38
GPH 12MM 1100	1200	1100	12	40
GPH 12MM 1150	1200	1150	12	41
GPH 12MM 1200	1200	1200	12	43
GPH 12MM 1250	1200	1250	12	45
GPH 12MM 1300	1200	1300	12	47
GPH 12MM 1350	1200	1350	12	49
GPH 12MM 1400	1200	1400	12	50
GPH 12MM 1450	1200	1450	12	52
GPH 12MM 1500	1200	1500	12	54

FOR USE WITH:
modular 50x10mm side-mounted handrail system



Glass Pool Fencing

12mm Frameless Glass Spring Hinge Panels



PRODUCT SPECS


- Glass hinge panels for frameless pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- For use with friction spigots
- Holes to mount spring hinges
- **Independently tested and certified by NATA to meet Australian Standards**
- For use with matching glass gate panel (below)

ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GH 12MM 1000	1200	1000	12	36
GH 12MM 1100	1200	1100	12	40
GH 12MM 1200	1200	1200	12	43
GH 12MM 1300	1200	1300	12	47
GH 12MM 1400	1200	1400	12	50
GH 12MM 1500	1200	1500	12	54
GH 12MM 1600	1200	1600	12	58
GH 12MM 1700	1200	1700	12	61

8mm Glass Spring Gate Panels



PRODUCT DIAGRAM



PRODUCT SPECS

- Glass gate panels for frameless & semiframed pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 8mm thick
- Tipped safety corners
- Flat polished edges
- Holes to mount spring hinges
- **Independently tested and certified by NATA to meet Australian Standards**
- Requires matching glass hinge panel (above) or a wall mount or a post, all with matching spring hinges


ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GG 8MM 0700	1200	700	8	10
GG 8MM 0725	1200	725	8	11
GG 8MM 0750	1200	750	8	12
GG 8MM 0775	1200	775	8	13
GG 8MM 0800	1200	800	8	14
GG 8MM 0825	1200	825	8	16
GG 8MM 0850	1200	850	8	17
GG 8MM 0875	1200	875	8	18
GG 8MM 0900	1200	900	8	19
GG 8MM 0925	1200	925	8	20
GG 8MM 0950	1200	950	8	22
GG 8MM 0975	1200	975	8	23
GG 8MM 1000	1200	1000	8	24

FOR USE WITH:
Spring Hinges



Glass Pool Fencing

12mm Frameless Glass Hydraulic Hinge Panels



PRODUCT SPECS

- Glass hinge panels for frameless pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- For use with friction spigots
- Cut-outs to mount hydraulic hinges
- **Independently tested and certified by NATA to meet Australian Standards**
- For use with matching glass gate panel (below)


*Seek advice for the best use of these panels

ITEM CODE			HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
*GHHYD	12MM	1000	1200	1000	12	36
*GHHYD	12MM	1100	1200	1100	12	40
GHHYD	12MM	1200	1200	1200	12	43
GHHYD	12MM	1300	1200	1300	12	47
GHHYD	12MM	1400	1200	1400	12	50
GHHYD	12MM	1500	1200	1500	12	54
GHHYD	12MM	1600	1200	1600	12	58
GHHYD	12MM	1700	1200	1700	12	61

12mm Frameless Glass Hydraulic Gate Panels



PRODUCT DIAGRAM




PRODUCT SPECS

- Glass gate panels for frameless pool fences
- Toughened Grade A Safety Glass
- 1200mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- Holes to mount hydraulic hinges
- **Independently tested and certified by NATA to meet Australian Standards**
- Requires matching glass hinge panel (above) or can be mounted to a wall using a Hydraulic Wall to Glass hinge (see p19)

ITEM CODE			HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GGHYD	12MM	0800	1200	800	12	45
GGHYD	12MM	0850	1200	850	12	47
GGHYD	12MM	0900	1200	900	12	49
GGHYD	12MM	0950	1200	950	12	50
GGHYD	12MM	1000	1200	1000	12	52
GGHYDW	12MM	0800	1200	800	12	45
GGHYDW	12MM	0900	1200	900	12	49
GGHYDW	12MM	1000	1200	1000	12	52

FOR USE WITH:
POLARIS Hydraulic Hinges




Glass Pool Fencing

Pool Fencing - Frameless - 12mm **Raked** Panels



PRODUCT DIAGRAM




ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GP 12MM RAKED 1300	1300	1200	12	47
GP 12MM RAKED 1400	1400	1200	12	50
GP 12MM RAKED 1500	1500	1200	12	54
GP 12MM RAKED 1600	1600	1200	12	58
GP 12MM RAKED 1700	1700	1200	12	61
GP 12MM RAKED 1800	1800	1200	12	65

These panels are standard sizes and kept in stock at all times. We also regularly provide custom-made glass for our clients. If you need a slightly different panel, no problems—please ask

Pool Fencing - Frameless - 12mm **Pinned** Panels



PRODUCT DIAGRAM



PRODUCT SPECS


- **Product specs for both raked and pinned panels:**
- Glass panels for pool fences
- Toughened Grade A Safety Glass
- 12mm thick
- Tipped safety corners
- Flat polished edges
- For use with friction spigots (raked) and standoff pin-fixings (pinne)
- Independently tested and certified b NATA to meet Australian Standards

ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GP 12MM PINNED 1000	1460	1000	12	45
GP 12MM PINNED 1050	1460	1050	12	48
GP 12MM PINNED 1100	1460	1100	12	50
GP 12MM PINNED 1150	1460	1150	12	52
GP 12MM PINNED 1200	1460	1200	12	54
GP 12MM PINNED 1250	1460	1250	12	57
GP 12MM PINNED 1300	1460	1300	12	59
GP 12MM PINNED 1350	1460	1350	12	61
GP 12MM PINNED 1400	1460	1400	12	63
GP 12MM PINNED 1450	1460	1450	12	66
GP 12MM PINNED 1500	1460	1500	12	68


These panels are standard sizes and kept in stock at all times. We also regularly provide custom-made glass for our clients. If you need a slightly different panel, no problems—please ask

Glass Balustrade

Frameless - 12mm Glass Panels For **Side-Mounted** Handrails, **Heat Soaked**




PRODUCT DIAGRAM



PRODUCT SPECS


- Glass panels for balustrading
- Toughened Grade A Safety Glass
- **Heat soaked to comply with standards**
- 970mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- 2x 20mm holes for side-mounted handrail
- For use with friction spigots
- **Independently tested and certified by NATA to meet Australian Standards**
- 3 spigots required for 1600, 1700 and 1800 width panels

ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GB 12MM 0500	970	500	12	15
GB 12MM 0550	970	550	12	16
GB 12MM 0600	970	600	12	17
GB 12MM 0650	970	650	12	19
GB 12MM 0700	970	700	12	20
GB 12MM 0750	970	750	12	22
GB 12MM 0800	970	800	12	23
GB 12MM 0850	970	850	12	25
GB 12MM 0900	970	900	12	26
GB 12MM 0950	970	950	12	28
GB 12MM 1000	970	1000	12	29
GB 12MM 1050	970	1050	12	31
GB 12MM 1100	970	1100	12	32
GB 12MM 1150	970	1150	12	33
GB 12MM 1200	970	1200	12	35
GB 12MM 1250	970	1250	12	36
GB 12MM 1300	970	1300	12	38
GB 12MM 1350	970	1350	12	39
GB 12MM 1400	970	1400	12	41
GB 12MM 1450	970	1450	12	42
GB 12MM 1500	970	1500	12	44
GB 12MM 1600 (These panels require 3 spigots)	970	1600	12	46
GB 12MM 1700 (These panels require 3 spigots)	970	1700	12	49
GB 12MM 1800 (These panels require 3 spigots)	970	1800	12	52




Glass Balustrade

Frameless - 12mm Glass Panels For **Top-Mounted** Handrails, **Heat Soaked**



PRODUCT DIAGRAM



PRODUCT SPECS

- Glass panels for balustrading
- Toughened Grade A Safety Glass
- **Heat soaked to comply with standards**
- 970mm high
- 12mm thick
- Tipped safety corners
- Flat polished edges
- For use with friction spigots
- **Independently tested and certified by NATA to meet Australian Standards**
- Requires a top-mounted handrail for decks or balconies with more than a 1 metre fall (see our U-Channel rail system)
- 3 spigots required for 1600, 1700 and 1800 width panels


ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GBNH 12MM 0800	970	800	12	23
GBNH 12MM 0850	970	850	12	24
GBNH 12MM 0900	970	900	12	26
GBNH 12MM 0950	970	950	12	27
GBNH 12MM 1000	970	1000	12	29
GBNH 12MM 1050	970	1050	12	31
GBNH 12MM 1100	970	1100	12	32
GBNH 12MM 1150	970	1150	12	33
GBNH 12MM 1200	970	1200	12	35
GBNH 12MM 1250	970	1250	12	36
GBNH 12MM 1300	970	1300	12	38
GBNH 12MM 1350	970	1350	12	39
GBNH 12MM 1400	970	1400	12	41
GBNH 12MM 1450	970	1450	12	42
GBNH 12MM 1500	970	1500	12	44
GBNH 12MM 1600 (These panels require 3 spigots)	970	1600	12	47
GBNH 12MM 1700 (These panels require 3 spigots)	970	1700	12	50
GBNH 12MM 1800 (These panels require 3 spigots)	970	1800	12	53

WE CAN ALSO ORDER CUSTOM SIZES IF REQUIRED




Glass Balustrade

Pin Fixed - 12mm Glass Panels For **Side-Mounted** Handrails




PRODUCT DIAGRAM



PRODUCT SPECS

- Suitable for pin fixed (stand-off) balustrade.
- 2 holes for side mounted handrails
- Panels 900mm and below require 4 pins.
- Panels 950mm and above require 6 pins




ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GBPH 12 0800 1280 HS	1280	800	12	23
GBPH 12 0850 1280 HS	1280	850	12	25
GBPH 12 0900 1280 HS	1280	900	12	26
GBPH 12 0950 1280 HS	1280	950	12	28
GBPH 12 1000 1280 HS	1280	1000	12	29
GBPH 12 1050 1280 HS	1280	1050	12	31
GBPH 12 1100 1280 HS	1280	1100	12	32
GBPH 12 1150 1280 HS	1280	1150	12	33
GBPH 12 1200 1280 HS	1280	1200	12	35
GBPH 12 1250 1280 HS	1280	1250	12	36
GBPH 12 1300 1280 HS	1280	1300	12	38
GBPH 12 1350 1280 HS	1280	1350	12	39
GBPH 12 1400 1280 HS	1280	1400	12	41
GBPH 12 1450 1280 HS	1280	1450	12	42
GBPH 12 1500 1280 HS	1280	1500	12	44

WE CAN ALSO ORDER CUSTOM SIZES IF REQUIRED




Glass Balustrade

Pin Fixed - 12mm Glass Panels For **U-Channel** Handrails




PRODUCT DIAGRAM



PRODUCT SPECS

- Suitable for pin fixed (stand-off) balustrade.
- Suitable for U-Channel handrails.
- Panels 900mm and below require 4 pins.
- Panels 950mm and above require 6 pins



ITEM CODE	HEIGHT (MM)	WIDTH (MM)	THICKNESS (MM)	WEIGHT (KG)
GBPN 12 0800 1280 HS GN	1280	800	12	23
GBPN 12 0850 1280 HS GN	1280	850	12	25
GBPN 12 0900 1280 HS GN	1280	900	12	26
GBPN 12 0950 1280 HS GN	1280	950	12	28
GBPN 12 1000 1280 HS GN	1280	1000	12	29
GBPN 12 1050 1280 HS GN	1280	1050	12	31
GBPN 12 1100 1280 HS GN	1280	1100	12	32
GBPN 12 1150 1280 HS GN	1280	1150	12	33
GBPN 12 1200 1280 HS GN	1280	1200	12	35
GBPN 12 1250 1280 HS GN	1280	1250	12	36
GBPN 12 1300 1280 HS GN	1280	1300	12	38
GBPN 12 1350 1280 HS GN	1280	1350	12	39
GBPN 12 1400 1280 HS GN	1280	1400	12	41
GBPN 12 1450 1280 HS GN	1280	1450	12	42
GBPN 12 1500 1280 HS GN	1280	1500	12	44

WE CAN ALSO ORDER CUSTOM SIZES IF REQUIRED



Reduce Glass Cleaning Time By Up To 90%

What is Enduroshield?

EnduroShield's easy clean protective coating creates an ultra-long lasting shield on all glass surfaces, reducing cleaning time by up to 90%.

EnduroShield helps protect against staining, build-up and etching from salt, chlorine spray, soap, limescale, dirt and grime.


EnduroShield is an ultra-thin transparent coating that completely adheres to the glass surface and provides protection that will repel both water and oil based stains. Similar to a non-stick fry pan, cleaning is made easier using only water and a mild detergent or with a microfibre cloth.

For best results, use a squeegee to remove any water drops from the glass after cleaning. EnduroShield makes cleaning a breeze. It will also keep the glass looking cleaner for longer in between cleans!



**Factory Applied
10-Year Onsite Warranty**

All of our glass is available with EnduroShield. It is professionally applied by our trained technicians in a specially designed section of our warehouse, which means we can pass on a full 10-year warranty on the EnduroShield coating.



- One-time application
- 10-year warranty
- Scratch and stain resistant
- 90% less cleaning time
- Easy to maintain
- Glass stays cleaner longer

Factory-applied ENDUROSHIELD costs 30% less than the onsite DIY option - and has 3x the warranty!

Spigots - Value Range

Suitable for Glass Pool Fencing



PRODUCT SPECS

- Friction Fit—does not need holes in glass
- Pricing includes cover plate
- 2205 stainless steel
- **Independently tested and certified by NATA to be fully compliant with Australian Standards for pool fencing applications**
- All mirror-polished to improve corrosion resistance

ITEM CODE	HEIGHT (MM)	DIAMETER (MM)	MATERIAL	FINISH
SPIGOT VALUE CORE RND	240	50	2205 SS	MIRROR
SPIGOT VALUE BP RND	140	50	2205 SS	MIRROR
SPIGOT VALUE CORE SQR	240	50	2205 SS	MIRROR
SPIGOT VALUE BP SQR	140	50	2205 SS	MIRROR
SPIGOT CORE EXTENSION	60	50	n/a	



Spigots - Pro Range

Suitable for Balustrade & Glass Pool Fencing




PRODUCT SPECS

- Friction Fit—does not need holes in glass
- Pricing includes cover plate
- 2205 stainless steel
- **Independently tested and certified by NATA to be fully compliant with Australian Standards for both balustrade and pool fencing applications**
- All mirror-polished to improve corrosion resistance

ITEM CODE	HEIGHT (MM)	DIAMETER (MM)	MATERIAL	FINISH
SPIGOT PRO CORE RND	240	50	2205 SS	MIRROR
SPIGOT PRO BP RND	140	50	2205 SS	MIRROR
SPIGOT PRO CORE SQR	240	50	2205 SS	MIRROR
SPIGOT PRO BP SQR	140	50	2205 SS	MIRROR





Posts and Glass Clips - Stainless Steel

PRODUCT SPECS

- All posts and components constructed of marine grade 316 stainless steel
- A typical order will include:
 - Posts
 - Caps
 - Modular flange base (if wanting to mount using a flanged base-plate rather than core drilling)
 - A cover (flat for core drilled applications; domed for use with the modular flange)
 - Wall mounts, if required
 - Glass clips

ITEM CODE	HEIGHT (MM)	DIAMETER WIDTH (MM)	MATERIAL	FINISH	WEIGHT (KG)
SS PRE-FAB POST ROUND, CORE	1,800	50	316 SS	MIRROR	11
SS PRE-FAB POST ROUND, BASE	1,400	50	316 SS	MIRROR	0.1
SS PRE-FAB POST ROUND, CORE	1,800	50	316 SS	MIRROR	1
SS PRE-FAB POST ROUND, BASE	1,400	50	316 SS	MIRROR	0.2
SS PRE-FAB POST CUSTOM	n/a	50	316 SS	MIRROR	n/a
SS POST FLAT COVER	2	100	316 SS	MIRROR	0.1
GLASS SS POST FLAT COVER	25	100	316 SS	MIRROR	0.1
GLASS CLIP 1183 RND	62	45	316 SS	MIRROR	0.2
GLASS CLIP 1184 SQ	62	45	316 SS	MIRROR	0.2
GLASS CLIP 1187 RND	55	55	316 SS	MIRROR	0.2
GLASS CLIP 1188 SQ GLASS	55	55	316 SS	MIRROR	0.2
CLIP 180° JOINER GLASS	100	45	316 SS	MIRROR	0.4
CLIP 90° JOINER	90	45	316 SS	MIRROR	0.6



COVERS & CAPS



GLASS CLIP 1183 RND ("D shape")



GLASS CLIP 1184 SQ ("D shape")



GLASS CLIP 1187 RND



GLASS CLIP 1188 SQ



CLIP 90° JOINER




CLIP 180° JOINER



All of our components are modular, so we can create a stainless steel post to your exact specification using materials we keep in stock. If you need custom posts, or if you need individual components—posts, modular flange bases, nuts, clips, screws, anything—we can get it to you fast. Fully assembled posts available—price on application.

50x10mm Handrail System



PRODUCT SPECS

- Modular handrail system
- All components fit 50mm x 10mm rail
- All components can be glued, tapped or welded, depending on application
- No site polishing required
- All come in mirror finish and are manufactured from marine grade 316 stainless steel
- Can be fixed to timber and masonry walls
- Can be used as towel rail around the pool or home

ITEM CODE	MATERIAL	FINISH
HRAIL 50X10 5800 LENGTH	316 SS	MIRROR
HRAIL 50X10 SS CORNER	316 SS	MIRROR
HRAIL 50X10 SS CORNER ADJUSTABLE	316 SS	MIRROR
HRAIL 50X10 SS END CAP	316 SS	MIRROR
HRAIL 50X10 SS JOINER	316 SS	MIRROR
HRAIL 50X10 SS HEIGHT ADJUSTABLE JOINER	316 SS	MIRROR
HRAIL 50X10 SS WALL TIE	316 SS	MIRROR
HRAIL 50X10 SS WALL TIE OFFSET 55MM	316 SS	MIRROR
HRAIL 50X10 SS WALL TIE OFFSET 100MM	316 SS	MIRROR
HRAIL 50X10 SS STANDOFF SLOTTED	316 SS	MIRROR
HRAIL 50X10 SS STANDOFF FIXED HEIGHT	316 SS	MIRROR
HRAIL 50X10 SS STANDOFF ADJ HEIGHT	316 SS	MIRROR
LOCTITE 638 RETAINING COMPOUND 10ML & 50ML	—	—



HRAIL 50X10
5800 LENGTH



HRAIL 50X10 SS
CORNER



HRAIL 50X10 SS
CORNER ADJUST



HRAIL 50X10 SS
END CAP



HRAIL 50X10 SS
JOINER



HRAIL 50X10 SS
HEIGHT ADJUSTABLE JOINER



HRAIL 50X10 SS
WALL TIE



LOCTITE 638
RETAINING COMPOUND



HRAIL 50X10 SS WALL TIE OFFSET
55MM




HRAIL 50X10 SS WALL TIE OFFSET
100MM




HRAIL 50X10 SS
STANDOFF SLOTTED

U-Channel Handrail System



PRODUCT SPECS

- Modular U-Channel handrail system
- Components can be glued, tapped or welded, depending on application
- No site polishing required
- All come in mirror finish and are manufactured from marine grade 316 stainless steel
- No silicone required with insertion rubber
- 25mm dia. round and 25mm x 21mm square lengths - 5800mm each




SQUARE U-CHANNEL 25x21




ROUND U-CHANNEL 25.4

ITEM CODE	MATERIAL	FINISH
SQUARE 25x21 U-CHANNEL		
HRAIL 25x21 SQR, 5800 LENGTH	316 SS	MIRROR
HRAIL 25x21 SQR CORNER	316 SS	MIRROR
HRAIL 25x21 SQR END CAP	316 SS	MIRROR
HRAIL 25x21 SQR JOINER	316 SS	MIRROR
HRAIL 25x21 SQR WALL TIE, HORZ	316 SS	MIRROR
HRAIL 25x21 SQR WALL TIE, VERT	316 SS	MIRROR
HRAIL 25x21 SQR ADJ JOINER, HORZ	316 SS	MIRROR
HRAIL 25x21 SQR ADJ JOINER, VERT	316 SS	MIRROR
ROUND 25.4 dia. U-CHANNEL		
HRAIL U-CHANNEL, RND 25.4, 5800 LENGTH	316 SS	MIRROR
HRAIL U-CHANNEL, RND 25.4, CORNER	316 SS	MIRROR
HRAIL U-CHANNEL, RND 25.4 END CAP	316 SS	MIRROR
HRAIL U-CHANNEL, RND 25.4 JOINER	316 SS	MIRROR
HRAIL U-CHANNEL, RND 25.4 WALL TIE	316 SS	MIRROR
HRAIL U-CHANNEL, RND ADJ JOINER, HORZ	316 SS	MIRROR
HRAIL U-CHANNEL, RND ADJ JOINER, VERT	316 SS	MIRROR
INSERTION RUBBER	HDPM	BLACK



Glass Gate Hinges



PRODUCT SPECS

- Self closing, pool fence compliant
- Value range of spring hinges
- Premium range of hydraulic hinges to suit glass hinge and gate panels
- All mirror finish marine grade 316 stainless steel

ITEM CODE	MATERIAL	FINISH
HYDRAULIC GLASS TO GLASS	316SS	MIRROR
HYDRAULIC WALL TO GLASS	316SS	MIRROR
SPRING GLASS TO GLASS	316SS	MIRROR
SPRING GLASS TO ROUND POST	316SS	MIRROR
SPRING GLASS TO WALL	316SS	MIRROR



POLARIS HYDRAULIC GLASS TO GLASS



POLARIS HYDRAULIC WALL TO GLASS



SPRING GLASS TO GLASS



SPRING GLASS TO ROUND



SPRING GLASS TO WALL

Glass Gate Latches (Polaris)



PRODUCT SPECS

- All latches are Polaris
- All latches are lockable
- All latches come with plates for attachment
- Glass to Glass, to Wall or to Post

ITEM CODE	MATERIAL	FINISH
GLASS TO GLASS 180DEG LOCK	VARIOUS	BLACK/MIRROR
GLASS TO GLASS CORNER IN LOCK	VARIOUS	BLACK/MIRROR
GLASS TO GLASS CORNER OUT LOCK	VARIOUS	BLACK/MIRROR
GLASS TO ROUND POST LOCK	VARIOUS	BLACK/MIRROR
GLASS TO ROUND POST CORNER LOCK	VARIOUS	BLACK/MIRROR
GLASS TO WALL LOCK	VARIOUS	BLACK/MIRROR
STAINLESS STOPPER (for round posts)	316SS	MIRROR



GLASS TO GLASS 180 DEGREE



GLASS TO GLASS CORNER IN




GLASS TO GLASS CORNER OUT



ROUND POST

Stand-Off Point Fixings



PRODUCT SPECS

- Stand-off point fixing available in individual components as well as 38mm kits
- Marine grade 316 stainless steel
- Kits include lag screws

ITEM CODE	LENGTH (MM)	DIAMETER (MM)	MATERIAL
PIN FIX 38MM	28	38	316SS
PIN FIX STAIR BRACKET	175	38	316SS
SO 38MM X 10MM	10	38	316SS
SO 38MM X 20MM	20	38	316SS
SO 38MM X 30MM	30	38	316SS
SO 38MM X 40MM	40	38	316SS
SO 38MM X 50MM	50	38	316SS
SO 38MM X 60MM	60	38	316SS
SO 38MM X 70MM	70	38	316SS
SO 38MM X 80MM	80	38	316SS
SO 38MM X 90MM	90	38	316SS
SO 38MM X 100MM	100	38	316SS
SO SHIM 38MM X 3MM	3	38	316SS
SO SHIM 38MM X 5MM	5	38	316SS
SO SHIM 38MM X 8MM	8	38	316SS
LAG SCREW M8 X 70MM	70	M8	316SS
LAG SCREW M10 X 70MM	70	M10	316SS
GASKET—GLUE	1.4	38	PLASTIC
GASKET—NO GLUE	1.4	38	PLASTIC
THREADED ROD	70	M10	316SS



CUSTOM COMPONENTS



PIN FIX KIT

Custom pin make-ups? No problem. Price on application.

Shipping

At Trade Glass Depot, we're experts at shipping your products around Australia and around the world. We ship Australia-wide, door-to-door, fully insured. You don't wear the risk. All of our glass shipments are packed individually for you, to ensure that the glass specific to your project is very well protected.

Our packing is designed to ensure that your glass arrives in perfect condition. Packing and material costs start from \$90 per crate (excluding GST). Here are some representative prices for large shipments, including delivery times. Don't worry if your city isn't on this list – we ship everywhere. Please contact us for more information.

Large Shipments

LOCATION	DELIVERY TIME
CAIRNS	1-2 DAYS
BRISBANE	1 DAY
SYDNEY	1 DAY
MELBOURNE	2 DAYS
ADELAIDE	3-5 DAYS
PERTH	4-7 DAYS
DARWIN	4-7 DAYS

Small Shipments


LOCATION	DELIVERY TIME
CAIRNS	1-2 DAYS
BRISBANE	Hours
SYDNEY	1 DAY
MELBOURNE	2 DAYS
ADELAIDE	2-3 DAYS
PERTH	Call Us
DARWIN	Call Us

* All prices exclude GST.

For fast and accurate quotes, please send your drawing to sales@tradeglassdepot.com.au

KEY

- GLASS PANEL - GP
- GATE - GT
- EXISTING POST - EP
- SLOPE - SL
- LEVEL CHANGE - LC



				<p>POLARIS G-2-G</p>	<p>POLARIS W-2-G</p>	<p>SPRING G-2-G</p>	<p>POLARIS W-2-G</p>
<p>PRO VAL</p> <p>2205 BASE ROUND</p>	<p>PRO VAL</p> <p>2205 BASE SQUARE</p>	<p>PRO VAL</p> <p>2205 CORE ROUND</p>	<p>PRO VAL</p> <p>2205 CORE SQUARE</p>	<p>STAND OFF PIN FIXINGS</p>	<p>GATE & HINGE PANEL</p>	<p>U-CHANNEL HANDRAIL</p>	<p>SIDE-MOUNT HANDRAIL</p>

NAME:

ADDRESS:


PH:








E:

For fast and accurate quotes, please send your drawing to sales@tradeglassdepot.com.au

KEY

- GLASS PANEL - GP
- CUSTOM GATE - CG
- EXISTING POST - EP
- LEVEL CHANGE - LC



 PRO 2205 BASE ROUND	 PRO 2205 BASE SQUARE	 PRO 2205 CORE ROUND	 PRO 2205 CORE SQUARE	 STAND OFF PIN FIXINGS	CUSTOM GATE & HINGES	 U-CANNEL HANDRAIL	 SIDE-MOUNT HANDRAIL
--	--	---	--	--	----------------------	--	--

NAME:

ADDRESS:

PH:

E:



The Last Page

Do you need a product that's not on our list?

We stock a wide range of other glass pool fencing and glass balustrading products.

If you need something that's not in this list—whether it's glass, hardware, consumables, anything else—please call us: chances are we've got it waiting for you, and if we don't, we can probably get it for you fast.

We are also continually expanding our product lines. Please let us know what you want so we can make sure the products you want are the next ones we keep in stock.

Volume Discounts

If you're thinking of buying large quantities from us on a regular basis, we'd love to talk to you about earning your business. We offer tiered pricing discounts depending on the volume you buy. Please call us to discuss.

Disclaimer

We've done our best to double check that the products, descriptions and prices contained in here are right at the time of publication. However, we're human, and while we try to be very careful, we do occasionally miss something. Therefore, please keep in mind that this document can change at any time, and that we can't be forced to provide anything to you on these terms.

However, we really do try to honour our terms wherever we can, and if we have made a mistake, we commit to let you know right away and to do our best to make it right and get what you need when you need it at a great price.

And please: do contact us with any questions

We'd love to have a chat. We're here to help.

If you have any questions, please call us on: 1300 889 375. Or email us. Or go online.

But please do get in contact when you're ready. We think you'll be very pleasantly surprised.

Thank you from the team at Trade Glass Depot

TRADE GLASS DEPOT

Trade Glass Depot Pty Ltd

PHONE 1300 889 375

www.tradeglassdepot.com.au | sales@tradeglassdepot.com.au