

COLOR CHART

Laser | Rotary | Print

Product Material Selection



ROTARY ENGRAVING MATERIALS

MATTES



Red/White 212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	Burgundy/White 222-622 2-ply 1/16" 243-622 3-ply 1/8"	Orange/White 222-612 2-ply 1/16" 243-612 3-ply 1/8"	Yellow/Black 212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	Bright Green/White 212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	Celadon Green/White 222-972 2-ply 1/16" 243-972 3-ply 1/8"	Pine Green/White 222-912 2-ply 1/16" 243-912 3-ply 1/8"	Light Blue/White 222-562 2-ply 1/16" 243-562 3-ply 1/8"	Sapphire/White 222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/White 212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	Navy Blue/White 222-552 2-ply 1/16" 243-552 3-ply 1/8"	China Blue/White 222-382 2-ply 1/16" 243-382 3-ply 1/8"	Purple/White 222-582 2-ply 1/16" 243-582 3-ply 1/8"	Almond/Black 222-854 2-ply 1/16" 243-854 3-ply 1/8"	Ivory/Dark Brown 222-228 2-ply 1/16" 243-228 3-ply 1/8"	Med. Brown/White 222-822 2-ply 1/16" 243-822 3-ply 1/8"	Dark Brown/White 222-842 2-ply 1/16" 243-842 3-ply 1/8"	White/Red 212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/Burgundy 222-226 2-ply 1/16" 243-226 3-ply 1/8"	White/Bright Green 222-209 2-ply 1/16" 243-209 3-ply 1/8"	White/Blue 212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	White/Black 212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	Light Grey/Burgundy 222-326 2-ply 1/16" 243-326 3-ply 1/8"	Light Grey/Marine Blue 222-325 2-ply 1/16" 243-325 3-ply 1/8"	Light Grey/Black 222-324 2-ply 1/16" 243-324 3-ply 1/8"	Grey/White 222-312 2-ply 1/16" 243-312 3-ply 1/8"	Black/White 212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/Bright White 222-412 2-ply 1/16" 243-412 3-ply 1/8"	Walnut/White 222-172 2-ply 1/16" 243-172 3-ply 1/8"	English Walnut/Bright White 222-192 2-ply 1/16" 243-192 3-ply 1/8"	Black Walnut/White 222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Permits fine detail engraving Trophies, awards & plaques	Capabilities Bevels Drills Saws Shears	Bonds Heat bendable Scores Silk screens	Braille-engravable Hot stamps Screen prints
Finish Matte non-glare	Engraving Depth .003" // 0.08mm				

LACQUERS



Red/White 422-602 2-ply 1/16" 442-602 2-ply 1/8"	Yellow/Black 422-704 2-ply 1/16" 442-704 2-ply 1/8"	Safety Yellow/Black 422-794 2-ply 1/16" 442-794 2-ply 1/8"	Bright Green/White 422-932 2-ply 1/16" 442-932 2-ply 1/8"	Teal/White 422-962 2-ply 1/16" 442-962 2-ply 1/8"	Blue/White 422-512 2-ply 1/16" 442-512 2-ply 1/8"	Sapphire/White 422-562 2-ply 1/16" 442-562 2-ply 1/8"	White/Red 422-206 2-ply 1/16" 442-206 2-ply 1/8"	White/Blue 422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/Black 422-204 2-ply 1/16" 442-204 2-ply 1/8"	Black/White 422-402 2-ply 1/16" 442-402 2-ply 1/8"	Vintage Gold/Black 422-774 2-ply 1/16" 442-774 2-ply 1/8"	Vintage Silver/Black 422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Exterior signage Interior signage Personal identification Outdoor weatherable	Capabilities Bevels Embosses Ink prints Saws Thermal prints	Bonds Heat bendable Laser vector cuts Screen prints UV stable	Drills Hot stamps Paint fill Shears
Finish Gloss	Engraving Depth .012" // 0.30mm				

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage ADA compliant Exterior signage Interior signage Personal identification Tactile signage	Capabilities Bevels Drills Laser vector cuts Screen prints Thermal prints	Bonds Heat bendable Outdoor weatherable Shears UV stable	Braille-engravable Hot stamps Saws Silk screens UV-printable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Exterior signage Interior signage Personal identification Outdoor weatherable	Capabilities Back-lighting Drills Laser vector cuts Shears UV stable	Bevels Heat bendable Paint fill Silk screens UV-printable	Bonds Hot stamps Saws Thermal prints
Finish Gloss	Engraving Depth .012" // 0.30mm				



ULTRA-MATTES *Reverse Engravable*




312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"
--	--	--	--	--	--	--

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage ADA compliant Exterior signage Interior signage Personal identification Tactile signage	Capabilities Back-lighting Braille-engravable Heat bendable Laser vector cuts Saws	Bonds Embosses Ink prints Paint fill UV stable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm		Bevels Drills Hot stamps Outdoor weatherable Screen prints	

SAFE-T-MARK™



FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"
--	--	--	--	--	--	--	--	--

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

Material Fire retardant functional polymer	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Control panels Equipment id tags Safety signage Electrically non-conductive Non-flammable	Capabilities Back-lighting Braille-engravable Heat bendable Laser vector cuts Saws	Bonds Embosses Ink prints Paint fill UV stable
Finish Matte non-glare	Engraving Depth .003" // 0.08mm	Electrical tags Industrial tags Fire retardant Insulative	Bevels Drills Hot stamps Saws Screen prints	Bonds Embosses Ink prints Paint fill UV stable

HEAVY WEIGHTS™



HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"
--	--	--	--	--	--	--	--	--



HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"
--	--

TECHNICAL SPECIFICATIONS

Material High-density polyethylene	Sheet Size 24" x 48" // 610mm x 1219mm	Usage Architectural signage Exterior signage Interior signage Recreational signage Outdoor Weatherable	Capabilities Drills Hot stamps Saws UV Stable
Finish Textured	Engraving Depth 1/4" = .030" // 0.8mm 1/2" = .060" // 1.5mm		

SATINS



Red/White	Red/Black	Red/Yellow	Burgundy/White	Orange/White	Orange/Black	Yellow/Black	Yellow/Red	Yellow/Blue
112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	122-604 2-ply 1/16" 143-604 3-ply 1/8"	122-607 2-ply 1/16" 143-607 3-ply 1/8"	122-622 2-ply 1/16" 143-622 3-ply 1/8"	122-612 2-ply 1/16" 143-612 3-ply 1/8"	122-614 2-ply 1/16" 143-614 3-ply 1/8"	112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	122-706 2-ply 1/16" 143-706 3-ply 1/8"	122-705 2-ply 1/16" 143-705 3-ply 1/8"

Bright Green/White	Green/White	Pine Green/White	Aqua/White	Blue/White	Blue/Yellow	Blue/Silver	Navy Blue/White	Air Force Blue/White
112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	122-902 2-ply 1/16" 143-902 3-ply 1/8"	122-912 2-ply 1/16" 143-912 3-ply 1/8"	122-942 2-ply 1/16" 143-942 3-ply 1/8"	112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	122-517 2-ply 1/16" 143-517 3-ply 1/8"	122-533 2-ply 1/16"	122-552 2-ply 1/16" 143-552 3-ply 1/8"	122-532 2-ply 1/16" 143-532 3-ply 1/8"

Metallic Blue/White	Purple/White	Almond/Black	Ivory/Dark Brown	Beige/Dark Brown	Beige/White	Med. Brown/White	Dark Brown/White	White/Red
122-542 2-ply 1/16" 143-542 3-ply 1/8"	122-582 2-ply 1/16" 143-582 3-ply 1/8"	122-854 2-ply 1/16" 143-854 3-ply 1/8"	122-228 2-ply 1/16" 143-228 3-ply 1/8"	122-838 2-ply 1/16" 143-838 3-ply 1/8"	122-832 2-ply 1/16" 143-832 3-ply 1/8"	122-822 2-ply 1/16" 143-822 3-ply 1/8"	122-842 2-ply 1/16" 143-842 3-ply 1/8"	122-206 2-ply 1/16" 143-206 3-ply 1/8"

Polar White/Red	White/Orange	White/Bright Green	Polar White/Bright Green	White/Pine Green	White/Blue	Polar White/Blue	White/Dark Brown	White/Black
122-246 2-ply 1/16"	122-216 2-ply 1/16" 143-216 3-ply 1/8"	122-209 2-ply 1/16" 143-209 3-ply 1/8"	122-239 2-ply 1/16"	122-269 2-ply 1/16" 143-269 3-ply 1/8"	122-205 2-ply 1/16" 143-205 3-ply 1/8"	122-235 2-ply 1/16"	122-208 2-ply 1/16" 143-208 3-ply 1/8"	112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"

Polar White/Black	Metallic Grey/White	Battleship Grey/White	Grey/White	Grey/Black	Black/White	Black/Bright White	Black/Red	Black/Yellow
122-234 2-ply 1/16" 143-234 3-ply 1/8"	122-312 2-ply 1/16" 143-312 3-ply 1/8"	122-362 2-ply 1/16" 143-362 3-ply 1/8"	122-302 2-ply 1/16" 143-302 3-ply 1/8"	122-304 2-ply 1/16" 143-304 3-ply 1/8"	112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	122-412 2-ply 1/16" 143-412 3-ply 1/8"	122-406 2-ply 1/16" 143-406 3-ply 1/8"	122-407 2-ply 1/16" 143-407 3-ply 1/8"

Black/Gold	Black/Silver
122-417 2-ply 1/16" 143-417 3-ply 1/8"	122-423 2-ply 1/16" 143-423 3-ply 1/8"

TECHNICAL SPECIFICATIONS			
Material Acrylic cap, ABS core	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification	Capabilities Bevels Drills Hot stamps Scores Shears
Finish Brushed	Engraving Depth .012" // 0.30mm		Bonds Heat bendable Saws Screen prints Thermal prints

NOMARK® PLUS & STANDARD METALS



Deep Bronze/Black	Br. Gold/Black	European Gold/Black	Smooth Gold/Black	Br. Aluminum/Black	Br. Silver/Black	Smooth Silver/Black
Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"

TECHNICAL SPECIFICATIONS			
NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.			
Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Bevels Drills Hot stamps Scores Shears
Finish Brushed metal	Engraving Depth .003" // 0.08mm		Bonds Heat bendable Saws Screen prints Thermal prints

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

MESSAGE BOARD NEW



Dry Erase Bright White	Dry Erase Black	Chalkboard Pine Green	Chalkboard Bright White	Chalkboard Black
DE421204 1-ply 1/16" DE441204 1-ply 1/8"	DE421401 1-ply 1/16" DE441401 1-ply 1/8"	CB321902 1-ply 1/16" CB341902 1-ply 1/8"	CB321204 1-ply 1/16" CB341204 1-ply 1/8"	CB321401 1-ply 1/16" CB341401 1-ply 1/8"

TECHNICAL SPECIFICATIONS				
Material Single-ply modified acrylic Finish Chalkboard - Micro texture Dry Erase - High Gloss	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Exterior signage Interior signage Novelty Signage component or substrate	Capabilities Bevels Heat bendable Outdoor weatherable Screen prints UV stable	Bonds Hot stamps Saws Shears UV-printable Drills Laser vector cuts Scores Thermal prints

REFLEXIONS ⚡ ⚙️ ⚙️ ⚡

Silver Mirror	Ice Silver Mirror	Platinum Mirror	Carbon Mirror	Bronze Mirror	Gold Mirror
RM942-340 2-ply 1/8"	RM942-341 2-ply 1/8"	RM942-351 2-ply 1/8"	RM942-300 2-ply 1/8"	RM942-870 2-ply 1/8"	RM942-730 2-ply 1/8"

TECHNICAL SPECIFICATIONS				
Material Cell cast acrylic (PMMA) Finish Frosted matte non-glare (1 side) Mirrored (1 side)	Sheet Size 24" x 48" +1875" -0" // 610mm x 1219mm Engraving Depth .012" // 0.30mm	Usage Craft and artistry projects Exterior signage Interior signage Permits fine detail engraving Signage component or substrate UV stable	Capabilities Back-lighting Drills Saws Thermal prints	Bevels Hot stamps Scores Bonds Paint fill Screen prints

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

LUCENT NEW



Translucent Smoke	Translucent Green	Translucent Blue	Translucent Pink	Translucent Orange	Translucent Yellow	Translucent Clear
LC342-025 1-ply .025"	LC999-025 1-ply .025"	LC599-025 1-ply .025"	LC679-025 1-ply .025"	LC669-025 1-ply .025"	LC729-025 1-ply .025"	LC101-025 1-ply .025"

TECHNICAL SPECIFICATIONS				
Material Single-ply modified acrylic Finish Matte non-glare	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Engineering templates Interior signage Patterns Scrapbooking	Educational aids Exterior signage Painting stencils Rulers Templates or stencils	Capabilities Back-lighting Laser vector cuts Rotary vector cuts Scores UV-printable Drills Pad prints Saws Screen prints

Masked on both sides for handling purposes. Rowmark branded masking is applied to the backside and a clear mask on matted surface side to protect the sheet during shipping and handling.

PRINTMARK[®] Laserable & Rotary Products ⚡ ⚙️ F P ⚡

White	Black	White/ Black	Black/ White	White/ Red	White/ Blue	Br. Aluminum/ Black	Br. Silver/ Black	Br. European Gold/Black
PM921-222 1-ply 1/16" PM231-010 1-ply 1/16"	PM921-444 1-ply 1/16" PM431-007 1-ply 1/16"	PM922-204 2-ply 1/16" PM922-234 2-ply 1/16"	PM922-402 2-ply 1/16"	PM922-206 2-ply 1/16"	PM922-205 2-ply 1/16"	PM922-354 2-ply 1/16"	PM922-334 2-ply 1/16"	PM922-754 2-ply 1/16"
Br. Gold/ Black								
PM922-734 2-ply 1/16"								

Rotary Only Products

Polar White/ Black	Polar White/ Blue	Polar White/ Red	Polar White/ Green	Black/ White	Blue/ White	Red/ White	Almond/ Black	White
PM122-234 2-ply 1/16"	PM122-235 2-ply 1/16"	PM122-246 2-ply 1/16"	PM122-239 2-ply 1/16"	PM122-402 2-ply 1/16"	PM122-512 2-ply 1/16"	PM122-602 2-ply 1/16"	PM122-854 2-ply 1/16"	PM123-222 1-ply 1/16"

TECHNICAL SPECIFICATIONS				
Material Microsurfaced impact acrylic Laminated impact acrylic Finish Brushed • Matte • Gloss	Sheet Size 24.125" x 48.75" // 613mm x 1245mm	Usage Personal identification Signage or award component Craft and artistry projects Architectural signage	Capabilities Laser (vector cuts) Rotary Indoor Printable	Bevels Saw cutting Drills Shears

COLORHUES™ & COLORHUES^{EFX}

NEW



Flamingo* Translucent	Lemon Zest* Translucent	Citron* Translucent	Ice Blue* Translucent	Glass Green* Translucent	Clear* Translucent	Clear Matte Translucent
CH341-690 1-ply 1/8"	CH341-700 1-ply 1/8"	CH341-720 1-ply 1/8"	CH341-500 1-ply 1/8"	CH341-900 1-ply 1/8"	CH341-100 1-ply 1/8" CH351-100 1-ply 1/4"	CH341-101 1-ply 1/8" CH351-101 1-ply 1/4"
Poppy Translucent	Passion Fruit Translucent	Cherry Blossom Translucent	Phantom Translucent	Daffodil Translucent	Citrus Translucent	Kiwi Translucent
CH341-601 1-ply 1/8"	CH341-621 1-ply 1/8"	CH341-611 1-ply 1/8"	CH341-211 1-ply 1/8" CH351-211 1-ply 1/4"	CH341-721 1-ply 1/8"	CH341-701 1-ply 1/8"	CH341-931 1-ply 1/8"
Caribbean Translucent	Pacific Translucent	Wedgewood Translucent	Glacier Translucent	Wisteria Translucent	Smoke Translucent	Scarlet Opaque
CH341-921 1-ply 1/8"	CH341-551 1-ply 1/8"	CH341-541 1-ply 1/8"	CH341-521 1-ply 1/8"	CH341-581 1-ply 1/8"	CH341-441 1-ply 1/8"	CH341-631 1-ply 1/8"
Mango Opaque	Citronella Opaque	Cobalt Opaque	Luxe Blue Opaque	Storm Grey Opaque	Bisque Opaque	White Opaque
CH341-651 1-ply 1/8"	CH341-791 1-ply 1/8"	CH341-501 1-ply 1/8" CH351-501 1-ply 1/4"	CH341-571 1-ply 1/8"	CH341-301 1-ply 1/8"	CH341-831 1-ply 1/8"	CH341-201 1-ply 1/8" CH351-201 1-ply 1/4"
Black Opaque	Black/Flamingo EFX	Black/Lemon Zest EFX	Black/Citron EFX	Black/Poppy EFX	Black/Passion Fruit EFX	Black/Daffodil EFX
CH341-401 1-ply 1/8" CH351-401 1-ply 1/4"	CH342-496 2-ply 1/8"	CH342-407 2-ply 1/8"	CH342-427 2-ply 1/8"	CH342-406 2-ply 1/8"	CH342-426 2-ply 1/8"	CH342-417 2-ply 1/8"
Black/Kiwi EFX	Black/Pacific EFX					
CH342-439 2-ply 1/8"	CH342-455 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Matte non-glare (1 side)

Gloss (1 side)

*Gloss both sides

● Edge Glow

Sheet Size

24-1/8" x 48-3/4" +0, -125" //
613mm x 1238mm

Engraving Depth

ColorHues N/A (Single ply)
EFX .003" // .08mm

Gauge

1/8" +/- 0.016" // 0.4mm
1/4" +/- .032" // 0.8mm

Usage ColorHues

Craft and artistry projects
Interior/exterior signage
Signage component or substrate
Tactile signage

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues

Back-lighting	Bevels	Bonds
Braille-engrivable	Drills	Heat bendable
Hot stamps	Laser vector cuts	Paint fill
Permits fine detail engraving	Scores	Saws
Screen prints	UV-printable	UV stable

Capabilities EFX

Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engrivable	

FIBERGRAVE™ NEW



White	Black
FX301-201 1-ply .020" FX391-201 1-ply .040"	FX301-401 1-ply .020" FX391-401 1-ply .040"

TECHNICAL SPECIFICATIONS

Material

Single-ply modified Acrylic

Finish

Matte (1 side)

Sheet Size

24 1/8" x 48 3/4" //
613mm x 1238 mm

Engraving Depth

0.0mm (surface ablation)

Usage

Traceability
Tags
Name plates
Identifies
Utility markers
Livestock tagging
Signage
Control panels
Micromarking
QR/Data matrix readable
Barcode readable

Capabilities

Marking on the fly
Fiber laser contrasting mark
Multi-shade fiber laser marking
CO2 vector cut
Heat bendable/formable
Fine detail
Flexible
Saws
Shears
Drills
Bonds
Scores
UV-Stable



NATURAL WOOD MATERIALS

HARDWOOD COLLECTION™

NEW



RW1224-125CHE 1/8"
RW1824-125CHE 1/8"
RW1224-250CHE 1/4"
RW1824-250CHE 1/4"



RW1224-125MAP 1/8"
RW1824-125MAP 1/8"
RW1224-250MAP 1/4"
RW1824-250MAP 1/4"




RW1224-125OAK 1/8"
RW1824-125OAK 1/8"
RW1224-250OAK 1/4"
RW1824-250OAK 1/4"



RW1224-125WAL 1/8"
RW1824-125WAL 1/8"
RW1224-250WAL 1/4"
RW1824-250WAL 1/4"



RW1224-125MAH 1/8"
RW1824-125MAH 1/8"
RW1224-250MAH 1/4"
RW1824-250MAH 1/4"



RW1224-125CED 1/8"
RW1824-125CED 1/8"
RW1224-250CED 1/4"
RW1824-250CED 1/4"



RW1224-125SAS 1/8"
RW1824-125SAS 1/8"
RW1224-250SAS 1/4"
RW1824-250SAS 1/4"



RW1224-125BAM 1/8"
RW1824-125BAM 1/8"
RW1224-250BAM 1/4"
RW1824-250BAM 1/4"



RW1224-125ALD 1/8"
RW1824-125ALD 1/8"
RW1224-250ALD 1/4"
RW1824-250ALD 1/4"

TECHNICAL SPECIFICATIONS

Cedar contains naturally occurring exposed knots and grain patterns that will vary from sheet to sheet.

Material

Hardwood layered veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm
18" x 24" // 457mm x 610mm

Engraving Depth

N/A

Usage

Architectural models
Catalog/book covers
Craft and artistry projects
Key fobs
Picture frames
Promotional items

Business cards
Coasters
Interior signage
Ornaments
Plaques
Signage component

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints
UV-printable
Drills
Laser vector cuts
Saws
Shears

COLORSHOP WOODS™

NEW




CW1212-125BLJ 1/8"
CW1224-125BLJ 1/8"




CW1212-125PLM 1/8"
CW1224-125PLM 1/8"




CW1212-125BLS 1/8"
CW1224-125BLS 1/8"



CW1212-125CAR 1/8"
CW1224-125CAR 1/8"




CW1212-125CLM 1/8"
CW1224-125CLM 1/8"




CW1212-125SUN 1/8"
CW1224-125SUN 1/8"




CW1212-125SAG 1/8"
CW1224-125SAG 1/8"



CW1212-125MER 1/8"
CW1224-125MER 1/8"




CW1212-125NTS 1/8"
CW1224-125NTS 1/8"



CW1212-125RAV 1/8"
CW1224-125RAV 1/8"



CW1212-125WHE 1/8"
CW1224-125WHE 1/8"



CW1212-125DNG 1/8"
CW1224-125DNG 1/8"



CW1212-125MSG 1/8"
CW1224-125MSG 1/8"



CW1212-125GRG 1/8"
CW1224-125GRG 1/8"



CW1212-125RSR 1/8"
CW1224-125RSR 1/8"



CW1212-125CDG 1/8"
CW1224-125CDG 1/8"



CW1212-125MOG 1/8"
CW1224-125MOG 1/8"



CW1212-125DTG 1/8"
CW1224-125DTG 1/8"



CW1212-125WWG 1/8"
CW1224-125WWG 1/8"



CW1212-125GPG 1/8"
CW1224-125GPG 1/8"

TECHNICAL SPECIFICATIONS

This product is masked on both sides. As with any natural wood product, there may be slight color variations from sheet to sheet and lot to lot. Actual milled sheet size is 11-7/8" x 23-3/16" and 11-7/8" x 11-7/8" with a 1/16" tolerance.

Material

Hardwood layered veneers

Finish

Satin Wood Finish
Grain Wood Finish ▲

Sheet Size

12" x 12" +.0" -.125" // 305mm x 305mm
12" x 24" +.0" -.125" // 305mm x 610mm

Engraving Depth

.005" // 0.13mm

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints
Drills
Laser vector cuts
Saws
UV-printable



ColorShop Woods™
Assorted



ColorShop Woods™
Raven & Blue Jay



Hardwood Collection™
Assorted



ColorShop Woods™
Merlot



Hardwood Collection™
Red Alder

Natural Wood Materials from Rowmark

With nearly 30 real-wood finishes for both laser and rotary engraving, Rowmark offers you a complete line of unique wood products.

Available through Authorized Rowmark Distributors Worldwide

Rowmark
Simply Rowmarkable since 1987

877.rowmark /// rowmark.com




LASER & ROTARY ENGRAVING MATERIALS


LASERMAX® NEW



 Crimson/ White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	 Crimson/ Black LM922-604 2-ply 1/16"	 Crimson/ Yellow LM922-607 2-ply 1/16"	 Claret/ White LM922-622 2-ply 1/16"	 Ribbon Pink/ White LM922-662 2-ply 1/16"	 Ribbon Pink/ Black LM922-664 2-ply 1/16"	 Tangerine/ White LM922-612 2-ply 1/16"
 Vibrant Orange/Black LM922-624 2-ply 1/16"	 Canary/ Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"	 Canary/ Crimson LM922-706 2-ply 1/16"	 Kelley Green/ White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	 Kelley Green/ Black LM922-934 2-ply 1/16"	 Celadon Green/ White LM922-972 2-ply 1/16"	 Evergreen/ White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"
 Sky Blue/ White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	 Sky Blue/ Yellow LM922-517 2-ply 1/16"	 Sapphire/ White LM922-502 2-ply 1/16"	 Light Blue/ White LM922-562 2-ply 1/16"	 Patriot Blue/ White LM922-552 2-ply 1/16"	 China Blue/ White LM922-382 2-ply 1/16"	 Purple/ White LM922-582 2-ply 1/16"
 White/ Crimson LM922-206 2-ply 1/16"	 White/ Burgundy LM922-226 2-ply 1/16"	 White/ Sky Blue LM922-205 2-ply 1/16"	 White/ Bright Green LM922-209 2-ply 1/16"	 White/ Pine Green LM922-269 2-ply 1/16"	 White/ Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	 Ivory/ Dark Brown LM922-228 2-ply 1/16"
 Almond/ Black LM922-854 2-ply 1/16"	 Light Grey/ Burgundy LM922-326 2-ply 1/16"	 Light Grey/ Marine Blue LM922-325 2-ply 1/16"	 Light Grey/ Black LM922-324 2-ply 1/16"	 Smoke Grey/ White LM922-312 2-ply 1/16"	 Med. Brown/ White LM922-822 2-ply 1/16"	 Dark Brown/ White LM922-842 2-ply 1/16"
 Black/ White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	 Gloss Black/ White LM922-422 2-ply 1/16"	 Black/ Red LM922-406 2-ply 1/16"	 Black/ Yellow LM922-407 2-ply 1/16"	 Black/ Gold LM922-417 2-ply 1/16"	 Gloss Black/ Gold LM922-427 2-ply 1/16"	 Black/ Silver LM922-413 2-ply 1/16"
 Celestial Blue/ Gold LM922-577 2-ply 1/16"	 Harbor Grey/ White LM922-362 2-ply 1/16"	 Port Wine/ Gold* LM922-677 2-ply 1/16"	 Verde/ Gold* LM922-937 2-ply 1/16"	 Deep Bronze/ Black* LM922-884 2-ply 1/16"	 Brushed Bronze/Black* LM922-874 2-ply 1/16"	 Brushed Bronze/White* LM922-872 2-ply 1/16"
 Rose Gold/ Black* LM922-684 2-ply 1/16"	 Brushed Gold/ Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	 European Gold/ Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	 Smooth Gold/ Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	 Br. Aluminum/ Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	 Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"	 Smooth Silver/ Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"
 Digicam Std. Issue/White LM922-982 2-ply 1/16"	 Digicam Green/ White LM922-922 2-ply 1/16"	 Digicam Desert Storm/Black LM922-844 2-ply 1/16"	 Digicam Pink/ Black LM922-694 2-ply 1/16"	 Digicam Air Force Blue/White LM922-532 2-ply 1/16"	 Digicam Navy/ White LM922-592 2-ply 1/16"	 Digicam Special Ops/ White LM922-372 2-ply 1/16"




LM922-188 2-ply 1/16"




LM922-138 2-ply 1/16"




LM922-134 2-ply 1/16"




LM922-022 2-ply 1/16"



LM922-222 2-ply 1/16"



LM922-082 2-ply 1/16"



LM922-012 2-ply 1/16"

TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey*
23-1/2" x 49" // 597mm x 1245mm
Kona/Ash & Kona/White*
23-5/8" x 49" // 600mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior/exterior signage
Personal identification
Trophies, awards & plaques

Capabilities


Bevels
Heat bendable
Permits fine detail engraving
Scores
Silk screens
Bonds
Hot stamps
Screen prints
UV stable
Drills
Laser vector cuts
Saws
Shears
UV-printable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMAX® REVERSE LIGHT BLOCKERS NEW



LM922-341 2-ply 1/16"



LM922-401 2-ply 1/16"



LM922-841 2-ply 1/16"



LM922-201 2-ply 1/16"



LM922-301 2-ply 1/16"



LM922-511 2-ply 1/16"



LM922-601 2-ply 1/16"



LM922-701 2-ply 1/16"



LM922-351 2-ply 1/16"



LM922-361 2-ply 1/16"



LM922-881 2-ply 1/16"



LM922-861 2-ply 1/16"



LM922-761 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic for reverse engraving

Finish

Matte non-glare
Gloss available upon request

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signs
Exterior signs
ADA compliant/tactile signs
Safety signs
Badges
Control panels

Capabilities

Laser vector cuts
Screen prints
Fine detail
Back-lighting
Saws
Bevels
Bonds
Hot-Stamp
UV Stable
Shears
Drills
Heat bendable/formable
Paint/color-fill
UV print receptive

METALGRAPH PLUS®



MP912-314 2-ply 1/32"
MP922-314 2-ply 1/16"
MP942-314 2-ply 1/8"



MP912-864 2-ply 1/32"
MP922-864 2-ply 1/16"
MP942-864 2-ply 1/8"



MP912-764 2-ply 1/32"
MP922-764 2-ply 1/16"
MP942-764 2-ply 1/8"



MP912-364 2-ply 1/32"
MP922-364 2-ply 1/16"
MP942-364 2-ply 1/8"



MP912-316 2-ply 1/32"
MP922-316 2-ply 1/16"
MP942-316 2-ply 1/8"



MP912-315 2-ply 1/32"
MP922-315 2-ply 1/16"
MP942-315 2-ply 1/8"



MP912-766 2-ply 1/32"
MP922-766 2-ply 1/16"
MP942-766 2-ply 1/8"



MP912-765 2-ply 1/32"
MP922-765 2-ply 1/16"
MP942-765 2-ply 1/8"




MP922-767 2-ply 1/16"
MP942-767 2-ply 1/8"




MP922-313 2-ply 1/16"
MP942-313 2-ply 1/8"




MP822-864 2-ply 1/16"




MP822-764 2-ply 1/16"



MP822-767 2-ply 1/16"



MP822-364 2-ply 1/16"



MP822-313 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Brushed metal
Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Industrial tags
Interior/exterior signage
Outdoor weatherable
Personal identification
Photo laser engraving
Trophies, awards & plaques

Capabilities

Bevels
Drills
Hot stamps
Saws
Screen prints
Thermal prints
Bonds
Heat bendable
Laser vector cuts
Scores
Shears
UV stable

THE NATURALS NEW




 Mojave Black/ White TN922-422 2-ply 1/16" TN942-422 2-ply 1/8"	 Mojave Black/ Black TN922-424 2-ply 1/16" TN942-424 2-ply 1/8"	 Burnt Sienna/ Ash TN922-822 2-ply 1/16" TN942-822 2-ply 1/8"	 Burnt Sienna/ Beige TN922-828 2-ply 1/16" TN942-828 2-ply 1/8"	 Aspen Grey/ Light Grey TN922-323 2-ply 1/16" TN942-323 2-ply 1/8"	 Aspen Grey/ Black TN922-324 2-ply 1/16" TN942-324 2-ply 1/8"	 Black Galaxy/ White TN922-412 2-ply 1/16" TN942-412 2-ply 1/8"
 Black Galaxy/ Black TN922-414 2-ply 1/16" TN942-414 2-ply 1/8"	 Celestial Grey/ White TN922-312 2-ply 1/16" TN942-312 2-ply 1/8"	 Celestial Grey/ Grey TN922-313 2-ply 1/16" TN942-313 2-ply 1/8"	 Solarius Stone/ Parchment TN922-818 2-ply 1/16" TN942-818 2-ply 1/8"	 Solarius Stone/ Black TN922-814 2-ply 1/16" TN942-814 2-ply 1/8"	 Luna White/ White TN922-212 2-ply 1/16" TN942-212 2-ply 1/8"	 Luna Pearl/ Black TN922-214 2-ply 1/16" TN942-214 2-ply 1/8"
 Carbon Ash/ White TN922-192 2-ply 1/16" TN942-192 2-ply 1/8"	 Carbon Ash/ Black TN922-194 2-ply 1/16" TN942-194 2-ply 1/8"	 Barnwood Grey/White TN922-162 2-ply 1/16" TN942-162 2-ply 1/8"	 Barnwood Grey/Charcoal TN922-168 2-ply 1/16" TN942-168 2-ply 1/8"	 Natural Teak/ Ash TN922-172 2-ply 1/16" TN942-172 2-ply 1/8"	 Natural Teak/ Brown TN922-178 2-ply 1/16" TN942-178 2-ply 1/8"	 Brazilian Cherry/Ash TN922-022 2-ply 1/16" TN942-022 2-ply 1/8"
 Brazilian Cherry/Copper TN922-028 2-ply 1/16" TN942-028 2-ply 1/8"	 Beechwood/ Ivory TN922-134 2-ply 1/16" TN942-134 2-ply 1/8"	 Beechwood/ Brown TN922-138 2-ply 1/16" TN942-138 2-ply 1/8"				

TECHNICAL SPECIFICATIONS

Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Architectural signage Craft and artistry projects Exterior signage Personalization Signage or award components	Capabilities Bevels Heat bendable Saws Shears	Bonds Hot stamps Scores UV stable	Drills Laser vector cuts Screen prints Permits fine detail engraving
Finish Textured	Engraving Depth .003" // 0.08mm				

ULTRAGRAVE™ MATTE



 Red/ White UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	 Red/ Black UG922-604 2-ply 1/16"	 Red/ Gold UG922-637 2-ply 1/16"	 Torrid/ White UG922-862 2-ply 1/16"	 Exotica/ White UG922-882 2-ply 1/16"	 Burgundy/ White UG922-622 2-ply 1/16"	 Burgundy/ Gold UG922-627 2-ply 1/16"
 Orange/ White UG922-612 2-ply 1/16"	 Orange/ Black UG922-614 2-ply 1/16"	 Yellow/ Black UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	 Apple Green/ White UG602-932 2-ply .020" UG922-932 2-ply 1/16"	 Pine Green/ White UG922-912 2-ply 1/16"	 Forest Green/ White UG922-992 2-ply 1/16"	 Forest Green/ Eggshell UG922-993 2-ply 1/16"
 Forest Green/ Gold UG922-997 2-ply 1/16"	 Turbulent/ White UG922-942 2-ply 1/16"	 Blue/ White UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	 Air Force Blue/White UG922-532 2-ply 1/16"	 Royal Blue/ White UG922-592 2-ply 1/16"	 Royal Blue/ Gold UG602-597 2-ply .020" UG922-597 2-ply 1/16"	 Navy Blue/ White UG922-552 2-ply 1/16"
 Navy Blue/ Gold UG922-557 2-ply 1/16"	 Taupe/ White UG922-802 2-ply 1/16"	 Almond/ Black UG922-854 2-ply 1/16"	 Craftsmen/ White UG922-832 2-ply 1/16"	 White/ Black UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	 White/ Clear* UG602-201 2-ply .020" UG922-201 2-ply 1/16"	 White/ Red UG922-206 2-ply 1/16"



UG922-205 2-ply 1/16"




UG922-208 2-ply 1/16"



UG922-822 2-ply 1/16"



UG922-842 2-ply 1/16"




UG922-304 2-ply 1/16"



UG662-402 2-ply .010"
UG602-402 2-ply .020"
UG922-402 2-ply 1/16"



UG602-401 2-ply .020"
UG922-401 2-ply 1/16"



UG922-423 2-ply 1/16"



UG922-417 2-ply 1/16"



UG602-427 2-ply .020"


ULTRAGRAVE™ SATIN




UG122-602 2-ply 1/16"



UG122-604 2-ply 1/16"




UG122-862 2-ply 1/16"



UG122-882 2-ply 1/16"



UG122-622 2-ply 1/16"



UG122-612 2-ply 1/16"



UG122-614 2-ply 1/16"



UG122-704 2-ply 1/16"



UG122-932 2-ply 1/16"




UG122-912 2-ply 1/16"



UG122-992 2-ply 1/16"



UG122-993 2-ply 1/16"



UG122-942 2-ply 1/16"



UG122-512 2-ply 1/16"



UG122-532 2-ply 1/16"



UG122-592 2-ply 1/16"



UG122-552 2-ply 1/16"




UG122-802 2-ply 1/16"



UG122-854 2-ply 1/16"




UG122-832 2-ply 1/16"




UG122-204 2-ply 1/16"



UG122-206 2-ply 1/16"



UG122-205 2-ply 1/16"



UG122-822 2-ply 1/16"



UG122-842 2-ply 1/16"



UG122-402 2-ply 1/16"



UG122-423 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material
Microsurfaced impact acrylic

Finish
Matte non-glare
Satin grain
Gloss ■

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth
.005" // 0.13mm

Usage
Industrial, automotive and
electronic labeling
Interior/exterior signage
Personal identification
Safety signage
Trophies, awards & plaques

Capabilities

180° max temp
Braille-engravable
Flexible
Laser vector cuts
Scratch resistant
UV stable

Bevels
Break resistant
Heat bendable
Saws
Screen prints
Permits fine detail engraving

Bonds
Drills
Hot stamps
Scores
Shears

LASERMAG



LM63-1224 2-ply .020"



LM65-1224 2-ply .020"



LM64-1224 2-ply .020"

TECHNICAL SPECIFICATIONS

Material
Microsurfaced flexible magnetic material

Finish
Brushed metal
Gloss ■

Sheet Size
12" x 24" (305 x 610mm)

Engraving Depth
0.004" // 0.10mm
Not recommended for rotary engraving

Usage
Promotional magnets
Repositionable nameplates

Capabilities

Ink prints
Outdoor weatherable
Shears
Permits fine detail engraving

Laser vector cuts
Scores
UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMARK® NEW



 922-602 2-ply .052"	 922-607 2-ply .052"	 922-704 2-ply .052"	 922-932 2-ply .052"	 922-912 2-ply .052"	 922-502 2-ply .052"	 922-512 2-ply .052"
 922-517 2-ply .052"	 922-552 2-ply .052"	 922-228 2-ply .052"	 922-822 2-ply .052"	 922-842 2-ply .052"	 922-206 2-ply .052"	 922-205 2-ply .052"
 922-204 2-ply .052"	 922-322 2-ply .052"	 922-312 2-ply .052"	 922-402 2-ply .052"	 922-422 2-ply .052"	 922-407 2-ply .052"	 922-417 2-ply .052"
 922-427 2-ply .052"	 922-677 2-ply .052"	 922-937 2-ply .052"	 922-577 2-ply .052"	 922-152 2-ply .052"	 922-002 2-ply .052"	 922-172 2-ply .052"
 922-192 2-ply .052"	 922-684 2-ply .052"	 922-714 2-ply .052"	 922-734 2-ply .052"	 922-754 2-ply .052"	 922-354 2-ply .052"	 922-334 2-ply .052"

 922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Port Wine 23-1/2" x 49" // 597mm x 1245mm	Usage Interior signage Permits fine detail engraving Personal identification Trophies, awards & plaques	Capabilities Bevels Drills Hot stamps Saws Screen prints UV-printable
Finish Matte non-glare Brushed metal Patterned Gloss ■	Engraving Depth .003" // 0.08mm	■ Not recommended for harsh or high humidity indoor or outdoor applications.	Bonds Heat bendable Laser vector cuts Scores Shears

FLEXIBRASS® & FLEXICOLOR® NEW



 602-677 2-ply .020"	 602-672 2-ply .020"	 602-937 2-ply .020"	 602-577 2-ply .020"	 602-572 2-ply .020"	 602-363 2-ply .020"	 602-362 2-ply .020"
 602-735 2-ply .020"	 602-874 2-ply .020"	 602-884 2-ply .020"	 602-684 2-ply .020"	 602-734 2-ply .020"	 602-754 2-ply .020"	 602-794 2-ply .020"
 602-714 2-ply .020"	 602-744 2-ply .020"	 602-512 2-ply .020"	 602-204 2-ply .020"	 602-402 2-ply .020"	 602-417 2-ply .020"	 602-427 2-ply .020"
 602-413 2-ply .020"	 602-602 2-ply .020"	 602-423 2-ply .020"	 602-354 2-ply .020"	 602-334 2-ply .020"	 602-344 2-ply .020"	 602-394 2-ply .020"

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey**
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Bevels Drills Heat bendable
Hot stamps Laser vector cuts
Saws Scores Screen prints
Shears UV-printable
Permits fine detail engraving

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERLIGHTS



Yellow/Black S68-1224 12"x 24" sheet	Black/White S61-1224 12"x 24" sheet	White/Black S62-1224 12"x 24" sheet S62-1205 12"x50" rolls	Brushed Silver/Black S63-1224 12"x24" sheet S63-1205 12"x50" rolls	Black/Gold S65-1224 12"x24" sheet S65-1205 12"x50" rolls	Brushed Bronze/Black S69-1224 12"x24" sheet	Smooth Silver/Black S73-1224 12"x24" sheet
Black/Silver S75-1224 12"x24" sheet S75-1205 12"x50" rolls	White/Gold S26-1224 12"x24" sheet	Smooth Gold/Black S74-1224 12"x24" sheet	Brushed Brass/Black S64-1224 12"x24" sheet S64-1205 12"x50" rolls			

TECHNICAL SPECIFICATIONS

Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive

Material

Microsurfaced pre-adhesive plastic

Finish

Brushed metal
Gloss ■

Sheet Size

12" x 24" (305 x 610mm) sheets
12" x 50" (305mm x 15.24m) roll

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Industrial, automotive and electronic labeling
Interior/exterior signage
Personal identification

Capabilities

Bonds Laser vector cuts
Shears UV-printable
Drills Outdoor weatherable
Thermal prints
Permits fine detail engraving
Embosses Scores UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

TEXTURES NEW



Pimento/White 822-642 2-ply 1/16" 842-642 2-ply 1/8"	Ruby/White 822-622 2-ply 1/16"	Red Clay/White 822-662 2-ply 1/16"	Tangerine/White 822-652 2-ply 1/16"	Acid Yellow/Black 822-774 2-ply 1/16"	Acid Yellow/Dark Brown 822-778 2-ply 1/16"	Jungle Green/White 822-962 2-ply 1/16"
Aquamarine/White 822-522 2-ply 1/16"	Teal/White 822-992 2-ply 1/16"	Royal Blue/White 822-592 2-ply 1/16" 842-592 2-ply 1/8"	Sapphire/White 822-503 2-ply 1/16"	Bermuda Tan/Dark Brown 822-258 2-ply 1/16"	Desert Sand/Black 822-854 2-ply 1/16"	Coffee Bean/White 822-892 2-ply 1/16"
White/Red 822-246 2-ply 1/16"	Winter White/Blue 822-205 2-ply 1/16"	Winter White/Black 822-244 2-ply 1/16" 842-244 2-ply 1/8"	Ash Grey/White 822-302 2-ply 1/16"	Ash Grey/Black 822-374 2-ply 1/16"	Coal Black/White 822-422 2-ply 1/16" 842-422 2-ply 1/8"	

TECHNICAL SPECIFICATIONS

Material

Co-extruded impact acrylic

Finish

Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.007" // 0.18mm
Acid Yellow, Pimento, Red Clay & Aquamarine
.010" // 0.25mm

Usage


Industrial signage
Industrial tags
Interior/exterior signage
Personal identification
Safety signage

Capabilities


Bevels Drills Bonds
Hot stamps Laser vector cuts Heat bendable
Outdoor weatherable Permits fine detail engraving
Saws Screen prints
Shears UV stable

ADA ALTERNATIVE® Substrate & Appliqué


NEW




311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"	311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"
--	--	--	--	--	--	--



311-991 1-ply 1/32" 321-991 1-ply 1/16" 341-991 1-ply 1/8"	311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	311-506 1-ply 1/32" 321-506 1-ply 1/16" 341-506 1-ply 1/8"	311-571 1-ply 1/32" 321-571 1-ply 1/16" 341-571 1-ply 1/8"	311-521 1-ply 1/32" 321-521 1-ply 1/16" 341-521 1-ply 1/8"
--	--	--	--	--	--	--




311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	311-321 1-ply 1/32" 321-321 1-ply 1/16" 341-321 1-ply 1/8"	311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	311-581 1-ply 1/32" 321-581 1-ply 1/16" 341-581 1-ply 1/8"	311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"
--	--	--	--	--	--	--



311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"	311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"
--	--	--	---	---	--	--



311-851 1-ply 1/32" 321-851 1-ply 1/16" 341-851 1-ply 1/8"	311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"	311-331 1-ply 1/32" 321-331 1-ply 1/16" 341-331 1-ply 1/8"	311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"
--	--	--	--	--	--	--



311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	311-806 1-ply 1/32" 321-806 1-ply 1/16" 341-806 1-ply 1/8"	311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"	311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm
--	--	--	--	--	--	---



311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"	311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"
--	--	--	--	--	--

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.

Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior/exterior signage Tactile signage Appliqué	Capabilities Bevels Drills Laser vector cuts Scores UV stable	Bonds Heat bendable Outdoor weatherable Screen prints UV-printable	Braille-engravable Hot stamps Saws Shears
Finish Matte non-glare	Cutting 1/32" Tactile Letters 1/4" round & .020" tip at 20°- 25° angle				

REVERSE LASERMARK®



922-601 2-ply 1/16"	922-621 2-ply 1/16"	922-661 2-ply 1/16"	922-701 2-ply 1/16"	922-931 2-ply 1/16"	922-511 2-ply 1/16"	922-551 2-ply 1/16"
---------------------	---------------------	---------------------	---------------------	---------------------	---------------------	---------------------

Matte/White 922-201 2-ply 1/16"	Matte/Ivory 922-221 2-ply 1/16"	Matte/Dark Brown 922-841 2-ply 1/16"	Matte/Black 922-401 2-ply 1/16"	Matte/Smooth Gold* 922-711 2-ply 1/16" 942-711 2-ply 1/8"	Gloss/Smooth Gold* 922-710 2-ply 1/16" 942-710 2-ply 1/8"	Matte/Smooth Silver* 922-341 2-ply 1/16" 942-341 2-ply 1/8"
---	---	--	---	--	--	--

Gloss/Smooth Silver* 922-340 2-ply 1/16" 942-340 2-ply 1/8"	Matte/Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"	Clear/Clear 411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"
--	--	--

TECHNICAL SPECIFICATIONS / *Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Material Microsurfaced impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile signage	Capabilities Scores Laser Vector Cuts Screen Prints Fine Detail Back-lighting	Saws Bevels Hot Stamps UV Stable Shears	Drills Heat Bendable Bonds Paintfill UV-Printable
Finish Matte non-glare Gloss ■	Engraving Depth .003" // 0.08mm				

COLORCAST ACRYLICS™



Red CC342-600M 2-ply 1/8" CC342-600G 2-ply 1/8" CC352-600M 2-ply 1/4" CC352-600G 2-ply 1/4"	Burgundy CC342-620M 2-ply 1/8" CC342-620G 2-ply 1/8" CC352-620M 2-ply 1/4" CC352-620G 2-ply 1/4"	Blue CC342-500M 2-ply 1/8" CC342-500G 2-ply 1/8" CC352-500M 2-ply 1/4" CC352-500G 2-ply 1/4"	Navy Blue CC342-550M 2-ply 1/8" CC342-550G 2-ply 1/8" CC352-550M 2-ply 1/4" CC352-550G 2-ply 1/4"	Almond CC342-850M 2-ply 1/8" CC342-850G 2-ply 1/8" CC352-850M 2-ply 1/4" CC352-850G 2-ply 1/4"	White CC342-200M 2-ply 1/8" CC342-200G 2-ply 1/8" CC352-200M 2-ply 1/4" CC352-200G 2-ply 1/4"	Grey CC342-300M 2-ply 1/8" CC342-300G 2-ply 1/8" CC352-300M 2-ply 1/4" CC352-300G 2-ply 1/4"
Black CC342-400M 2-ply 1/8" CC342-400G 2-ply 1/8" CC352-400M 2-ply 1/4" CC352-400G 2-ply 1/4"	Gold CC342-710M 2-ply 1/8" CC342-710G 2-ply 1/8" CC352-710M 2-ply 1/4" CC352-710G 2-ply 1/4"	Silver CC342-330M 2-ply 1/8" CC342-330G 2-ply 1/8" CC352-330M 2-ply 1/4" CC352-330G 2-ply 1/4"	Clear CC342-100M 1-ply 1/8" CC342-100G 1-ply 1/8" CC352-100M 1-ply 1/4" CC352-100G 1-ply 1/4"			

TECHNICAL SPECIFICATIONS / Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material Microsurfaced cell cast acrylic	Sheet Size 24" x 48" +0, -.125" // 610mm x 1219mm	Usage Interior/exterior signage Personal identification Tactile signage (matte only) Trophies, awards & plaques	Capabilities Back-lighting Hot stamps Permits fine detail engraving Screen prints	Bonds Laser vector cuts UV stable	Braille-engrivable Paint fill Saws UV-printable
Finish Matte non-glare (M) Gloss (G)	Engraving Depth .003" // 0.08mm				

LASERGLOW® NEW



UltraGlow ULG321-911 2-ply 1/16" ULG341-911 2-ply 1/8"	Glow with Adhesive LG302-911 1-ply .020"	Glow ADA Compliant LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	Glow Reverse Engravable LG322-911 2-ply .050"
---	--	---	---

LASERGLOW® Rotary Engravable



Glow/Safety Red* LG322-916 2-ply .050"	Glow/Safety Green* LG322-919 2-ply .050"	Glow/Safety Blue* LG322-915 2-ply .050"	Glow/Safety Black* LG322-914 2-ply .050"
--	--	---	--

TECHNICAL SPECIFICATIONS

Material Modified impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Egress and exit signage Industrial tags Interior/exterior signage Safety signage Tactile signage MEA certified MEA#203-08-M	Capabilities Back-lighting Drills Hot stamps Outdoor weatherable Screen prints UV-printable	Bevels Embosses Ink prints Paint fill Shears	Braille-engrivable Heat bendable Laser vector cuts Saws UV stable
Finish Matte non-glare	Engraving Depth .022" // 0.56mm (Reverse only) .025" // 0.64mm (Front only)				



HOME OFFICE

PO Box 1605
5409 Hamlet Drive
Findlay, Ohio 45840-1605 USA
inquiries@rowmark.com

EUROPE OFFICE/WAREHOUSE

Schaarbeekstraat 44
9120 Beveren-Waas
Belgium
+32 (0)3 870 41 10
emea@rowmark.com

TECHNICAL SUPPORT

877.769.6275 /// 419.425.8974
techhelp@rowmark.com

CUSTOM REQUESTS

800.243.3339 /// 419.425.2407
customerservice@rowmark.com

LATIN AMERICA & TECHNICAL SUPPORT

+55 11 97530-6575 /// latinamerica@rowmark.com

AUSTRALIA & TECHNICAL SUPPORT

Unit 10/167 Prospect Hwy,
Seven Hills NSW 2147
1300 023 370
sales@rowmark.com.au

877.rowmark / rowmark.com



Engage. Interact. Share.



TERMS & CONDITIONS OF SALE

Rowmark's warranty is limited to replacement of product only, and such warranty does not extend to the costs of any repeat labor or incidental costs. LIMITED WARRANTY, WARRANTY DISCLAIMERS AND LIMITATIONS OF REMEDIES AND LIABILITIES: Except as set forth above, Seller makes NO OTHER WARRANTIES concerning the products whatsoever. SELLER DISCLAIMS AND EXCLUDES ALL OTHER EXPRESS WARRANTIES AND ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE concerning the products. In no event will Sellers' liability exceed the paid purchase price of the products. Seller's obligations described in this paragraph shall be Buyer's sole and exclusive remedy against Seller and Seller's Distributors for any liability with respect to the products whether any claim for recovery is based upon or arises out of theories of contract, negligence, tort (including strict liability) or otherwise. Buyer agrees that NO OTHER REMEDY SHALL BE AVAILABLE to Buyer and that IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, including without limitation loss of income, loss of time, loss of sales, cost of replacement items, or claims asserted by Buyer's customers. A suit based on any cause of action must be commenced within one year from the date of delivery of product.

