

CATALOG
2020/21
Moving forward.





PFAU-Tec

reha-technik · entwicklung · konstruktion





Driving pleasure meets innovation.



COMBO

Strong, agile, convenient.

A powerful mixture of distinctive design and Bosch engine power.





COMFORT

Length/ width: 1870/710 mm

Access height: 270 mm

Weight: 32 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

24/24" steel frame, deep wide entry, differential, LED-head and rear light, hub dynamo, double wall rim, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ pearl fawn

Item no.: 17-SHO-01-00008



COMFORT FM

Length/ width: 1870/750 mm

Access height: 270 mm

Weight: 37 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 324 Wh, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ pearl fawn

Item no.: 17-SHO-03-00002



PALERMO

Length/ width: 1970/710 mm

Access height: 250 mm

Weight: 38 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 324 Wh, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ stone brown

Item no.: 17-SHO-02-00003



COMBO

Length/ width: 1870/750 mm

Access height: 270 mm

Weight: 41 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bosch-Active-Line-Plus mid-motor 500 Wh, 24/24" steel frame, deep wide entry, differential, LED head lamp + rear light battery powered, anti flat tires, parking brake, keyed alike lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ papyrus white

Item no.: 17-SHO-04-00007



Optional feature
Comfortable seat with cushioned back rest



SCOOTERTRIKE FM

Lay back and enjoy the ride.
Comfortable driving and a cool & stylish look – that's ScooterTrike.





SCOOTER L

Length/ width: 1937/740 mm

Access height: 470 mm

Weight: 35kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ azure blue

Item no.: 17-SHO-01-00009



SCOOTERTRIKE FM

Length/ width: 1937/780 mm

Access height: 470 mm

Weight: 41 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 324 Wh, 16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ azure blue

Item no.: 17-SHO-03-00003



SCOOBO

Come on board for a pleasant drive. The Bosch- Active-Line-Plus system offers a significant enhancement in riding enjoyment. Discover new places and expand your riding activities beyond the city limits.





TRIZON

Length/ width: 1900/760 mm

Access height: 350 mm

Weight: 40 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED head lamp + rear light, hub dynamo, anti flat tires, parking brake, shopping basket rear, 7-speed with freewheel and hydraulic disc brakes rear + front

Colour:

■ iron glimmer

Item no.: 17-SHO-01-00015



SCOOBO

Length/ width: 1900/800 mm

Access height: 350 mm

Weight: 50 kg

Max. payload user: 130 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bosch-Acive-Line-Plus mid-motor 500 Wh, 16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED head lamp + rear light battery powered, anti flat tires, parking brake, keyed alike lock, shopping basket rear, 7-speed with freewheel and hydraulic disc brakes rear + front

Colour:

■ iron glimmer

Item no.: 17-SHO-04-00006



ADVANCED

Moving smoothly through the city. No sweat!
Driving and relaxing at the same time.



CLASSIC

Length/ width: 2000/710 mm

Access height: 150 mm

Weight: 33 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ steel blue

Item no.: 17-SHO-01-00001



ELEGANCE

Length/ width: 2000/710 mm

Access height: 150 mm

Weight: 33 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 17-SHO-01-00002



ADVANCED

Length/ width: 2000/710 mm

Access height: 150 mm

Weight: 36 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, suspension fork, seat post with suspension, LED-head and rear light, hub dynamo, parking brake, lockable trunk rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 17-SHO-01-00003



VERONA

Tailwind inclusive!
Constant electric support due to its power controlled torque sensor.
Choose your favorite level and start up pedalling in five different levels!





NAPOLI 2

Length/ width: 2000/750 mm

Access height: 150 mm

Weight: 38 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 324 Wh, 26/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 3-speed with coaster brake

Colour:

■ steel blue

Item no.: 17-SHO-03-00001



VERONA

Length/ width: 2000/750 mm

Access height: 150 mm

Weight: 42 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 324 Wh, 26/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 17-SHO-02-00001



PASSO

Automatically on the way – You just want to drive and not be bothered with technical gimmicks. Well, then our Passo is exactly the right vehicle for you. Powered by a powerful Shimano-6100 Steps mid engine, no wishes remain unfulfilled.





ALLY

Length/ width: 1900/710 mm

Access height: 150 mm

Weight: 33 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

24/24" steel frame, disassemble, deep wide entry, double wall rim, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ blue green

Item no.: 17-SHO-01-00007



ALLY-FM

Length/ width: 1900/750 mm

Access height: 150 mm

Weight: 38 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 324 Wh, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ blue green

Item no.: 17-SHO-03-00006



TORINO

Length/ width: 1900/750 mm

Access height: 150 mm

Weight: 41 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 324 Wh, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, frame lock, shopping basket rear, 7-speed with coaster brake

Colour:

■ highland grey

Item no.: 17-SHO-02-00002



PASSO

Length/ width: 1890/780 mm

Access height: 150 mm

Weight: 45 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Shimano Steps E6100 504 Wh battery, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, disc brakes front and rear with parking function, keyed alike lock, shopping basket rear, 5-speed automatic hub with freewheel

Colour:

■ pigeon blue

Item no.: 20-SHO-08-00001



SPECIAL

Alloy tricycle in lightweight and sturdy construction.
Also suited for taller adults.





PROVEN

Length/ width: 1770/710 mm

Access height: 420 mm

Weight: 27 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ black

Item no.: 17-SHO-01-00004



SPECIAL

Length/ width: 1880/710 mm

Access height: 280 mm

Weight: 29 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" alloy frame, deep wide entry, differential, suspension fork, double wall rim, seat post with suspension, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ silver

Item no.: 17-SHO-01-00006



PFAU-Tec

reha-technik · entwicklung · konstruktion





Feel safe and well.



PRONTO

Everything under control with two wheels in front.
For customers who prefer the driving experience with a T-Bike
combined with high-performance electric support.





BENE

Length/ width: 1620/800 mm

Access height: 180 mm

Weight: 31 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0041

Standard specification:

20/24" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, basket front, 3-speed with coaster brake

Colour:

■ moss green

Item no.: 17-TBI-01-00001



PRONTO

Length/ width: 1840/800 mm

Access height: 180 mm

Weight: 47 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 324 Wh, 20/26" steel frame, deep wide entry, LED-head and rear light battery powered, anti flat tires, parking brake, drum brakes front, fully floating axle with adjustable suspension, frame lock, basket front, 7-speed with coaster brake

Colour:

■ matt black

Item no.: 17-TBI-02-00001



PRIMO

Estimate and handle the whole width of appearing alleyways or barriers.
This provides a sure and eased driving. Well suitable for newcomers and beginners.





CAPO

Length/ width: 1750/800 mm

Access height: 170 mm

Weight: 34 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0042

Standard specification:

20/26" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, basket front, 3-speed with coaster brake

Colour:

■ cardinal red

Item no.: 17-TBI-01-00002

PRIMO

Length/ width: 1750/800 mm

Access height: 180 mm

Weight: 36 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0043

Standard specification:

20/26" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, fully floating axle with adjustable suspension, basket front, 7-speed with coaster brake

Colour:

■ cardinal red

Item no.: 17-TBI-01-00003



TIB04

Simply better vision. Recognize and handle narrow passages with confidence. The powerful Bosch motor system plus the universal adjustable seating position leaves nothing to be desired.





MONZA

Length/ width: 1980/800 mm

Access height: 170 mm

Weight: 57 kg

Max. payload user: 160 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 324 Wh, 20/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, parking brake, drum brakes front, frame lock, fully floating axle with adjustable suspension, basket front and rear, 7-speed with coaster brake

Colour:

■ anthracite

Item no.: 17-QUAD-02-00001



TIBO4

Length/ width: 1420/860 mm

Access height: 220 mm

Weight: 55 kg

Max. payload user: 150 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bosch-Active-Line-Plus mid-motor 500 Wh, 20/20" steel frame, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED head lamp + rear light battery powered, anti flat tires, parking brake, keyed alike lock, 8-speed with freewheel and hydraulic disc brakes rear + front

Colour:

■ papyrus white

Item no.: 19-QUAD-04-00001



PFAU-Tec

reha-technik · entwicklung · konstruktion





Impressive performance, powerful energy.



Optional feature
Hydraulic disc brakes rear + front



GRAZIA-BOSCH

The powerful e-motor Bosch-Active-Line-Plus combines a perfect match between pedal assistance (4 levels) and an intuitive on-board computer.



MOBILE

Length/ width: 1780/610 mm

Access height: 150 mm

Weight: 28 kg

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Aid-number: 22.51.02.0019

Standard specification:

24/20" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ cobalt blue

Item no.: 17-REH-01-00003



ROBUSTO STANDARD

Length/ width: 2000/710 mm

Access height: 150 mm

Weight: 33 kg

Max. payload user: 120 kg

Max. payload luggage: 25 kg

Aid-number: 22.51.02.0021

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ silver

Item no.: 17-REH-01-00001



GRAZIA-BOSCH

Length/ width: 2000/750 mm

Access height: 180 mm

Weight: 48 kg

Max. payload user: 120 kg

Max. payload luggage: 25 kg

Aid-number: 22.51.04.001

Standard specification:

Pedelec with Bosch-Active-Line-Plus mid-motor 500 Wh, 26/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, anti flat tires, suspension fork, seat post with suspension, parking brake, keyed alike lock, lockable trunk rear, 7-speed with coaster brake

Colour:

■ silver

Item no.: 17-REH-04-00002



PFAU-Tec

reha-technik · entwicklung · konstruktion





Fancy, reliable and extremely comfortable.



S3

Safety first.

The bicycle S3 combines maximum safety with classic and elegant design.

Its high-quality equipment offers driving fun for all ages.



S1

Length/ width: 1800/680 mm

Access height: 280 mm

Weight: 17 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26" alloy frame, deep entry, LED-head and rear light, hub dynamo, suspension fork, seat post with suspension, anti flat tires, frame lock, 7-speed with coaster brake

Colour:

■ highland grey

Item no.: 17-ZW-01-00001



S3

Length/ width: 1800/680 mm

Access height: 280 mm

Weight: 22 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26" alloy frame, deep entry, LED-head and rear light, hub dynamo, suspension fork, seat post with suspension, Pedelec with front motor 324 Wh, anti flat tires, frame lock, 7-speed with coaster brake

Colour:

■ highland grey

Item no.: 17-ZW-03-00001



PFAU-Tec

reha-technik · entwicklung · konstruktion





Double the enjoyment.



CARRIER

Carrier fascinated everyone. Its huge loading platform allows easy manoeuvres, howbeit heavily loaded, with less effort. The powerful Bosch mid-motor helps with fast and comfortable movement.





COLLETTIVO

Length/ width: 2270/680 mm

Access height: 410/420 mm (front/rear)

Weight: 27 kg

Max. payload user: 60/100 kg (front/rear)

Max. payload luggage: 10 kg

Standard specification:

24" alloy frame, deep entry,
LED-head and rear light,
hub dynamo, anti flat tires,
freewheel in the front
bottom bracket,
7-speed with coaster brake

Colour:

■ silver

Item no.: 17-TAN-01-00003



CARRIER

Length/ width: 2500/690 mm

Access height: 510 mm

Weight: 37 kg

Max. payload user: 100 kg

Max. payload luggage: 60 kg

Standard specification:

Pedelec with Bosch-Performance-Line
mid-motor 500 Wh,
20/26" alloy frame (front + rear) ,
LED head lamp + rear light battery powered,
hydraulic brake (front + rear),
foldaway parking stand, keyed alike lock,
7-speed with freewheel hub,
foldable without any toolings

Colour:

■ jet black

Item no.: 17-IND-05-00001



PFAU-Tec

reha-technik · entwicklung · konstruktion





Convincing equipment – safe driving experience.

DRIVE SYSTEMS

Here we would like to give you a short overview about our favoured drive concepts. They are a quite essential component for a light and lighthearted locomotion. We trust in different systems for various demands.

ELECTRIC SUPPORT BY TORQUE SENSOR

This version measures the force/ torque which is effected on the pedals. The driver will be supported with additional assistance depending on the selected driving mode on the display/ controller. This efficient system allows higher range than a RPM-sensor and is more sensitive for start ups.

ELECTRIC SUPPORT BY RPM (SPEED/ MOTION SENSOR)

No matter how hard you pedal, the RPM-sensor easily recognizes the speed and motion of the crank/ pedal. Change the performance level with the push of a button on the controller. This system is suitable for persons with less power reserve.



FRONTMOTOR (FM)

Motortype: Front motor with control gear,
brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 40 Nm

Weight: 2,1 kg

Battery type: Li-Ionen

Capacity (optional): 324 Wh (504 Wh)

Weight: 2,5 kg

Sensors: Speed sensor

Assistance Level: 6

Start-up assistance: Yes (push of a button)

Light battery powered: Possible

Cruising range*: 324 Wh (up to 40 km)
504 Wh (up to 60 km)



ATTACHED IN FOLLOWING MODELS

Napoli 2

Ally-FM

Comfort-FM

Scooter FM

S3

We trust in leading suppliers of electric drive systems.

The main principle front motor (FM) is: very quiet, very smooth and powerful. This small, brushless motor with planetary drive is one of the best in sticking to those principles. Choose your desired support mode out of six different levels via LED-display. Start-up assistance (up to 6 km/h) is easy to activate with a single push of a button. When support is turned off, the motor provides no resistance and the vehicle can be used conventionally.

* Depends on the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can fall below (worst-case).

BAFANG MAX-DRIVE-SYSTEM

Motortype: Mid-Motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 60 Nm

Weight: 3,9 kg

Battery type: Li-Ionen

Capacity (optional): 324 Wh (504 Wh)

Weight: 2,5 kg

Sensors: Torque

Assistance Level: 5

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: 324 Wh (up to 45 km)
504 Wh (up to 65 km)

ATTACHED IN FOLLOWING MODELS

Torino

Verona

Palermo

Pronto

Monza

POWERFUL TORQUE SENSOR



The Bafang Max-Drive-System has a very torque mid-drive-motor with force sensor.

Via display and push-button on the control unit you can choose between 5 different modes incl. start-up control.

The display shows next to the current assistance and battery level several speedometer information (speed, average speed, high speed and trip counter).

We combine well-known approved batteries with 324 Wh or 504 Wh capacity for an undisturbed driving pleasure.

* Depends on the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can fall below (worst-case).

SHIMANO STEPS E6100

Motortype: Mid-Motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 60 Nm

Weight: 2,88 kg

Battery type: Li-Ionen

Capacity: 504 Wh

Weight: 2,66 kg

Sensors: Torque

Assistance Level: 3

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: 504 Wh (up to 70 km)



ATTACHED IN FOLLOWING MODELS

Passo

We use the Shimano Steps E6100 for our model Passo.

Three powerful support modes and the automatic shifting system selects the optimal gear for your needs at any time. The display shows next to the current assistance and battery level several speedometer information (speed, average speed, high speed and trip counter).

If you want to change some settings of the motorsystem, you can adapt your individual requirements via Bluetooth interface.

* Depends on the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can fall below (worst-case).

BOSCH-ACTIVE-LINE-PLUS

Motortype: Mid-Motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 50 Nm

Weight: 3,2 kg

Battery type: Li-Ionen

Capacity: 500 Wh

Weight: 2,7 kg

Sensors: Torque

Assistance Level: 4

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: 500 Wh (up to 75 km)

ATTACHED IN FOLLOWING MODELS

Grazia-Bosch

Combo

Scoobo



The Bosch-Active-Line-Plus mid-motor is built in our latest top models.

The mid-drive-motor of the well-known German manufacturer works with a sensible torque sensor.

The display shows every important information for the user (speed, day trip, total distance and clock).

The clear display and control unit is easy to use and brings along 4 different support modes and a start-up control.

An unique feature is the estimated range of your battery level (for constant conditions such as assistance level, route profile, etc). A really good feeling, to know how far you can drive.

* Depends on the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can fall below (worst-case).

BOSCH PERFORMANCE LINE

Motortype: Mid-Motor with control gear,
brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 65 Nm

Weight: 3,2 kg

Battery type: Li-Ionen

Capacity: 500 Wh

Weight: 2,7 kg

Sensors: Torque

Assistance Level: 4

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: up to 70 km



ATTACHED IN FOLLOWING MODELS

Tibo4

Carrier

The Bosch Performance-Line-Motorsystem is built in our models Tibo4 and Carrier.

It is one of the varied mid-drive-motorsystems of the well-known german manufacturer. If you want to drive sportive through the landscape, cycle through the city or carry your purchases. The motorsystem provides the right assistance at any time.

The engine assists up to 65 Nm torque and up to max. 25 km/h.

The Purion-Display impresses with optimal readability and controllability.

* Depends on the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can fall below (worst-case).



STABILIZER

Width (12" and 16"): 580 mm

Width (20", 24", 26" and 28"): 780 mm

Weight: 6 kg

Aid-number: 22.51.01.0011

Stabilizer retrofit!

Available in size: 12"-28" for retrofitting into an existing standard bicycle with coaster brake .

Stabilizer 12"

17-20-01-00001

Stabilizer 16"

17-20-01-00002

Stabilizer 20"

17-20-01-00003

Stabilizer 24"

17-20-01-00004

Stabilizer 26"

17-20-01-00005

Stabilizer 28"

17-20-01-00006

TRICYCLE-ACCESSORIES

That's part of it! Perfect driving comfort with that certain something.

The in-house development originate a multitude of accessories and problem solvers.



ACCESSORIES

- 1 | Crutch holder
- 1 | Mounting for suspension fork
- 2 | Steering stop
- 3 | Arm rest
- 4 | Rear view mirror
- 5 | Shift support ball
- 6 | Shift support knob
- 7 | Auxiliary handlebar
- 8 | Foot rest for artificial leg
- 9 | Treadle crank for disabled right
- 9 | Treadle crank for disabled left

- 17-26-01-00 008
- 17-26-01-00036
- 17-26-01-00018
- 17-26-01-00017
- 17-26-01-00009
- 17-26-01-00022
- 17-26-01-00023
- 17-26-01-00020
- 17-26-01-00026
- 17-26-01-00030
- 17-26-01-00031

- 10 | Crank shortener
- 10 | Adapter for crank shortener
- 11 | Cranc shortener
- roundly for left + right
- 12 | Kids back rest
- 13 | Kids back rest
- 13 | Back rest
- 14 | Seat harness
- 15 | T-shaped seat post
- 16 | Foot rest
- adjustable leg guide

- 17-26-01-00007
- 17-26-01-00029
- 17-26-01-00037
- 17-26-01-00028
- 17-26-01-00027
- 17-26-01-00012
- 17-26-01-00025
- 17-26-01-00005
- 17-26-01-00002

- 17 | Kids foot rest
- adjustable leg guide
- 18 | Foot rest till size 40
- 18 | Foot rest size 40-43
- 18 | Foot rest size 44 and taller
- 19 | Foot anchorage
- 20 | Guide rod
- 21 | Cover protection
- 22 | frame lock w. mounting plate
- 23 | Comfortable seat
- with cushioned back rest

- 17-26-01-00019
- 17-26-01-00013
- 17-26-01-00014
- 17-26-01-00015
- 17-26-01-00010
- 17-26-01-00016
- 17-26-01-00021
- 17-07-01-00063
- 17-19-04-00006



PFAU-Tec

reha-technik · entwicklung · konstruktion



PFIFF Vertriebs GmbH

Wilhelmstr. 49 · 49610 Quakenbrück · Germany · Tel. +49 5431 90060-0 · Fax +49 5431 90060-21
www.pfiff-vertrieb.de · E-Mail: info@pfiff-vertrieb.de