

No. 99107-8N  
Fashionista Poncho  
Sizes: XSmall/Medium, Large/2XLarge



**mary maxim**<sup>®</sup>  
EXCLUSIVE NEEDLEWORK and CRAFTS Inc.

# No. 99107-8N

Fashionista Poncho

Sizes: XSmall/Medium, Large/2XLarge

**mary maxim**<sup>inc.</sup>  
EXCLUSIVE NEEDLEWORK and CRAFTS

Materials: Mary Maxim Mellowspun DK /sport weight yarn

Size XSm/Med  
8 balls

Size Lge/XXLge  
11 balls

## Suggested Needles:

Size 6 US, (Canadian size 8, Metric size 4.00mm)

24" circular needle size 6, (Canadian 24" size 8, Metric 60cm size 4.00mm)

## Measurements:

Finished Length at point: 19(22)" [48(56) cm]

### TO SAVE TIME, TAKE TIME TO CHECK GAUGE

**Gauge:** Cable panel of 20 sts measures 2 $\frac{1}{8}$ " [5.5 cm] wide and 22 sts and 30 rows to 4" [10 cm] measured over Stocking stitch, both using **suggested** needles or any size needles which will give the correct stitch gauge.

Carefully follow washing and drying instructions printed on yarn label for finished product.

**Abbreviations:** K, knit; p, purl; st, stitch; sts, stitches; beg, begin or beginning; dec, decrease or decreasing; inc, increase or increasing; ", inches; yds, yards; gm, gram; cm, centimeters; mm, millimeter; rem, remain or remaining; rep, repeat; sl, slip; yrn, yarn forward and around needle; tog, together; pssso, pass slipped stitch over; M, marker.

### Special Abbreviations:

**C8F - Cable 8 Front:** Slip next 4 stitches onto cable needle and hold to front of work, k4 from left needle, then k4 from cable needle.

**C8B - Cable 8 Back:** Slip next 4 stitches onto cable needle and hold to back of work, k4 from left needle, then k4 from cable needle.

**inc - Increase one stitch:** P1, then using left needle, pick up the loop of the stitch from the row below the stitch just purled and purl into that loop.

**M1 - Make one stitch:** Using left needle, pick up horizontal strand between needles then knit into back of loop.

**Cable Panel:** (worked over 20 sts)

**Rows 1, 3, 5, 7 and 9:** (right side) P2, k4, p3, k2, p3, k4, p2.

**Rows 2, 4, 6, 8 and 10:** K2, p4, k3, p2, k3, p4, k2.

**Row 11:** P2, C8F, C8B, p2.

**Row 12:** K2, p 16, k2.

Repeat these 12 rows for Cable panel.

**Front and Back:** (both alike)

Cast on 90(106) sts and work ribbing as follows:

**Row 1:** (right side) K2, \*p2, k2; rep from \* to end.

**Row 2:** P2, \*k2, p2; rep from \* to end.

Repeat these last 2 rows once more, then Row 1 once more.

**Next Row:** (inc and dec row) P2, \*place a marker, k2, [inc one st in next st purlwise] twice, k1, M1, k1, p2, k1, M1, k1, [inc one st in next st purlwise] twice, k2, place a marker,\*\*

p2, k2, p2, [k2tog, p2] 3(5) times, k2, p2; rep from \* once more, then rep from \* to \*\* once, p2 - 102(114) sts.

Now work in pattern as follows:

**Row 1:** K2, sl M, \*work Row 1 of Cable Panel to next marker, sl M\*\*, k 19(25) sts, sl M; rep from \* once more, then rep from \* to \*\*, k2.

**Row 2:** P2, sl M, \*work Row 2 of Cable Panel to next marker, sl M\*\*, p 19(25) sts, sl M; rep from \* once more, then rep from \* to \*\*, p2.

Now continue, working Cable Panel between markers and St st outside markers - one row k, one row p as set, until 12 rows of Cable Panel have been completed 16(18) times - (192, 216) rows.

Piece should measure about 26 $\frac{1}{2}$ (29 $\frac{1}{2}$ )" [67(75) cm] from cast on edge at this point.

Now rep Rows 1-10 once more.

**Next Row:** (right side) K2, \*remove M, p2, [k2tog] twice, p1, p2tog, k2, p2tog, p1, [k2tog] twice, p2, remove M,\*\*

k2, p2, k2, [inc one st in next st purlwise, k2] 3(5) times, p2, k2; rep from \* once more, then rep from \* to \*\* once, k2 - 90(106) sts.

Now work in ribbing as follows:

**Next Row:** (wrong side) P2, \*k2, p2; rep from \* to end.

**Row 2:** K2, \*p2, k2; rep from \* to end.


Repeat these 2 rows once more, then Row 1 once.

Cast off in rib.

**To Complete:** Sew these 2 pieces tog as shown in Diagram below. Take care when sewing seams to keep the ribbing even; do not spread it open or cinch it in.

Sew first seam (marked seam), then sew second seam, bringing end of one piece around to side of other piece, matching A to A and B to B.

**Collar:** Using circular needle, with right side of Poncho facing, beg at either "V", pick up and k 164(176) sts evenly around neckline (approximately 3 sts to every 4 rows). Join in the round, placing a marker after last st to indicate beg of rounds. Now work in k2, p2 ribbing for 10" [25.5 cm]. Cast off loosely in rib.



Every effort has been made to have the directions contained in this pattern accurate and complete; however, we cannot be responsible for misinterpretation or errors of workmanship.

Reproduction of this pattern in any form, is protected by copyright. Any infringement will lead to prosecution.

**mary maxim**

2001 HOLLAND AVE., PORT HURON, MI 48060  
75 SCOTT AVE., PARIS, ONTARIO, CANADA N3L 3G5

Yarn Imported