No. 99554N Dump Truck Pullover Sizes: 2, 4, 6





No. 99554N

Dump Truck Pullover

Sizes: 2, 4, 6

Mary Max Min.
EXCLUSIVE UNEEDLEWORK and CRAFTS

Materials: Mary Maxim DK /Sport Weight yarn		All Sizes
Main Color	Natural	3 balls
Contrast Color 1	Blue	2 balls
Contrast Color	Red	35 yds [32 m]
Contrast Color	Black	35 yds [32 m]
Contrast Color	Lt Grey	35 yds [32 m]
Contrast Color	Lt Brown	35 yds [32 m]

Suggested Needles:

One pair knitting needles size 3 US, (Canadian size 10, Metric size 3.25 mm) One pair knitting needles size 6 US, (Canadian size 8, Metric size 4.00 mm)

Measurements:

Finished Chest Measurement: 253/4(28, 30)" [65.5(71, 76) cm]

Length from Shoulder: 13(15, 16)" [33(38, 40.5) cm] Sleeve Seam: 9(10½, 12)" [23(26.5, 30.5) cm]

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Gauge or Tension: 22 sts and 28 rows to 4 [10 cm] measured over Stocking stitch using suggested larger needles or any needles which will give the correct stitch gauge or tension.

Wash in cool water, gentle cycle. Dry using low heat, maximum 5 minutes, remove and lay flat to dry.

Abbreviations: MC, Main Color; CC, Contrast Color; k, knit; p, purl; st, stitch; sts, stitches; St st, Stocking stitch; beg, begin or beginning; dec, decrease or decreasing; inc, increase or increasing; ", inches; yds, yards; gm, gram; cm, centimeters; mm, millimeter; rem, remain or remaining; rep, repeat; tog, together; tbl, through back loop.

Front: **Using smaller needles and CC 1, cast on 70(76, 82) sts and work ribbing as follows:

Row 1: (right side) *K2, p1; rep from * to last st, k1.

Row 2: *P1, k2; rep from * to last st, p1.

Repeat these 2 rows until band measures 1½" [4 cm], ending with a Row 2 and inc one st in center of last rib row - 71(77, 83) sts.

Change to larger needles and beg with a k row, proceed to follow Front Graph in St st - one row k, one row p. Work design in "Colored Pattern" knitting method, using separate balls of yarn for each section of the design. Remember always to cross yarns when changing colors to avoid leaving a hole in the knitting. Work until 48(58, 60) rows of graph have been completed.

To Shape Armholes: Following graph, cast off 5(6, 6) sts at beg of next 2 rows - 61(65, 71) sts.

Now dec one st at each end of the next row, then every alternate row 2(4, 5) times - 55(55, 59) sts.** Now work even, following graph until 70(84, 90) rows have been completed.

To Shape Neck:

Next Row: Using MC, k 17(17, 19) sts, slip next 21 sts onto st holder for neckband, join another ball of MC to rem sts and k to end.

Now working both sides at the same time, dec one

st at each neck edge on every row following 4 times, then on following alternate row once - 12(12, 14) sts rem on each side. Work 5 rows even in St st. Cast off each shoulder.

Back: Work as for Front from ** to **, but omitting Dump Truck. Now work even, following graph and omitting front neck shaping, until 78(92, 98) rows of graph have been completed.

Next Row: Using MC, k 14(14, 16), place next 27 sts on st holder for neckband, join another ball of MC to rem sts and k to end.

Now working both sides at the same time, dec one st at each neck edge on every row following twice - 12(12, 14) sts rem on each side.

Cast off each shoulder.

Sleeves: Using smaller needles and CC 1, cast on 34(37, 37) sts. Repeat 2 rows of ribbing as given for Front 4 times in all (ending after a Row 2), inc 1(2, 2) sts across last rib row - 35(39, 39) sts.

Change to larger needles and beg with a k row, proceed to follow Sleeve Graph in St st, working design as before and inc as indicated.

Once graph has been completed, continue in MC only, shaping cap as follows:

To Shape Cap: Cast off 5(6, 6) sts at beg of next 2 rows - 41(43, 49) sts.

Now dec one st at each end of the next row, then every atlernate row following until 21(17, 21) sts rem, then on every row following until 9 sts rem. Cast off.

Sew right shoulder seam.

Neckband: Using larger needles and MC yarn, with right side facing, pick up and k 12 sts down left side of front neck, k sts from front st holder dec 2 sts in center, pick up and k 12 sts up right side of front

neck, pick up and k3 sts down right side of back neck, k sts from back neck dec 3 sts evenly across, pick up and k3 sts up left side of back neck - 73 sts. Now beg with a Row 2, work ribbing as given for Front for 1" [2.5 cm], ending after a Row 2.


Now beg with a k row, work 6 rows in St st. Cast off loosely knitwise so garment will fit over head. Upper part of neckband will roll to the outside.


To Complete: Sew left shoulder seam, including neckband, taking care to reverse seam on neckband as it will roll to the outside. Sew side and sleeve seams.

COLOR KEY

MC ☐ Natural CC 1 ■ Blue

SLEEVES





How to Work Design

MC Natura
CC 1 Blue
CC + Red
CC Black
CC Lt Bro

Black

COLOR KEY

Natural

S

- Lt Grey

Lt Brown - purl on right side rows, Lt Brown - knit on right side rows.


knit on wrong side rows purl on wrong side rows

color in use to be picked up on next row, bring new color under and over last color, thus avoiding a hole in Colored Pattern Knitting: This method is used for large areas of Work required number of sts, drop small balls of color for each area each color and background, using

NOTE: Instructions are given for the smallest size and remaining sizes are given in the brackets following. Where only one set of instructions are given, this will apply to all sizes. Every square on the graph represents a stich. Changes in color are shown by different symbols. Follow graph from right to holder as stated in pattern instructions. Stitches are either knit or puried as they are cast off, this will account for one row of squares. Ribbing is not included on the graph, but is explained in the instructions. left for knit rows and left to right for purl rows. When graph shows an extra Decreases of more than one stitch must be cast off or placed on a stitch square, increase one stitch, one square less, decrease one stitch

MOLY MOXIM 75 SCOTT AVE., PARIS ONTARIO, CANADA N3L 3G5 2001 HOLLAND AVE., P.O. Box 5019, PORT HURON, MICHIGAN 48061-5019 Copyright by Mary Maxim

How to Sew Seams



How to Check Gauge: Using the size of needles suggested in the Gauge paragraph given in pattern, make a

small swatch in Stocking stitch or Pattern stitch (according to tension given).

Cast on the number of sts needed to make a swatch 5" [12 cm] wide (a swatch this big gives a more accurate measurement). Then work in Stocking stitch or Pattern stitch until the swatch measures 5" [12 cm] long. Now slip these sts off the needle onto a length of scrap yarn. Lay the swatch out flat, but DO NOT STRETCH IT! Do not cast off or check measurements while still on the needles as this could distort the sts.

Now with right side facing, place pins 2 or 4" [5 or 10 cm] apart (as shown in dia. 1), then count the number of sts between the pins.


This will give the st tension.


Repeat this to count the number of rows (place pins as shown in dia.2).

If there are less sts than required by pattern, try using smaller size needles and make another tension swatch.

If there are more sts than required, try using larger size needles and make another tension swatch.

The tension must be totally accurate! Just a half a st difference every 4" [10 cm] can make a big difference in the finished measurement, be it smaller or larger. This is especially noticeable when using bulkier yarns.





EVERY EFFORT HAS BEEN MADE TO HAVE THE DIRECTIONS CONTAINED IN THIS PATTERN ACCURATE AND COMPLETE; HOWEVER, WE CANNOT BE RESPONSIBLE FOR MISINTERPRETATION, VARIANCE OR ERRORS IN WORKMANSHIP OF THE INDIVIDUAL.

"Reproduction of this pattern in any form (including photostat) is protected by copyright. Any infringement will lead to prosecution."



Yarn Imported

2001 HOLLAND AVE., PORT HURON, MI 48060
75 SCOTT AVE., PARIS ONTARIO, CANADA N3L 3G5