



# Product Specification L98EE-LG

## Product Feature



- ✧ Front 2 USB3.0 ports
- ✧ Front 1 physical key
- ✧ Bottom loudspeaker
- ✧ 4K ultra HD display
- ✧ IR (Infrared Ray) touch technology
- ✧ Glass 4mm
- ✧ Compatible with detachable OPS module
- ✧ Compatible with detachable Wireless module
- ✧ Writing double colors with double pens simultaneously

## Dimension



## Display

Size	98 inch
Panel Type	IPS
Response Time	6ms
Aspect Ratio	16:9
Display Area	2158.848(H) × 1214.352(V) <b>mm</b>
Pixel Pitch	0.5622 × 0.5622 <b>mm</b>
Resolution	3840(H) × 2160(V)
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
NTSC	72%
Contrast Ratio	1200:1
Viewing Angle	178° (H/V)
Back Light Unit	DLED
Brightness with glass (typ)	400cd/m <sup>2</sup>
Life Time	≥30000 Hours

## Operating System

System	Android
RAM	8G

ROM	64G
CPU	A73×4
GPU	G52MC2
Touch System	
Sensing Type	Infrared recognition
Touch Tool	Passive infrared pen, Active infrared pen
Accuracy	±1.5mm
Touch Point	40 points touch
Minimum object size	2mm
Writing Height	≤3mm
Interpolation Resolution	32768(W)×32768(D)
System	Windows10/Windows8/Windows7/Android/Windows XP/Linux/Mac OS X/Chrome
Audio	
Sound Channel	2.0
Output Power	2×16W
Power	
Power Requirements	100–240V~ 50/60Hz 6.0A
Overall Power(Max.)	600W
Standby Power	≤0.5W
I/O Port	
HDMI IN	3
HDMI OUT	1
USB 2.0	1
USB 3.0	4
USB Type-C	1
TOUCH 3.0	2
VGA IN	1
AUDIO IN	1

AUDIO OUT	1
SPDIF	1
RS232	1
RJ45 IN	1
RJ45 OUT	1

## Physical Specifications

Dimension L×H×D	2244.7×1323.2×89.5mm
Dimension (package) L×W×H	2406×280×1474mm
Thickness of machine and wall mount	135.5mm(WIB9060F)
Wall-hanging Screw Spec	M8×25mm
VESA	800×600mm
Net Weight	103.55kg
Gross Weight	126.50kg

## Accessories

Power Cord	×1
HDMI Cable	×1
USB Touch Cable (Type A-B)	×1
Remote Control	×1
Writing Pen	×2

## Environmental Conditions

Operation Temperature	0°C~40°C
Operation Humidity	10%~90%RH
Storage Temperature	-20°C~60°C
Storage Humidity	10%~90%RH
Altitude	Below 5000 meters

## Optional Module

PC Module	OPS42A / OPS62A
Wireless Module	SI01 / SI01B