

Surge Guard* 30A & 50A Surge Protectors

Model 44260

120V, 30A
2100 Joules



Model 44270

120/240V, 50A
4200 Joules



Perfect for Pop-ups and Travel Trailers

- Identifies faulty park power plus offers surge protection
- Analyzes circuits to verify pedestal wiring
- Indicators illuminate to show power status
- Tests for and indicates:
 - Open ground
 - Open neutral
 - Correct polarity
- Easy-T-Pull™ handles
- Compatible with Surge Guard Lock Hasp model 34590
- 44260: 2.41"W x 14.40"L x 1.85"D
- 44270: 3.06"W x 15.86"L x 1.85"D

A Multitude of Protection Choices for Your RV

Select the level of protection your RV needs

30A Portable 44750 30A Portable 44280 50A Portable 44290 30A Portable 44260



Over/Under Voltage (Input)				
Open Neutral Protection (Input)				
Open Neutral Protection (RV side)				
Open Ground Protection				
Overheating Plug/Receptacle Protection		Indicates	Indicates	
Reverse Polarity Protection (Input)				
Surge Failure Indication		●	●	●
Miswired Pedestal Indication		●	●	●
Ground Fault Protection	●			
Time Delay at Power Up				
Remote LCD Display				
Built-In LCD Display				
Weather Resistant	●	●	●	●
UL Listed				
Source Power Connection Diagnostics		●	●	●
Lock Hasp Available	●			●
Electrical Rating	120V, 30A	120V, 30A	120/240V, 50A	120V, 30A
Surge Suppression (Joules)	510	2,100	4,200	2,100
Max Spike Current	1,250A	6,500A	6,500A	6,500A

Limited Lifetime Warranty and Connected Equipment Coverage

Select Surge Guard* products are covered under the Limited Lifetime and Connected Equipment Warranty. This warranty provides coverage for select Surge Guard* devices when properly installed according to Southwire's installation procedures, where defects in assembly, materials, or workmanship, caused it to operate outside of design specifications. Please keep in mind that each Surge Guard model includes different features and protection capabilities, thus each claim question should be handled directly between the customer and Southwire Company, LLC. Any misuse, abuse, tampering, or modifications made to the products will void the warranty and opportunity to file a claim under the connected equipment policy. The Limited Lifetime Warranty does not cover the purchase of used, salvaged, or refurbished products.

Products Covered Under Limited Lifetime Warranty

- 44260/44270 - Surge Protectors with Diagnostics
- 44280/44290 - Surge Protectors with Enhanced Diagnostics
- 34930/34950 - Full Protection Portable
- 35530/35550 - Full Protection Hardwire
- 44300 - Over-voltage Adapter

What Is Connected Equipment Coverage?

The connected equipment portion of the Southwire Surge Guard warranty will cover the repair/replacement of property that was damaged as a result of a warrantable failure of a Surge Guard product. Since Surge Guard products provide different levels of protection, what can qualify under this coverage will be dependent upon the Surge Guard* product being used. Depending on the individual claim, Southwire may request access to damaged equipment and site where damage occurred. Depending upon the claim, Southwire reserves the right to be subrogated under any existing insurance policies of the RV owner.

Warranty Claim Process

Contact Southwire technical support directly at 1-800-780-4324 to start the return and evaluation process. Please do not return the Surge Guard product in question to the dealer or retailer. Pending review and evaluation of the returned Surge Guard product, at its discretion, Southwire will provide a new replacement Surge Guard product of the same or a comparable model. Once an RMA number is issued, please ship the Surge Guard device to:

Return Materials Department
Southwire Company, LLC
4525 140th Ave North, Suite 900
Clearwater, FL 33762

Claim processing requires proof of purchase with copy of original receipt with retail purchase date of November 27, 2017 or after to qualify under Southwire's Limited Lifetime and Connect Equipment Warranty.

Where to find more information?

For complete warranty information, please visit rvpower.southwire.com to view full warranty policy.