Hertling Tapered Fit

- Slightly lower rise
- Comfortable top block and tapered leg

To measure the garment, lay it on a flat surface. Product measurements can vary by 1/4". All measurements should be taken to the nearest quarter inch.

To measure your body, the tape should be flat against the body. Do not add wiggle room to your measurements, but do not let the measure become too tight to where it is restrictive.

Waist

Measure top of the waistband from side to side, multiply by two.

Seat

Measure front of trousers at the widest point across, the bottom of the pocket seam from one side to the other, multiply by two.

Thigh

Measure two inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Knee

Measure 13 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.


Bottom

Measure 32 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Rise

Difference between the outseam measurement including the waistband, and the inseam measurement.

Tapered Size Guide (Inches) (For "regular" rise)							
SIZE	RISE	WAIST	SEAT	THIGH	KNEE	воттом	
30	9 1/4	31 1/2	38	24	17 1/4	14 3/4	
32	9 1/2	33 1/2	40	24 1/2	17 1/2	15	
33	9 3/4	34 1/2	41	24 3/4	17 3/4	15 1/4	
34	9 3/4	35 1/2	42	25	17 3/4	15 1/4	
35	10	36 1/2	43	25 1/4	18	15 1/2	
36	10	37 1/2	44	25 1/2	18	15 1/2	
38	10 1/4	39 1/2	46	26	18 1/4	15 3/4	
40	10 1/2	41 1/2	48	26 1/2	18 1/2	16	
42	10 3/4	43 1/2	50	27	18 3/4	16 1/4	



Hertling Straight Fit

- Medium rise
- Comfortable top block, straight leg

To measure the garment, lay it on a flat surface. Product measurements can vary by 1/4". All measurements should be taken to the nearest quarter inch.

To measure your body, the tape should be flat against the body. Do not add wiggle room to your measurements, but do not let the measure become too tight to where it is restrictive.

Waist

Measure top of the waistband from side to side, multiply by two.

Seat

Measure front of trousers at the widest point across, the bottom of the pocket seam from one side to the other, multiply by two.

Thigh

Measure two inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Knee

Measure 13 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.


Bottom

Measure 32 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Rise

Difference between the outseam measurement including the waistband, and the inseam measurement.

Straight Size Guide (Inches) (For "regular" rise)								
SIZE	RISE	WAIST	SEAT	THIGH	KNEE	воттом		
30	9 3/4	31 1/2	38	25	19	15 3/4		
32	10	33 1/2	40	25 1/2	19 1/2	16		
33	10 1/4	34 1/2	41	25 3/4	19 1/2	16 1/4		
34	10 1/4	35 1/2	42	26	19 1/2	16 1/4		
35	10 1/2	36 1/2	43	26 1/4	19 3/4	16 1/2		
36	10 1/2	37 1/2	44	26 1/2	19 3/4	16 1/2		
38	10 3/4	39 1/2	46	27	20	16 3/4		
40	11	41 1/2	48	27 1/2	20 1/2	17		
42	11 1/4	43 1/2	50	28	20 1/2	17 1/4		



Hertling Relaxed Fit

- Higher rise
- Relaxed fitting top block and leg

To measure the garment, lay it on a flat surface. Product measurements can vary by 1/4". All measurements should be taken to the nearest quarter inch.

To measure your body, the tape should be flat against the body. Do not add wiggle room to your measurements, but do not let the measure become too tight to where it is restrictive.

Waist

Measure top of the waistband from side to side, multiply by two.

Seat

Measure front of trousers at the widest point across, the bottom of the pocket seam from one side to the other, multiply by two.

Thigh

Measure two inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Knee

Measure 13 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Bottom

Measure 32 inches down from crotch seams intersection, along the inseam. Measure from that point straight across to the outseam, multiply by two.

Rise

Difference between the outseam measurement including the waistband, and the inseam measurement.

Relaxed Size Guide (Inches) (For "regular" rise)							
SIZE	RISE	WAIST	SEAT	THIGH	KNEE	воттом	
30	10 3/4	30 1/2	38	26	19 3/4	16 3/4	
32	11	32 1/2	40	26 1/2	20	17	
33	11 1/4	33 1/2	41	26 3/4	20 1/4	17 1/4	
34	11 1/4	34 1/2	42	27	20 1/4	17 1/4	
35	11 1/2	35 1/2	43	27 1/4	20 1/2	17 1/2	
36	11 1/2	36 1/2	44	27 1/2	20 1/2	17 1/2	
38	11 3/4	38 1/2	46	28	20 3/4	17 3/4	
40	12	40 1/2	48	28 1/2	21	18	
42	12 1/4	42 1/2	50	29	21 1/4	18 1/4	

