

Single lever basin mixer 190 with isolated water conduction and pop-up waste set

Finish: Chrome Article Number: 71562000



Description

product features

· consists of: single lever basin mixer, waste set

ComfortZone 190projection: 181 mmspout height: 190 mm

handle variant: lever handlespray type: normal spray

swiveling spray formermaximum flow rate at 3 bar: 5 l/min

· ceramic cartridge

· temperature limitation adjustable

 with isolated water conduction - without contact with nickel and lead

· suitable for continuous flow water heaters

pop-up waste set G 1¼


· material waste set: synthetic

connection type: G 3/2 connections


· connection dimension: DN15

EU taxonomy: max. 6 l/min - Substantial Contribution

(SC) possible










Single lever basin mixer 190 with isolated water conduction and pop-up waste set

Finish: **Chrome** Article Number: **71562000**








Single lever basin mixer 190 with isolated water conduction and pop-up waste set

Finish: **Chrome** Article Number: **71562000**







Single lever basin mixer 190 with isolated water conduction and pop-up waste set Finish: Chrome Article Number: 71562000



| Spare part list Year of production: >07/21 | | | | |
|--|------------------------------------|----------|----|---|
| | | | | |
| 1 | handle | 93684000 | 8 | 1 |
| 2 | screw cover | 96338000 | 1 | 1 |
| 3 | flange | 93680000 | 3 | 1 |
| 4 | O-Ring 32x2 | 98193000 | 1 | 1 |
| 5 | nut | 93686000 | 7 | 1 |
| 6 | cartridge, assy | 97685000 | 11 | 1 |
| 7 | locking screw for handle | 95140000 | 2 | 1 |
| 8 | seal | 98865000 | 8 | 1 |
| 9 | aerator swivelling M24x1 (7 l/min) | 94443000 | 0 | 1 |
| 10 | seal | 93687000 | 1 | 1 |
| 11 | fixing set (Ø 32) | 13961000 | 7 | 1 |
| 12 | pull rod | 93683000 | 4 | 1 |
| а | pop up waste | 92168000 | 9 | 1 |
| b | fixation extension 35 mm | 13898000 | 12 | 1 |
| С | lever arm 340mm (ball-Ø12mm) | 96324000 | 7 | 1 |