

Rebris S

Single lever basin mixer 240 CoolStart for wash bowls with pop-up waste set

Finish: **Matt Black** Article Number: **72580670**




Description

product features

- consists of: single lever basin mixer, waste set
- ComfortZone 240
- projection: 169 mm
- spout height: 242 mm
- handle variant: lever handle
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: synthetic
- connection type: G ¾ connections
- connection dimension: DN15
- cold water in basic handle position
- aerator can be easily removed with the help of a coin and without tools
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

Technology




Design awards



Product image



Scale drawing



Rebris S

Single lever basin mixer 240 CoolStart for wash bowls with pop-up waste set

Finish: **Matt Black** Article Number: **72580670**



Flowchart



Rebris S


Single lever basin mixer 240 CoolStart for wash bowls with pop-up waste set

Finish: **Matt Black** Article Number: **72580670**



Exploded Drawing

Year of production: >06/22



Rebris S

Single lever basin mixer 240 CoolStart for wash bowls with pop-up waste set

Finish: **Matt Black** Article Number: **72580670**



Spare part list

Year of production: >06/22

Pos.	Description	Article Number	PC	PU
1	handle	94644670	60	1
2	hollow set screw M6x10 DIN 916	96029000	1	1
3	screw cover	95704610	51	1
4	flange	98863670	60	1
5	nut	98864000	9	1
6	O-ring 24x2	98388000	1	1
7	O-ring 27x1,5	92527000	4	1
8	O-ring 25x1,5	98146000	1	1
9	cartridge, assy	95973001	12	1
10	seal	98865000	8	1
11	adapter for cartridge	95975000	3	1
12	O-ring 23x2	98398000	1	1
13	aerator M24x1 (5 l/min)	94364000	3	1
14	fixing set (Ø 32)	13961000	7	1
15	lever collar	97548000	1	1
16	connection hose 600 mm M8x0,75 G3/8	96556000	7	1
17	O-ring 6,6x1,6	93019000	1	1
18	pull rod	96657670	54	1
a	pop up waste	94139670	64	1
b	fixation extension 35 mm	13898000	12	1
c	lever arm 340mm (ball-Ø12mm)	96324000	7	1