

Talis M54

Single lever kitchen mixer 220, 1jet

Finish: **Stainless Steel Finish** Article Number: **72804800**



Description

product features

- ComfortZone 220
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 9 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- suitable for continuous flow water heaters
- tap hole with Ø 35 mm required

Technology



Design awards




reddot winner 2020




Product image



Scale drawing



Flowchart



Talis M54


Single lever kitchen mixer 220, 1jet

Finish: **Stainless Steel Finish** Article Number: **72804800**



Exploded Drawing

Year of production: >04/21



Talis M54

Single lever kitchen mixer 220, 1jet

Finish: **Stainless Steel Finish** Article Number: **72804800**



Spare part list

Year of production: >04/21

| Pos. | Description | Article Number | PC | PU |
|------|-------------------------------------|----------------|----|----|
| 1 | spout cpl. | 93757800 | 66 | 1 |
| 2 | screw | 94319000 | 6 | 1 |
| 3 | spray former | 93748000 | 7 | 1 |
| 4 | service tool | 93750000 | 3 | 1 |
| 5 | O-Ring 14x2,5 | 98189000 | 1 | 1 |
| 6 | axialring | 97558000 | 1 | 1 |
| 7 | handle | 93736800 | 59 | 1 |
| 8 | hollow set screw M5x5 | 98446000 | 1 | 1 |
| 9 | screw cover | 93735610 | 3 | 1 |
| 10 | flange | 93737800 | 59 | 1 |
| 11 | nut | 93738000 | 10 | 1 |
| 12 | cartridge, assy | 93760000 | 13 | 1 |
| 13 | O-ring 36x3 | 98052000 | 1 | 1 |
| 14 | support | 97523000 | 2 | 1 |
| 15 | fixing set (Ø 34) | 95049000 | 5 | 1 |
| 16 | lever collar | 97548000 | 1 | 1 |
| 17 | connection hose 900 mm M8x0,75 G3/8 | 93746000 | 9 | 1 |
| 18 | O-ring 6,6x1,6 | 93019000 | 1 | 1 |