

## Tecturis E Single lever basin mixer 210 Fine CoolStart EcoSmart+ with swivel spout and push-open waste set

Finish: **Matt Black** Article Number: **73060670**



### Description

#### product features

- consists of: single lever basin mixer, waste set
- ComfortZone: 210
- projection: 157 mm
- spout height: 211 mm
- handle variant: lever handle
- swivel range 120°
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- push-open waste set G 1¼
- material waste set: metal
- connection type: G ¾ connections
- connection dimension: DN15
- cold water in basic handle position
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

### Technology




### Design awards



### Product image



### Scale drawing




**Tecturis E**  
**Single lever basin mixer 210 Fine CoolStart EcoSmart+ with swivel spout and push-open waste set**



Finish: **Matt Black** Article Number: **73060670**

**Flowchart**



**Tecturis E**


**Single lever basin mixer 210 Fine CoolStart EcoSmart+ with swivel spout and push-open waste set**

Finish: **Matt Black** Article Number: **73060670**



**Exploded Drawing**

Year of production: >06/23



## Tecturis E

Single lever basin mixer 210 Fine CoolStart EcoSmart+ with swivel spout and push-open waste set

Finish: **Matt Black** Article Number: **73060670**



### Spare part list

Year of production: >06/23

Pos.	Description	Article Number	PC	PU
1	spout cpl.	94998670	65	1
2	screw cover	95181000	1	1
3	aerator cpl.	94994670	58	1
4	O-ring 9x1,5	98117000	1	1
5	O-Ring 14x2,5	98189000	1	1
6	handle	94997670	59	1
7	screw cover	93735610	3	1
8	escutcheon	94987670	56	1
9	nut	94996000	6	1
10	O-ring 28x1,5	98421000	1	1
11	O-ring 29x2	98391000	1	1
12	cartridge, assy	93760000	13	1
13	fixing set (Ø 32)	13961000	7	1
14	connection hose 450 mm M8x0,75 G3/8	97206000	8	1
15	O-ring 7x1,5	98422000	1	1
16	sealing set	95581000	2	1
a	flange	87494670	53	1
b	push-open waste set	50100670	98	1