

Fertinatal®

To support ovarian health*

Dietary Supplement for Women Only

About Fertinatal®

Fertinatal® is a clinical-grade dietary supplement of plantderived dehydroepiandrosterone (DHEA) developed specifically for women to support female fertility.* Each tablet is white in color, round and opaque.

Fertinatal® was developed with the Center for Human Reproduction (CHR) and is micronized to the same particle sizes used by the CHR in their research regarding the effects of DHEA on women's fertility.* Fertinatal® meets the CHR's manufacturing and quality control standards.

Supplement Facts

Serving Size 1 Tablet Servinas Per Container 84

Servings rer Container 64		
Amount Per Serving		% DV
Calcium	60 mg	5%
Dehydroepiandrosterone (DHEA)	25 mg	t
†Daily Value (DV) not established.		

Other ingredients

Dicalcium Phosphate, Microcrystalline Cellulose, Film Coat (Hypromellose, Titanium Dioxide, Polyethylene Glycol, Hydroxypropyl Cellulose), Stearic Acid, Magnesium Stearate, Silica. and Croscarmellose Sodium.

Recommended dosage

Take 1 tablet with a meal three times per day or as directed by your healthcare professional. Regular monitoring of DHEA-S and Testosterone levels with your physician is recommended. This supplement should not be taken in conjunction with any other DHEA containing supplements.

What is DHEA?

DHEA is a natural hormone, made in the body by all women and men. DHEA is an intermediate step in a complex process called steridogenesis, in which cholesterol is converted into male and female sex hormones: testosterone and estradiol. Multiple studies show that DHEA levels decline significantly with age*.

Potential benefits

DHEA supplementation has been shown in multiple studies to support fertility in women*.

Safety

DHEA is generally considered safe for most people if used at moderate dosages of up to 75-100 mg daily. Use of DHEA beyond a year should be assessed by a healthcare provider.

Fertinatal® is not intended for the following individuals:

- Men
- Women under the age of 18
- · Women who are pregnant or nursing
- Women who have been diagnosed with any type of hormonal cancer, such as ovarian, breast or uterine cancer (or are at risk for such cancers)
- · Women with known hypersensitivity to any of its ingredients

Women with estrogen-sensitive benign medical conditions (e.g., endometriosis) or polycystic ovarian syndrome (PCOS) should not take Fertinatal® without prior medical consultation and clearance from their healthcare provider.

Individuals with a history of mood disorders have experienced mania, irritability and sexual inappropriateness while supplementing with DHEA. Individuals with mood disorders should not initiate Fertinatal® supplementation without prior consultation with and clearance from their mental healthcare provider. Once supplementing with Fertinatal®, these individuals should promptly report any changes in mood to their mental healthcare provider.

DHEA has been reported to lower high-density lipoprotein ("HDL") cholesterol (often referred to as "good cholesterol"). Individuals with a history (or family history) of heart disease, low HDL, or lipid abnormalities should not take Fertinatal® without prior medical consultation with and clearance from their healthcare provider. Careful monitoring of lipid levels by your healthcare physician is recommended for individuals with a history (or family history) of heart disease, low HDL, or lipid abnormalities who take Fertinatal® as a supplement.

DHEA may make existing liver problems worse. If you have an existing liver condition, consult your healthcare provider and obtain clearance before initiating supplementation with Fertinatal®. KEEP OUT OF REACH OF CHILDREN. NOT FOR USE BY WOMEN WHO ARE UNDER THE AGE OF 18. DO NOT USE IF PREGNANT OR NURSING.

Medical interactions

Like many supplements, DHEA may interact with other prescription or over-the-counter medications, or with other dietary supplement products. Consult a physician or licensed qualified healthcare professional before using this product if you are using any other dietary supplement, prescription drug, or over-the-counter drug to discuss whether Fertinatal® can be taken along with your current medications and/or supplements.

FERTINATAL® SHOULD NOT BE TAKEN WITH ANY OTHER SUPPLEMENTS CONTAINING DHEA.

Women who receive medical treatments and/or drug therapies (including fertility treatments) should not take Fertinatal® without prior medical consultation with and clearance from their healthcare provider.

Diabetic patients may experience changes in insulin requirements when supplementing with DHEA and should not initiate Fertinatal® supplementation without prior medical consultation with and clearance from their healthcare provider. Once supplementing with Fertinatal®, glucose levels should be monitored with increased vigilance by your healthcare provider.

Do not exceed recommended serving. Exceeding recommended serving may cause serious adverse health effects. Discontinue use and call a physician or licensed qualified healthcare professional immediately if you experience rapid heartbeat, dizziness, blurred vision, or other similar symptoms.

In case of accidental overdose, call a physician or poison control immediately.

Potential side effects

Reported side effects of DHEA supplementation include: oily skin, acne, hair loss, increased hirsutism (hair growth), deepening of the voice, increased libido and assertiveness, irritability, increased levels of estrogen, gastro-intestinal complaints and hypertension.

Should supplementation with Fertinatal® lead to unwanted side-effects, discontinue supplementation or consult with a healthcare provider immediately.

To report any adverse effects associated with Fertinatal®, call 212-628-0851.

How supplied

Fertinatal® is uniquely packaged in individual blister sheets, each containing one week's supply of 21 tablets in a 3 (daily 25 mg tablets) by 7 (days in the week) layout. Each box contains 4 sheets (84 tablets), a four week supply.

Storage

Fertinatal® should be stored at room temperature (15°-30°C/59°-86°F). Excessive heat exposure should be avoided.

Additional information

Licensed for use under U.S. Patents No. 7,615,544; No. 8,067,400; No. 8501718 and No. 8501719 from the Center for Human Reproduction (CHR) New York, NY 10021

For California residents

AWARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF PREGNANT OR NURSING. Consult a physician or licensed qualified health care professional before using this product if you have, or have a family history of, prostate cancer, prostate enlargement, heart disease, low "good" cholesterol (HDL), or if you are using any other dietary supplement, prescription drug, or over-the-counter drug. Do not exceed recommended serving. Exceeding recommended serving may cause serious adverse health effects. Possible side effects include acne, hair loss, hair growth on the face (in women), aggressiveness, irritability, and increased levels of estrogen. Discontinue use and call a physician or licensed qualified health care professional immediately if you experience rapid heartbeat, dizziness, blurred vision, or other similar symptoms. KEEP OUT OF REACH OF CHILDREN. To report any adverse events call 1-800-332-1088.

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.