


# leone plus

7054.01 - 7054.26



binder

upholstery

03

vinyl

description

uni-coloured leather grain

composition

vinyl coat, cotton/polyester backing

width

± 140 cm, ± 55 inches

weight

backing: ± 110 gr/m<sup>2</sup>, ± 5 oz/yd<sup>1</sup>

coating: ± 690 gr/m<sup>2</sup>, ± 31 oz/yd<sup>1</sup>

thickness

1.1 mm, 0.04 inches

roll length

± 20 meter, ± 22 yards

flame retardancy

EN 1021/1-2

BS 5852, crib 5

NF P 92/503 - 507, M2

NF D60-013 (AM 18)

DIN 4102, B2

UNI 9175, classe 1

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

abrasion

ISO 12947-2

> 125.000 rubs martindale

ASTM D4157

50.000 double rubs wyzenbeek

colorfastness to crocking

ISO 105-X12

wet 5 / dry 5 (scale 1-5)

AATCC 8

wet 4-5 / dry 4 (scale 1-5)

colorfastness to light

ISO 105-B02

8 (scale 1-8)

AATCC 16.3: 40 hours

5 (scale 1-5)

resistance to urine

good

resistance to sebum

good

breaking strength

ISO 1421

length 475 N / width 320 N

ASTM D5034

warp 113 lbs / weft 90 lbs

flexibility

ISO 5402

> 20.000



vinyl   
COMMITTED TO  
SUSTAINABLE DEVELOPMENT

# leone plus

7054.01 - 7054.26

---




7054.01



7054.02



7054.03



7054.04



7054.05



7054.06



7054.07



7054.08



7054.09



7054.10



7054.11



7054.12




7054.13



7054.14




7054.15



7054.16



7054.17



7054.18



7054.19



7054.20




7054.21



7054.22




7054.23



7054.24



7054.25



7054.26