

marmara

8025.01 - 8025.24



binder

curtain

03

sheer/transparent

description

mat unpatterned fabric with a glossy reverse side; can be used on both sides

composition

100% flame retardant polyester

width

± 300 cm, ± 118 inches

weight

± 312 gr/m², ± 10 oz/yd² fabrics

sound absorption

ISO 354

alphaw 0.50 (pleated)

ASTM C423

nrc 0.30

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 - 2, type C

NF P 92 / 503 - 507, M1

DIN 4102, B1

UNI VF 8456 - 8457, classe 1

NFPA 701

IMO 2010 FTP part 7

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

5 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

care



shrinkage: warp -0.4% / weft -0.4%



shrinkage: warp -0.4% / weft -0.8%



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

S07-0023 HOHENSTEIN HTTI
Tested for harmful substances.
www.oeko-tex.com/standard100



marmara

8025.01 - 8025.24



8025.01



8025.02



8025.03



8025.04



8025.05



8025.06



8025.07



8025.08




8025.09



8025.10



8025.11



8025.12



8025.13



8025.14



8025.15



8025.16



8025.17



8025.18



8025.19



8025.20



8025.21



8025.22



8025.23



8025.24