


# marmara+print

8076.01



binder

**curtain+print**

description

**floor-to-ceiling curtain+print acoustic sheer with an opaque sheen**

composition

**100% flame retardant polyester**

width

**± 298 cm, ± 117 inches**

printable width

**± 288 cm, ± 113 inches**

weight

**± 312 gr/m<sup>1</sup>, ± 10 oz/yd<sup>1</sup> fabrics**

sound absorption

**ISO 354**

alphaw 0.5

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867 – 2, type C**

**NF P 92 / 503 – 507, M1**

**DIN 4102, B1**

**UNI VF 8456 – 8457, classe 1**

**NFPA 701**

**IMO 2010 FTP part 7**

**CAN ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

5 (scale 1-8)

**AATCC 16.3: 60 hours**

5 (scale 1-5)

additional information

**This image is not part of our collection, but should be regarded as an example.**

care



**shrinkage: warp -0.4% / weft -0.4%**



**shrinkage: warp -0.4% / weft -0.8%**



**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100**  
S07-0023 HOHENSTEIN HTTI

Tested for harmful substances.  
[www.oeko-tex.com/standard100](http://www.oeko-tex.com/standard100)



# marmara+print

8076.01

---



8076.01