

# MATERIAL SAFETY DATA SHEET (MSDS)

Page 1/10

Product Name	:	Essential Make-up Remover
Report No.	:	RT20220315000003
Received Date	:	2022-3-11
Redact Period	:	2022-3-11 to 2022-3-15
Regulatory Requirements	:	As requested by the applicant, the Material Safety Data Sheet is prepared according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)Rev_9.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com Fax: 0769-88986990 E-mail: rt@rttscn.com Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

e si	ibstance/preparation and company	
:	Essential Make-up Remover	
:	/	
:	Remove glue from real and fake eyelashes	
:	LashBase. Ltd	
	Unit M4, Hazleton Interchange,	
•	Lakesmere road, Horndean, PO8 9JU	
:	02392 251425	
:	Hello@lashbase.co.uk	
:	02392 251425	
	: : :	: Lakesmere road, Horndean, PO8 9JU : 02392 251425 : Hello@lashbase.co.uk

# **SECTION 2. Hazards identifications**

9E	
	2.1 Hazard Classification of substance or mixture(GHS):
	Not applicable
	2.2 Pictograms:
	Not applicable
	2.3 Signal word:
	Not applicable
	2.4 Hazard description:

	Tel: 400-8833-087 Website: www.rttscn.com
DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Report No.: RT20220315000003

DATE: 2022-3-15

Page3/10

Not applicable

# 2.5 Precautionary description:

Not applicable

# **SECTION 3. Composition / information on ingredients**

The difference between the single product and mixture: Mixture

Substance name	Conc. (%)	CAS.
WATER	58.12898	7732-18-5
ISODODECANE	25.00	31807-55-3
ISOPROPYL MYRISTATE	5.00	110-27-0
PARAFFINUM LIQUIDUM	5.00	8042-47-5
GLYCERIN	5.00	56-81-5
SODIUM CHLORIDE	0.30	7647-14-5
AQUA	0.64	7732-18-5
POLYAMINOPROPYL BIGUANIDE	0.16	133029-32-0
POLOXAMER 184	0.769923	9003-11-6
BHT	0.000077	128-37-0
MENTHA ARVENSIS LEAF EXTRACT	0.00008	90063-97-1
CHRYSANTHELLUM INDICUM	0.00011	223748-24-1
EXTRACT	0.00011	220110 211
PORTULACA OLERACEA EXTRACT	0.00007	90083-07-1
SOPHORA ANGUSTIFOLIA ROOT EXTRACT	0.00002	164288-54-4
ALOE BARBADENSIS EXTRACT	0.00004	1415-73-2
PELARGONIUM GRAVEOLENS		
EXTRACT	0.00008	90082-51-2
BUTYLENE GLYCOL	0.0002	107-88-0
GLYCERIN	0.0001	56-81-5
WATER	0.00029	7732-18-5

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com Fax: 0769-88986990 E-mail: rt@rttscn.com Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

<u>Report</u>	No.: RT20220315000003	DATE: 2022-3-15	Page4/10
	1,2-HEXANEDIOL	0.000006	6920-22-5
	HYDROXYACETOPHENONE	0.000004	99-93-4
	SIMMONDSIA CHINENSIS (JOJOBA)	0.00001	61790 01 1
SEED OIL ANTHEMIS NO	SEED OIL	0.00001	61789-91-1
	ANTHEMIS NOBILIS EXTRACT	0.00001	84649-86-5

# **SECTION 4.First aid measures**

General advice: Show this safety data sheet (MSDS) to the doctor in attendance.

# 4.1 Following eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately consult a physician if feeling uncomfortable.

# 4.2 Following skin contact:

Rinse skin with water.Immediately consult a physician if feeling uncomfortable.

# 4.3 Following inhalation:

Move victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give cardiopulmonary resuscitation and consult a physician immediately.

# 4.4 Following ingestion:

If it is ingested, rinse the mouth with water. Immediately consult a physician if feeling uncomfortable.

# **SECTION 5. Firefighting measures**

# 5.1 Special hazards arising from the substance or mixture:

Not considered to be a fire hazard.Not easily ignited by fire.

# 5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.

# 5.3 Advice for firefighters:

As in any fire, wear self-contained breathing apparatus(MSHA/NIOSH approved or equivalent) and full protective gear.

Extinguish fire in a safe distance with enough protection

	Tel: 400-8833-087 Website: www.rttscn.com
DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng
	District,Dongguan City, China

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### 5.4 Hazardous combustion products:

No data available.

# SECTION 6.Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with your eyes.

Ensure adequate ventilation. Clear all fire sources.

Evacuate personnel to safe areas. Keep people away from upwind of spill/leak.

Wear appropriate protective measures (SEE SECTION 8).

#### 6.2 Environmental precautions:

This product has no hazard to the environment. Don't discard in the surrounding environment without government permission.

#### 6.3 Cleaning method:

Remove by liquid absorbing material (e.g. kieselguhr) . Adhered or collected material should be promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.

# SECTION 7. Safe handling and storage

#### 7.1 Handling Notes:

Keep away from fire and heat.

Keep indoor ventilation or local exhaust device.

Avoid sun exposure.

Handle lightly when handling to prevent damage to packaging and containers.

#### 7.2 Storage Notes:

Keep away from fire and heat.

Store in a cool, ventilated place.

Stored in compatible containers.

Keep storage containers sealed.

mail: rt@rttscn.com	
Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China	

Report No.: RT20220315000003

DATE: 2022-3-15

Do not store with food containers or incompatible materials (see section 10.2)

#### **SECTION 8. Exposure controls / personal protection**

#### 8.1 Occupational Exposure Limit:

No information found

#### 8.2 Engineering Control:

Keep the material sealed during the production process and keep the room ventilated.

#### 8.3 Respiratory Protection:

No special protection is required under normal conditions.

Wear a filter mask when necessary.

#### **8.4 Eyes Protection:**

No special protection is required under normal conditions.

Wear protective glasses when necessary.

#### 8.5 Hands Protection:

No special protection is required under normal conditions.

Wear protective gloves when necessary.

#### 8.6 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

SECTION 9. Physical and chemical properties			
Appearance and Color	Transparent liquid		
Odour	No irritating odor		
PH value	No data available		
Flammability	Non-flammable		
Flash point(℃,Closed cup)	No data available		
Boiling point(℃)	No data available		
Freezing point (℃)	No data available		
Density(g/cm <sup>3</sup> )	No data available		

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com Fax: 0769-88986990 E-mail: rt@rttscn.com Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Report No.: RT20220315000003

DATE: 2022-3-15

Relative steam density (air = 1)	No data available	
Vapor pressure(MPa)	No data available	
Octanol/water partition coefficient	No data available	
Viscosity (mPa/s)	No data available	
Evaporation rate (kg/s)	No data available	
UEL %(V/V)	No data available	
LEL %(V/V)	No data available	
Auto-ignition temperature( $^{\circ}$ C)	No data available	
Decomposition temperature(℃)	No data available	
Solubility	Partially soluble in water	

# **SECTION 10.Stability and reactivity**

# 10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

# 10.2 Material for avoiding:

Strong oxide, acid and alkali.

# **10.3 Contact conditions for avoiding:**

High temperature.

# 10.4 Hazardous decomposition products:

No data available

# **SECTION 11. Toxicological information**

# 11.1 Acute toxicity:

No information found.

# 11.2 Skin corrosion/irritation:

No information found.

# 11.3 Serious eye damage/irritation:

No information found.

	Tel: 400-8833-087 Website: www.rttscn.com
DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng
	District,Dongguan City, China

Page8/10

11.4 Respiratory or skin sensitisation:
No information found.
11.5 Germ cell mutagenicity:
No information found.
11.6 Carcinogenicity:
No information found.
11.7 Reproductive toxicity:
No information found.
11.8 STOT-single exposure:
No information found.
11.9 STOT-repeated exposure:
No information found.
11.10 Aspiration hazard.:
No information found.

# **SECTION 12.** Ecological information

#### 12.1 Ecotoxicity:

According to the environmental protection laws, can't be discarded in those places which would affect soil and underground water.

# 12.2 Persistence and degradability:

No data available.

#### 12.3 Bioaccumulative potential:

No data available.

# 12.4 Mobility in soil:

No data available.

# 12.5 Other adverse effects:

No data available

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Tel: 400-8833-087 Website: www.rttscn.com Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng
	District,Dongguan City, China

Report No.: RT20220315000003

DATE: 2022-3-15

Page9/10

#### **SECTION 13. Disposal considerations**

#### 13.1 Handling method for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

# 13.2 Handling method for uncleaned packaging:

According to official regulations.

#### **SECTION 14. Transport information**

IMDG,ICAO/IATA,ADR/RID 14.1 UN NO.: Not classified

IMDG,ICAO/IATA,ADR/RID 14.2 Class: Not classified

IMDG,ICAO/IATA,ADR/RID 14.3 Packaging group: Not classified

IMDG,ICAO/IATA,ADR/RID 14.4 Technical name: Not classified

IMDG,ICAO/IATA,ADR/RID 14.5 Label: Not classified

**14.6 Attention Notes:** Gentle with, prevent collision drag and dump.Prohibition with antioxidant and chemical mixed stowage,transit should prevent sun, fire, rain and high temperature.

# **SECTION 15. Regulatory information**

Hazardous chemicals catalog

International maritime dangerous goods code

Dangerous Goods Number Of United Nations

Technical Instructions for the Safe Transport of Dangerous Goods by Air

Classification and code of dangerous goods

Occupational Safety and Health Act (OSHA)

The principle of classification of transport packaging groups of dangerous goods

Globally Harmonized System of Classification and Labelling of Chemicals

In accordance with all local laws.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Tel: 400-8833-087 Website: www.rttscn.com Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng
	District,Dongguan City, China

Report No.: RT20220315000003

DATE: 2022-3-15

Page10/10

#### **SECTION 16. Other information**

#### Disclaimer

The information in this Material Safety Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

	Tel: 400-8833-087 Website: www.rttscn.com
DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.	Fax: 0769-88986990 E-mail: rt@rttscn.com
	Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng
	District,Dongguan City, China