

IMPORTANT INFORMATION REGARDING PATCH TESTING LASH EXTENSION ADHESIVE

Cyanoacrylate is the main ingredient in lash extension adhesive and also the reason for most reactions. It is an irritant for your skin, eyeballs and respiratory functions. For this reason, lash adhesives should not touch the skin.

Patch testing on the skin is an outdated method and is not a clear indicator for showing if a reaction will occur or not. That being said, applying a few lashes also DOES NOT give a clear indication of whether or not a reaction will occur. This is because of 2 reasons:

1. A patch test does not give full exposure in the same way a full set of lashes will.
2. Lash adhesive allergies are cumulative, meaning they build up over time.

It is more likely for allergies, sensitivities and reactions to occur after you have been having lashes for 6 months or more. This is because the sensitivity will build up each time you are exposed to lash adhesive.

It is unlikely (although it is possible) that you will already have an allergy to Cyanoacrylate if you have not been exposed to it before.

NOTE: Nail Glue and Super Glue are Cyanoacrylate based.

This means that a patch test will not accurately test for allergies and a reaction could still occur even if the patch test results are fine.

WHAT HAPPENS IF YOU BECOME ALLERGIC TO CYANOACRYLATE?

Unfortunately, if you become allergic to Cyanoacrylate, it will be recommended that you do not have lash extensions and an alternative treatment may be discussed.

LASHBASE

PATCH TEST INFORMATION AND RECORD CARD

PERSONAL INFORMATION

| | |
|----------------|----------------------------|
| Full Name: | Date of Birth: / / |
| Address: | |
| Email Address: | Contact Number: |

- I have read and understood the information regarding patch testing on the reverse of this record.
- I have been offered the option for a lash extension patch test. I have decided that I do / do not wish to have a lash extension patch test before the treatment is carried out.
- I accept there may be a risk of an adverse reaction to this treatment, including the possibility of swelling, irritation and redness.
- I understand an adverse reaction can happen at any time and not necessarily after the initial treatment.
- I understand that if any of these reactions occur I should contact my lash artist immediately who may request I come back in for a removal procedure and I shall not remove the lashes myself. If symptoms persist I must seek medical attention.
- I understand that in the case of a reaction, I will not hold my lash artist responsible in any way, this includes any of the reactions specified above and / or any other reaction I may have.

CONSENT

I can confirm that I have completed this form to the best of my knowledge and understand that if there are any changes to my medical or personal details, I will make my lash artist aware before another treatment is carried out.

Client Name: _____ Signature: _____ Date: _____

Lash Artist Name: _____ Signature: _____ Date: _____