

Page 1 of 5 **EI-163** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 4/20/2022

1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **EUFORA PRO BACK BAR FRIZZ CONTROL BOOSTER** 1.2 Chemical Name: **Botanical Solution** Synonyms FM007-052 1.4 Trade Names: Eufora Pro Back Bar Frizz Control Booster 1.5 Product Use: Sundry Use 1.6 Distributor's Name: Eufora International, Inc. 1.7 Distributor's Address 5876 Owens Ave, Ste 200, Carlsbad, CA 92008 USA Emergency Phone: 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 696114) 1.9 Business Phone / Fax: +1 (800) 638-3672 / +1 (760) 431-9199 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety. WARNING! CAUSES EYE IRRITATION. Classification: Eye Irrit. 2B 2.2 Label Elements: Hazard Statements (H): H320 - Causes eye irritation. Precautionary Statements (P): P264 - Wash thoroughly after handling. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical help. Other Warnings: 2.3 KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. STE STE PEL STEL IDLH OTHER ZC0110000 NA NA NA 7732-18-5 231-791-2 NF NF NF NA NA NA AQUA (WATER/EAU) 112-92-5 RG2010000 204-017-6 NA NA NA NF NF NF NA NA NA STEARYL ALCOHOL 56-81-5 MA8050000 200-289-5 NA 10 NA NF NF NF 15 NA NA RESP FRAC **GLYCERIN** 677<u>62-27-0</u> NA 267-008-6 NA NA NF NA NF NA NA NA NA CETEARYL ALCOHOL 36653-82-4 MM0225000 253-149-0 NA NA NA NF NF NF NA NA NA CETYL ALCOHOL 71750-80-6 NA NA NA NA NA NF NF NF NA NA NA **AMODIMETHICONE** Skin Irrit. 2; Eye Irrit.2; H315, H319 250-705-4 31566-31-1 RG19250000 NA NA NA NF NF NF NA NA NA **GLYCERYL STEARATE** NA NA NA NA NA NF NF NF NA NA NA NA EUFORA BOTANICAL BLEND Skin Sens. 1B: H317 NA NA NF 5392-40-5 RG5075000 226-394-6 NA NF NF NA NA NA ALLERGEN CITRAL Skin Irrit. 2, Skin Sens. 1; H315, H317 4. FIRST AID MEASURES First Aid: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk 4.1 Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Seek immediate medical attention. Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air at once. Effects of Exposure: Ingestion: Unlikely. If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Skin: May be irritating to skin in some sensitive individuals. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Inhalation: None expected.



Page 2 of 5 **EI-163** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 4/20/2022

4.3	Symptoms of Oversympour	•	AID MEASU					-£ -1.1			
	Symptoms of Overexposure:	Moderate irritation to eyes signs may include redness, itching and watering. Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas.									
4.4	Acute Health Effects:	Moderate irritation to eyes. Moderate irritation to skin near affected areas.									
4.5	Chronic Health Effects:	No harmful or chronic health effect	No harmful or chronic health effects are expected to occur from a single accidental ingestion.								
1.6	Target Organs:	Eyes.									
1.7	Medical Conditions Aggravated by Exposure:	None reported by the manufacture	er.			HEALT	Н			1	
	riggravated by Exposure.					FLAMM	ABILIT	Υ		0	)
						PHYSIC				C	
						PROTE	CIIVE	EQUIPM	ENI		١
						EYES					
	_	5. FIRE	FIGHTING N	/IEASU	RES						
5.1	Fire & Explosion Hazards:	This product is not flammable.									
5.2	Extinguishing Methods:	Water, Foam, CO <sub>2</sub> , Dry Chemical.								_	
5.3	Firefighting Procedures:	As in any fire, wear MSHA/NIOSH and full protective gear. Keep confire-exposed surfaces and to protect dilution from entering sewers, dramust use full bunker gear includapparatus to protect against poter deficiencies.	ntainers cool until ect personal. Figh iins, drinking wate ling NIOSH-appro	well after that fire upwirer supply, cover yet a supply, coved positive.	ne fire is one fire is one fire is one fire in the fire in the fire is one fire in the fir	out. Use vent runoff tural wate ure self-co	water spr from fire rway. Fi ontained	ay to coo control o irefighters breathing	1 r s	100	
		6. ACCIDEN	TAL RELEA	SE ME	ASU	RES					
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipmer (PPE). For small spills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate close container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affecte areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and was thoroughly before reuse.									
		thoroughly before reuse.	with plenty of war							hing and	
		thoroughly before reuse.		m water a	ind soap	. Remov				hing and	
7.1	Work & Hygiene Practices:	thoroughly before reuse.  7. HANDLING	& STORAG	m water a	ind soap	. Remov				hing and	
	Work & Hygiene Practices: Storage & Handling:	thoroughly before reuse.	& STORAG	TM water a	ond soap	. Remov	e any co	ontaminat	ed clot		wa
7.2	• • • • • • • • • • • • • • • • • • • •	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-v	& STORAGE handling this producentilated location	E INFO uct. (e.g., local	ORMA exhaust	TION ventilation	e any co	ontaminat	ed clot		wa
7.2	Storage & Handling:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip	& STORAGE handling this producentilated location oping hazard if left	SE INFC uct. (e.g., local unattende	ORMA exhaust d. Clean	TION ventilation	e any co	ceep awa	ed clot		wa
7.2	Storage & Handling:  Special Precautions:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.	& STORAG handling this prod ventilated location oping hazard if left	SE INFC uct. (e.g., local unattende	ORMA exhaust d. Clean	TION ventilation	e any co	Keep awa	ed clot	excessive	was
7.1 7.2 7.3	Storage & Handling:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip	& STORAGE handling this producentilated location oping hazard if left FROLS & PE ACGIH	ERSON	exhaust d. Clean  AL PI  NOHSC ES-	TION ventilation all spills p	e any co	Keep awa	ed clot		was
7.2	Storage & Handling:  Special Precautions:  Exposure Limits:	The thoroughly before reuse.  7. HANDLING  Do not eat, drink, or smoke while  Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)	& STORAG handling this prod ventilated location oping hazard if left ROLS & PE ACGIH TLV STEL	ES-TWA	PRMA exhaust d. Clean  AL PI NOHSC ES- STEL	TION ventilation all spills p  ROTEC	i, fans). I	Ceep awa	ed clot	excessive	e he
7.2	Storage & Handling:  Special Precautions:  Exposure Limits:	The thoroughly before reuse.  7. HANDLING  Do not eat, drink, or smoke while  Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN	& STORAG handling this prod ventilated location  oping hazard if left  ROLS & PE  ACGIH  TLV STEL  10 NA	ES-TWA	PRMA exhaust d. Clean  AL PI NOHSC ES- STEL NF	TION ventilation all spills p  ROTEC  ES- PEAK NF	i, fans). I coromptly.  CTION  PEL 15	Ceep awa	ed clot  y from  IDLH  NA	OTHER RESP FI	was
7.2	Storage & Handling:  Special Precautions:  Exposure Limits:	T. HANDLING  7. HANDLING  Do not eat, drink, or smoke while  Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL	& STORAG handling this prod ventilated location oping hazard if left  FROLS & PE  ACGIH TLV STEL 10 NA NA NA	ES-TWA NF	DRMA exhaust d. Clean NOHSC ES- STEL NF NF	TION ventilation all spills p  ROTEC  ES- PEAK NF NF	i, fans). I	Ceep awa	ay from  IDLH NA NA	OTHER  RESP FI	was hear
7.2	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)	The thoroughly before reuse.  7. HANDLING  Do not eat, drink, or smoke while  Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN	& STORAG handling this prod ventilated location  pping hazard if left  ROLS & PE  ACGIH  TLV STEL  10 NA  NA NA es of product, prov	ES-TWA NF ide adequa	DRMA exhaust d. Clean NOHSC ES- STEL NF NF ate ventila	TION ventilation all spills p  ROTEC  ES- PEAK NF NF ation (e.g.,	i, fans). I	Ceep awa	ay from  IDLH NA NA	OTHER  RESP FI	wa he
7.2	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering	T. HANDLING  7. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL  When working with large quantities that an eyewash station, sink or well-value and respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia.	& STORAG handling this producentilated location  poping hazard if left  FROLS & PE  ACGIH  TLV STEL  10 NA  NA NA  NA NA  So of product, provenshbasin is availated serviced under type to the proper	ES-TWA NF Idea and and a standard  The water	exhaust d. Clean  AL PI  NOHSC  ES- STEL  NF  NF  NF  Ste of exposimatances is require is of Can	TION  ventilation all spills p  ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pr	pel ny co	OSHA STEL NA NA haust vei	IDLH NA NA NA Natillation ssary, 4, or	OTHER  RESP FI	was hear
7.2 7.3 3.1	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:	T. HANDLING  7. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL  When working with large quantities that an eyewash station, sink or well-wide with the control of the	& STORAG handling this producentilated location  poping hazard if left  FROLS & PE  ACGIH  TLV STEL  10 NA  NA NA  NA NA  So of product, provenshbasin is availated serviced under type to the proper	ES-TWA NF Idea and and a standard  The water	exhaust d. Clean  AL PI  NOHSC  ES- STEL  NF  NF  NF  Ste of exposimatances is require is of Can	TION  ventilation all spills p  ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pr	pel ny co	OSHA STEL NA NA haust vei	IDLH NA NA NA Natillation ssary, 4, or	OTHER  RESP FI	wa he
7.2	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:	T. HANDLING  7. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL  When working with large quantities that an eyewash station, sink or well-value and respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia.	& STORAG handling this prod ventilated location  pping hazard if left  ROLS & PE  ACGIH  TLV STEL  10 NA  NA NA es of product, prov vashbasin is availate serquired under ty authorized per U. or the appropriat	ES-TWA NF ide adequable in case rpical circuis. OSHA's e standard	exhaust d. Clean  AL PI  NOHSC ES- STEL NF ate ventila of expose mstances require s of Can	TION ventilation all spills p ROTEC  ES-PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi	PEL 15 NA I local exess. handling 9 CFR rovinces,	OSHA STEL NA NA haust vei	IDLH NA NA ntilation ssary, 4, or mber	OTHER  RESP FI	wa
7.2 7.3 3.1 3.3 3.4 3.5	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:	T. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantities that an eyewash station, sink or we not applicable U.S. state regulations, states, or Australia.  Avoid direct eye contact. None reconstruction is the contact of the contac	& STORAGE handling this producentilated location  oping hazard if left  FROLS & PE  ACGIH  TLV STEL  10 NA  NA NA  Se of product, provisehbasin is availlable required under to the appropriate quired under normal ditions of use. However, the small quantities.	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition wever, ma	exhaust d. Clean  AL PI  NOHSC ES- STEL NF ate ventilia of exposimatances require s of Can ans of use ay cause	TION  ventilation all spills p  ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa
7.3 3.1 3.3 3.3 3.3 3.4	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection:  Hand Protection:	T. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantities that an eyewash station, sink or we not applicable U.S. state regulations, states, or Australia.  Avoid direct eye contact. None reconstitution in the constitution of the constitutio	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa  PACEEN
7.2 7.3 3.1 3.1 8.2 8.3 8.4 8.5	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection:  Hand Protection:  Body Protection:	T. HANDLING  Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL  When working with large quantities that an eyewash station, sink or w. No special respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia.  Avoid direct eye contact. None reconditividuals.  No apron required under normal contindividuals.  No apron required when handling wash stations and deluge showers.	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa  PACEEN
7.2 7.3 3.1 3.1 3.3 3.3 3.4 3.5 3.6	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection: Hand Protection:  Body Protection:	Transparent liquid  To not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames.  Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S)  GLYCERIN  CITRAL  When working with large quantities that an eyewash station, sink or wang to spice only respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia.  Avoid direct eye contact. None reconditividuals.  No apron required under normal contindividuals.  No apron required when handling wash stations and deluge showers.  9. PHYSICAL  Transparent liquid	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa
7.2 7.3 7.3 8.2 8.3 8.4 8.5 8.6	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection: Hand Protection:  Body Protection:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantities that an eyewash station, sink or w No special respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia. Avoid direct eye contact. None reconditividuals. No apron required under normal contindividuals. No apron required when handling wash stations and deluge showers.  9. PHYSICAL Transparent liquid Characteristic	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa
7.2 7.3 7.3 8.2 8.3 8.4 8.5 8.6	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection:  Hand Protection:  Body Protection:  Appearance: Odor: Odor Threshold:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantitie that an eyewash station, sink or w No special respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia. Avoid direct eye contact. None reconstitution in the construction of the constructio	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa
7.3 7.3 3.1 3.3 3.3 3.3 3.4 3.5 3.6	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection:  Hand Protection:  Body Protection:  Appearance: Odor: Odor Threshold: pH:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantitie that an eyewash station, sink or w No special respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia. Avoid direct eye contact. None reconstitution in the construction of the constructio	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa  PACEEN
7.2 7.3 3.1 8.2 8.3 8.4 8.5 8.6	Storage & Handling:  Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering Controls:  Respiratory Protection:  Eye Protection:  Hand Protection:  Body Protection:  Appearance: Odor: Odor Threshold:	7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip  8. EXPOSURE CONT  CHEMICAL NAME(S) GLYCERIN CITRAL When working with large quantitie that an eyewash station, sink or w No special respiratory protection is use only respiratory protection applicable U.S. state regulations, states, or Australia. Avoid direct eye contact. None reconstitution in the construction of the constructio	**STORAG** handling this producentilated location  poping hazard if left  **ROLS & PE  **ACGIH**  **TLV** **STEL** **10 NA NA NA NA PROSE OF product, proviseshbasin is availlable required under to the appropriate quired under normal ditions of use. However, and the second of the product of the properties of the product of the properties of the properti	ES-TWA NF ide adequable in case pical circuis. OSHA's e standard al condition bwever, ma When hand	exhaust d. Clean  AL PI  NOHSC ES- STEL NF NF ate ventilit e of expos require s of Can ans of use ay cause	TION ventilation all spills p ROTEC  ES- PEAK NF NF ation (e.g., sure to eye s of use or ment in 2 ada, its pi skin irrita	pe any control of the	OSHA STEL NA NA haust vei	IDLH NA NA NIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	OTHER  RESP FI	wa



Page 3 of 5 **EI-163** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 4/20/2022

		9. PHYSICAL & CHEMICAL PROPERTIES – cont'd
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability	
	Limits:	NA NA
9.9	Vapor Pressure:	NA NA
9.10	Vapor Density:	NA NA
9.11	Relative Density:	NA .
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature: Viscosity:	NA NA
9.16	Other Information:	NA NA
9.17	Other information.	NA NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ). Liberation of gas my result in dangerous pressure.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks and high heat, direct sunlight.
10.5	Incompatible Substances:	Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product.
11.3	Acute Toxicity:	See section 4.4
11.4	Chronic Toxicity:	See section 4.5
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3.
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	
12.1	Effects on Plants & Animals:	There is no specific data available for this product.  There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.  There is no specific data available for this product.
.2.0	Zirosio ori i i i i i i i i i i i i i i i i i	There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.
13.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic - ignitable).
		14. TRANSPORTATION INFORMATION
The	basic description (ID Nun	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional
desc	riptive information may be	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
440	IMDG (OCN):	NOT REGULATED
14.3	, ,	
14.4	TDGR (Canadian GND):	NOT REGULATED
14.4 14.5	TDGR (Canadian GND): ADR/RID (EU):	NOT REGULATED  NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED



Page 4 of 5 **EI-163** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 4/20/2022

		15. REGULATORY INFORMATION		
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.		
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
15.4	CERCLA Reportable Quantity:	NA		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).  This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority		
15.6	Other Canadian Regulations:	pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.  This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the		
15.7	State Regulatory Information:	DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.  No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state c lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Haza Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsyl	st (FL), ardous	
		Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .	m. For	
15.8	Other Requirements:	This product is found on the following inventory lists: Australia - AICS, China – IECSC, Europe – ELINCS/EINEC, — ENCS; Korea – KECI; New Zealand – NZIoC; {Philippines – PICCS; USA – TSCA.}	Japan	
16.1	Other Information:	16. OTHER INFORMATION  WARNING! CAUSES EYE IRRIATION. For external use only. Use only as directed. Discontinue use immediate irritation develops. Keep container tightly closed in a cool place. In case of contact with eyes, rinse immediately plenty of water and seek medical help. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.		
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. government regulations must be reviewed for applicability to this product. To the best of ShipMate's & E International's knowledge, the information contained herein is reliable and accurate as of this date; however, accurate suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are proved the information contained herein relates only to the specific product(s). If this product(s) is combined with other maternal component properties must be considered. Data may be changed from time to time. Be sure to consult the edition.	Eufora curacy, ovided. terials,	
16.4	Prepared for:	Eufora International, Inc. 5876 Owens Ave, Ste 200 Carlsbad, CA 92008 USA Tel: +1 (760) 431-9199 Fax: +1 (760) 431-9904 http://www.eufora.net		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com		



Page 5 of 5

EI-163

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 4/20/2022

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV Threshold Limit Value	
TWA	Time Weighted Average

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



## PERSONAL PROTECTION RATINGS:

Α			
В			
С			
D			
Е			
F		TH.	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ <b>~~~ ~~ ~</b>
₩	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(4)</b>	<b>(2)</b>	(3)	$\odot$	(4)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>(</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment