

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

3400 Cottage Way, Ste G2 #7937 Sacramento, CA, 95825

Certificate of Analysis

Dec 13, 2021 | IA MZOOTED INC

Kaycha Labs

100 mg CBD/ 10 mg D9 Spectrum+ Dragon Fruit N/A Matrix: Edible

Water Activity



Sample:KN11209007-005 Harvest/Lot ID: 1221004260 Batch#: 1221004260 Seed to Sale# N/A Batch Date: N/A Sample Size Received: 5 gram Total Weight/Volume: N/A Retail Product Size: 4.6 gram Ordered : 12/09/21 sampled : 12/09/21

Completed: 12/13/21 Expires: 12/13/22 Sampling Method: SOP Client Method

Moisture

Total Cannabinoids

.029%

:139.334 ma

Total Cannabinoids/Gummy


TESTED


PASSED



Terpenes NO1

MISC





Cannabinoid Profile Test

Analyzed by Extraction date : Extracted By : Weight u.2136g under Measurement of Uncertain tainties represent an expanded uncer factor k=2 for a normal direction -KN0010000 -Analysis Method -Expanded Meas IC:12.7%, THCa: 9.5%, TOTAL THC 11. Reviewed On -12/13/21 09:57:16 Batch Date : 12/10/21 10:23:23 Analytical Batch -KN001680POT Instrument Used : HPLC E-SHI-008

Reagen Dilution Consums. ID 081321.R04 120821.R01 120221.R02 947B9291.217 0030220 Full spectrum cannabinoid *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

SOP.T.40.020 for a

State License # n/a ISO Accreditation # 17025:2017



Signature

12/13/21

Signed On