



2,000 - 4,000 PSI HONDA SCUD SLOW SPEED ... LONG LIFE

4,000 PSI
from
\$4,480

NEW

Scud 400 with
30m hose & ss reel fitted
(ABBSS400HR/GX390)

AUSSIE SCUD SERIES

- ◆ 'Big Bertie' Bertolini slow speed triplex pump with 4 year warranty (page 86)
- ◆ **NEW Scud stainless steel frame & anti vib mounts, steel wheels with flat free tyres (13")**
- ◆ **Detergent injection ... faster cleaning**
- ◆ **Gearbox drive ... longer life, OH&S, dust free drive, 2:1 reduction**
- ◆ **FREE ASP (Aussie Safety Protection) kit ... protects operator & machine from pressure spikes & extended by-pass running**
- ◆ **Pro accessories** including 10m hose, 4,500 psi pro gun & dual lance
- ◆ **Scud 400 option** with stainless steel hose reel & 30m hose fitted
- ◆ Optional lift bar (ASS400LIFTBAR \$230)
- ◆ Optional Cobra Loc for permanent ute/trailer mounting (ACRADLECOBRA \$510)



YANMAR
Diesel drive ... p12

Stock codes & prices

SCUD	Pressure	EWP with turbo	Flow	Honda Engine	HP	Version	Stock code	List price
350	3,000 psi (210 bar)	4,785 psi	15 lpm	GX390	13	Recoil	ABBSS350/GX390	\$4,192
						Electric start	ABBSS350/GX390E	\$4,730
351	2,600 psi (180 bar)	4,000 psi	21 lpm	GX390	13	Recoil	ABBSS351/GX390	\$4,490
						Electric start	ABBSS351/GX390E	\$4,882
400	4,000 psi (275 bar)	6,485 psi	15 lpm	GX390	13	Recoil	ABBSS400/GX390	\$4,480
						Recoil + ss reel	ABBSS400HR/GX390	\$5,592
						Electric start	ABBSS400/GX390E	\$4,990

Pump details, unit weights & dimensions

SCUD	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
350	TTL1520	045	110kg	1100 x 800 x 950 mm
351	TTL2120	060	110kg	1100 x 800 x 950 mm
400	TTL1330	035	110kg	1100 x 800 x 950 mm

Accessories supplied with machine

Hose	AHW06M22X2X10 (AHW06M22X2X30)	10m R2 3/8" hose, M22 couplers (30m hose with hose reel version)
Gun	M4022209003	AL55 4,500 psi gun
Lance	C3924.01	700mm Dual Lance
Nozzle	C915__M	2 x Laser Cut
	C915500MSS	(15° & detergent)

Pump service kits ... p87

CLASS A BLASTER
AS/NZS 4233.1

Aussie NO.1 PRO CHOICE SCUD 400

BERTOLINI pumps
4 year warranty

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN255-045	(Scud 350)	\$225
CTN255-060	(Scud 351)	\$225
CTN400-035	(Scud 400)	\$414

Tele-wand ... REACH further p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18	\$440
AGPDLTG18A Heavy duty	\$518
QT nozzle C915__Q	\$22 (insert nozzle size)

CLEAN FLAT SURFACES FAST p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.



AGPDFSC20	20" Spinner	\$1,290
AGPDFSCS22Z	22" Cyclone	\$1,624

Foam Jet ... SPRAY UP TO 3 STORIES p 77

Use with extra long hose to apply detergents, degreasers, disinfectants with chemicals going through the pump.

MTM140289	\$245
C1500.06	\$11



Extra length hose ... CONVENIENT p 70

Cleaning large plant?...

reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends



AHW06FB6FB6X20	(20m)	\$350
AHW06FB6FB6X30	(30m)	\$524
AHW06FB6FB6X50	(50m)	\$811
M212003540	(M22 QC)	\$23 (2 required)
M212003660	nipple to join 2 hoses	\$16

4,000 psi Hose Reel Kit .. EASY FIT p 72

Safer & smarter working, includes reel, 30m double wire braid hose, whip hose & mounting plate



For Scud 100 ... call Aussie

ADHR40100D	(hose reel kit)	\$898
A134SS/30MBPH	(ss hose reel kit)	\$1,460
AHRBARSSUNI	(SS mounting bar)	\$230

Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose.



Includes Safety Plate.
ADRAINKIT \$3,384



4,000 PSI HONDA ... CLASS A SLOW SPEED | HUGE FLOW | REAL WHACK NO OPERATOR CERTIFICATION REQUIRED

4,000 PSI
from **\$8,043**
NEW
STAINLESS
STEEL FRAME



POWERED BY **HONDA**

NEW ULTRA A

- ◆ **NEW Premium 'Big Bertie' heavy duty, slow speed triplex pump with 4 year warranty** (page 86)
- ◆ **Stainless steel frame & anti vib mounts, steel wheels with flat free tyres (13")**
- ◆ **FREE ASP (Aussie Safety Protection) kit**
- ◆ **18 litre fuel tank**
- ◆ **Heavy duty gearbox drive provides OH&S safety benefits, minimal maintenance**
- ◆ **Detergent injection ... faster cleaning**
- ◆ **FREE ASP (Aussie Safety Protection) kit ...** protects operator & machine from pressure spikes & extended by-pass running
- ◆ **Pro accessories** including 10m R2 wire braid hose, pro gun & dual stainless steel lance
- ◆ **Hose reel version** includes 30m high pressure hose on a fitted **stainless steel reel**
- ◆ **Optional Cobra Loc** for permanent ute mounting (ACRADLECOBRA \$510)



	Pressure	EWP with turbo	Flow	Honda Engine	HP	Version	Stock code	List price
Ultra A	4,000 psi (275 bar)	6,485 psi	20 lpm	GX630 electric start	23	Standard	ABBSSULTRA/GX630	\$8,043
						Hose Reel	ABBSSULTA/GX630HR	\$9,500

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Ultra A	TTL 2028	050	135 kg	1100 x 800 x 1100

Accessories supplied with machine

	Part Number	Description
Hose	AHW06M22X2X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings (30m on hose reel version)
Gun	M4022209003	AL55 4,500 psi Pro Gun with melted handle
Lance	C3924.01	700mm Stainless Steel Dual Lance
Nozzle	C915050M C915500MSS	2 x Laser Cut (15° & detergent)

Pump service kits ... p87

Aussie Hot Link converts this machine into a hot water blaster ... p42



Optional accessories FASTER, SMARTER, SAFER

TURBO LANCE ... 60% MORE BITE p 59

Increase the effective working pressure (EWP) of your blaster without loading the pump!



CTN400-050 **\$414**

Tele-wand ... REACH FURTHER p 76

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



AGPDLTG18 **\$440**
AGPDLTG18A Heavy duty **\$518**
QT nozzle C915__Q **\$22**
(insert nozzle size)

CLEAN FLAT SURFACES FAST p 74

SLASH CLEANING TIMES BY 75%

Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.



AGPDFSC20 20" Spinner **\$1,290**
AGPDFSCS22Z 22" Cyclone **\$1,624**

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast

MTM160172 **\$377**
(head, probe & hose, NB nozzle & lance required)



Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro** hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X20 (20m) **\$350**
AHW06FB6FB6X30 (30m) **\$524**
AHW06FB6FB6X50 (50m) **\$811**
M212003540 (M22 QC) **\$23** (2 required)
M212003660 nipple to join 2 hoses **\$16**

Stainless Steel Hose Reel Kit p 73

5,000 psi rated reel, takes up to 30m of 3/8" hose with 4,000 psi rated M22 M couplings, universal foot mount. Fits to frame on petrol versions only, otherwise wall mount. 1.3m whip hose.



A134SS/30MBPH (ss hose reel kit) **\$1,460**

Drain Cleaning Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full **Aussie Jettors Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **Includes Safety Plate.**



ADRAINKIT **\$3,384**

5,000 PSI HONDA ... CLASS A

PETROL | SLOW SPEED | NO OPERATOR CERT REQUIRED



PREDATOR A

- ◆ 'Big Bertie' slow speed triplex pump for continuous operation (page 86)
- ◆ Heavy duty stainless steel frame, anti-vibration mounts, 13" steel wheels with flat free tyres .
- ◆ Reliable, powerful Honda engine with electric start
- ◆ Gearbox drive provides OH&S safety benefits, minimal maintenance.
- ◆ FREE ASP (Aussie Safety Protection) kit ... protects operator & machine from pressure spikes & extended by-pass running
- ◆ Heavy duty pro accessories including gun, single lance & 10m hp hose
- ◆ Diesel drive option p14
- ◆ Optional Cobra Loc for permanent ute mounting (CRADLECOBRA \$510)



Scan for Predator A demo

	Pressure	EWP with turbo	Flow	Honda Engine	HP	Stock code	List price
PREDATOR A	5,000 psi (350 bar)	8,500 psi	16 lpm	GX630 electric start	23	ABBSSPRED-A/GX630	\$8,973

Pump details, unit weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
PREDATOR A	KTL1635	035	130kg	1100 x 800 x 1130

Accessories supplied with machine

Hose	AHW06FB6FB6X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings
Gun	MPA30450010	RL56 5,100 psi PA compensated spray gun
Lance	MPA40025800	800mm PA single lance
Nozzle	C915035M	Laser Cut (15°)

Pump service kits ... p87



Aussie Pumps SAFE OPERATOR

PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Gun Kit ... 60% MORE BITE p 59

Turbo lance/gun kit... Increase the effective working pressure of your blaster!



CTN400-035GLKM24 \$464

Grit Blast Kit ... SURFACE PREP p 76

Remove paint & rust fast (head, probe & hose, NB nozzle & lance require)



MTM160172 \$377

Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M24 couplings sold separately)



AHW06FB6FB6X20	(20m)	\$350
AHW06FB6FB6X30	(30m)	\$524
AHW06FB6FB6X50	(50m)	\$811
MPA26065050	(M24 QC)	\$46 (2 required)
M212003660	nipple to join 2 hoses	\$16

5,000 psi Stainless Steel Hose Reel p 73

5,000 psi rated, takes up to 30m of 3/8" hose, universal foot mount. Fits to frame on petrol versions only, otherwise wall mount. 1.3m whip hose.



A134SS/30MBPH	(ss hose reel kit)	\$1,460
MPA26065050	(M24 QC)	\$46 (2 required)

Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jettors Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.



ADRAINKIT \$3,384





'BIG BERTY' BERTOLINI TRIPLEX PUMPS ... THE HEART OF AN AUSSIE



TTL & KTL SERIES (slow speed, gearbox drive)

Features Designed for Performance & Longevity

1. **High pressure seals** made up of special compound for wear resistance and Teflon reinforced anti-extrusion ring. Superior sealing system for water up to 74°C.
2. **Rapid action, mirror finish 316 stainless steel check valves** prevent corrosion.
3. **Smart crankcase** with high thermal conductivity & pronounced fins to disperse heat. Lower running temperatures extend seal & pump life.
4. **Large Tenifer® treated stainless steel plunger rods** ... stronger, harder, smoother for longer seal life.
5. **High quality pure ceramic pistons** for years of uninterrupted high-pressure performance.
6. **Premium oversized bearings** for extended pump life. **Extra long forged steel crankshaft** for a solid coupling pump-motor/engine.
7. **Oversized hyper 328 Tonolli alloy connecting rods** (single piece) for extra strength & easier lubrication.
8. **Exclusive double "V" and "U" self-lubricating packing seals** with an elastomer designed to prevent water from contaminating the oil in the crankcase. This gives years of leak-free operation.
9. **Low stress valve caps** ... eliminates water leaks & thread failures, easier pump maintenance.
10. **High efficiency brass head** ... thicker walls to withstand high pressure.



(Used on Aussie Scud, Ultra & Cobra Series)



100%
European-American
Components



Aussie Safety Protection kit fitted

Aussie Pumps
aussiepumps.com.au | 02 8865 3500

BERTOLINI
pumps
4 year warranty

Bertolini pump kits for easy upgrades readily available

Exclusive authorised Australian distributor for Bertolini Triplex Pumps