

SumpTrans™

Fully-Drainable Chemical Tanks
with a 20-Year Warranty



[Product Brochure](#)





SumpTrans™

Fully-Drainable Chemical Tanks

When full drainage is critical, TTI's SumpTrans™ fully draining liquid cartage tanks are in demand. Designed and moulded to perform under any conditions, these pin-mounted poly sump tanks have earned their reputation as “The Safest Tanks in Motion”.

TTI's SumpTrans™ Tanks use **specially blended polyethylene to handle the broadest range of liquids possible from plain water to the harshest chemicals** – ask for a copy of our compatibility chart!


TTI's SumpTrans tanks have impact-resistant qualities and are **impervious to the toughest conditions**. Incorporates a finely tuned blend of UV-stabilised polyethylene allowing the tank to handle the toughest working conditions.

20-Year Tank Warranty

The very best tanks available on the Australian market, giving you peace of mind



Suitable for



Potable Water



Molasses



Chemicals



Virtually Any Other Liquid!*



***See our
compatibility
chart**

Tank Sizes

Note: Detailed Technical Tank Drawings Available Online





100 Litres

 **815 x 450 x 600mm (LWH)**
 **18kg (Dry weight with frame)**

SKU: PTSS00100KSG





200 Litres

 **940 x 600 x 760mm (LWH)**
 **22kg (Dry weight with frame)**

SKU: PTSS00200KSG





200 Litres

 **1085 x 650 x 600mm (LWH)**
 **19kg (Dry weight with frame)**

SKU: PTSP00200KSG





300 Litres

 **1270 x 615 x 750mm (LWH)**
 **17kg (Dry weight with frame)**

SKU: STC03000SG





300 Litres

 **940 x 615 x 965mm (LWH)**
 **27kg (Dry weight with frame)**

SKU: PTSS00300AKSG





400 Litres

 **1230 x 850 x 710mm (LWH)**
 **37kg (Dry weight with frame)**

SKU: PTSP00400KSG





400 Litres

 **890 x 820 x 975mm (LWH)**
 **37kg (Dry weight with frame)**

SKU: PTSS00400KSG



500 Litres

 **1250 x 1070 x 590mm (LWH)**
 **43kg (Dry weight with frame)**



SKU: PTSP00500KSG

Tank Sizes

Note: Detailed Technical Tank Drawings Available Online





600 Litres

 **1200 x 840 x 1000mm (LWH)**
 **42kg (Dry weight with frame)**

SKU: PTSS00600KSG





600 Litres

 **1250 x 1070 x 790mm (LWH)**
 **50kg (Dry weight with frame)**

SKU: PTSP00600KSG





800 Litres

 **1430 x 1220 x 800mm (LWH)**
 **71kg (Dry weight with frame)**

SKU: PTSP00800KSG





1,000 Litres

 **1430 x 1220 x 980mm (LWH)**
 **76kg (Dry weight with frame)**

SKU: PTSP01000KSG





1,200 Litres

 **1700 x 1200 x 950mm (LWH)**
 **85kg (Dry weight with frame)**

SKU: PTSP01200KSG





1,500 Litres

 **1700 x 1200 x 1190mm (LWH)**
 **91kg (Dry weight with frame)**

SKU: PTSP01500KSG





2,000 Litres

 **2150 x 1410 x 1180mm (LWH)**
 **149kg (Dry weight with frame)**

SKU: PTSP02000KSG



2,400 Litres

 **2150 x 1410 x 1360mm (LWH)**
 **145kg (Dry weight with frame)**

SKU: PTSP02400KSG

Tank Sizes

Note: Detailed Technical Tank Drawings Available Online



3,000 Litres

 **2430 x 1540 x 1350mm (LWH)**

 **250kg (Dry weight with frame)**

SKU: PTSP03000KSG



4,000 Litres

 **430 x 1540 x 1550mm (LWH)**

 **370kg (Dry weight with frame)**

SKU: PTSP04000KSG



5,000 Litres

 **2760 x 2000 x 1620mm (LWH)**

 **425kg (Dry weight with frame)**

SKU: PTSP05000KSG



6,000 Litres

 **2760 x 2000 x 1770mm (LWH)**

 **470kg (Dry weight with frame)**

SKU: PTSP06000KSG



10,000 Litres

 **3480 x 2250 x 2100mm (LWH)**

 **750kg (Dry weight with frame)**

SKU: PTSP10000KSG



13,000 Litres

 **3480 x 2250 x 2470mm (LWH)**

 **825kg (Dry weight with frame)**

SKU: PTSP13000KSG

Get Any Tank in Your Corporate Colour



All SumpTrans™ Spray Tanks Require a Supporting Frame, Allowing for Sump Drainage



Cutaway Shows Fully Draining Tank Floor



End View Shows 'V' Frame Supporting Tank



Scan to see this product in action!



Standard Safety Green (Opaque)

Translucent

See the liquid level through the tank wall!



● Natural



● Trans Yellow



● Trans Blue

Opaque



● White



● Birch Grey



● Black



● Heritage Green



● Yellow



● Orange



● Red



● Dark Blue

5% Colour Change Surcharge Applies


Note: Actual colours may vary slightly

Standard Features



UV Stabilised

Manufactured from UV stabilised polyethylene specifically formulated to handle harsh chemicals



Fully-Drainable

Fully draining sump with smooth interior, enabling complete drainage and decontamination of tank




450mm Hinged Lid

Large tank opening for fast, easy filling. Sealed with 450mm lid with labyrinth breather



Hot-Dip Galvanised Frames

Available with robust hot-dip galvanised steel mounting frame for correct tank support and ease of mounting



Containment Lip

Easy fill, No-Spill containment lip on all spray tanks above 500L



Basket Filter

Basket filter supplied with tanks 200 Litres and larger



Easy to Read Calibrations

Easy to read calibrations for measurement of contents
(when sight level tube fitted on tank)



SureFit System

SureFit Safe and secure mounting pin system


Frames



All spray tanks require a steel mounting frame to give the sump clearance for access.

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection.

Tanks can be purchased without frames



Liquid Transport Tanks

At TTI, we're proud to be Australia's leading manufacturer of UV stabilised, impact resistant, polyethylene water cartage tanks.

Water Cartage Tanks	Fully-Drainable Spray Tanks	Water Cart Trailers	Water Delivery Units	Tank Accessories
 <p>AquaTrans™</p>	 <p>SumpTrans™</p>	 <p>FirePatrol14™</p>	 <p>AquaDelivery™</p>	 <p>LiquidLocker™ Baffling System</p>
 <p>AquaMove™</p>		 <p>FirePatrol15™</p>		 <p>Hydrant Filler and Funnel Kits</p>
				 <p>Tank Lids & Accessories</p>

► Check out these product on tti.com.au

Rotational Moulding

TTi's in-house rotomoulding facilities allows end-to-end control over the quality process, and **the confidence we have in our tanks is shown in the 20-year factory warranty.**

Rotational moulding is one of several types of plastic moulding processes. Typically its used to manufacture large hollow products - such as our transportable tanks.

A measured quantity of polyethylene powder is placed into a steel mould which is rotated in a heated oven.

The raw material melts, lining the inside of the mould. Once all the powder has melted and its texture has become like honey, the mould is removed from the oven and rotated while cooling. This helps to maintain the shape while the polyethylene solidifies.

This procedure may sound simple but there is a crucial human element in the process, ensuring that every tank is cooked to perfection.

Our unmatched craftsmanship and engineered mould tooling, is reflected in every moulded TTI tank.

The TTI Difference

We design, develop and manufacture liquid transport tank solutions here in Australia.

Built for the tough Australian landscape and exported across the world, TTI's water tanks are recognized widely for their attractive design, quality & reliability.



Quality

Built to stand the test of time and be with you for years to come.



Ease of Use

Well-designed and easy to use solutions to help you get the job done fast, without hassle.



Service & Support

Australian-based service and after sales support you can count to help you when you need it



Uniquely Australian

Built in Australia, by Australians, for the tough Australian landscape



Safety

Australia's only Liquid Transport Tank specialists, committed to creating the safest tanks in motion



Nathalia - **(Head Office)**
3 Murray Valley Hwy, Nathalia,
VIC, 3638

Nathalia - **(Fabrication)**
5 Nugent St, Nathalia,
VIC, 3638

Melbourne - **(Water Trucks)**
12 Burwood Avenue, Sunshine North,
VIC, 3020



Head Office: 1800 816 277
Landline: (03) 5866 3266
Fax: (03) 5866 3019



Sales: sales@tti.com.au
Support: customercare@tti.com.au

DISCLAIMER

There may be information in our catalogue that contains typographical errors, inaccuracies, or omissions that may relate to product descriptions, specifications, pricing and other details. All weights, measurements and colours shown, are best approximations. Trans Tank International (TTI) cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. TTI reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice.

www.tti.com.au

Follow us at #TransTankInternational



Quotes and Enquiries
1800 816 277