2,000 - 4,000 PSI YANMAR

DIESEL | SLOW SPEED | LONG LIFE





SCUD YANMAR

- 'Big Berty' slow speed pumps for continuous operation (page86)
- **Industrial Yanmar LN** series diesel engines
- **NEW Scud stainless steel** frame & anti vib mounts, steel wheels with flat free tyres (13")
- Gearbox drive

- FREE ASP (Aussie Safety Protection) kit including unloader, safety valve & thermal dump
- Detergent injection ... faster cleaning (not on Mine Spec version)
- Yanmar engine care kit ... see p 62
- Optional Cobra Loc for permanent ute mounting (ACRADLECOBRA \$510)

Aussie Mine Spec Features:

- **Emergency stop**
- Fire extinguisher
- Dry cell battery with lockable battery isolation
- Double insulated wire
- Incorporated lifting bar/ hose mounting bar
- Single lance
- Detergent injection option









SCUD	Pressure	EWP with turbo	Flow	Yanmar Engine	НР	Version	Stock code	List price
100 YD	2,000 psi (140 bar)	2,600 psi	11 lpm	L48 recoil	4.8	Standard	ABSS100/L48	\$4,840
350 VD5	3,000 psi	4,785 psi	15 lpm	L100	10	Standard	ABBSS350/L100E	\$8,350
350 YDE	(210 bar)	4,765 psi	12 ibiii	e/start		Mine Spec	ABBSS350/L100EM	\$9,464
400 YDE	4,000 psi	6,485 psi	13 lpm	L100	10	Standard	ABBSS400/L100E	\$8,728
400 YDE	(275 bar)	6,465 psi	13 ibiii	e/start	10	Mine Spec	ABBSS400/L100EM	\$9,842
Pumn details weights & dimensions							Standard	

Pump details, weights & dimensions

SCUD	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
100 YDE	WBL1114	-	50kg	620x540x580 mm
350 YDE	TTL1520	045	160kg	1100x800x950 mm
400 YDE	TTL1330	030	160kg	1100x800x950 mm

Accessories supplied with machine Scud 100

Hose	AHW06M22X2X8	8m R2				
Gun	M4021108007	AL13				
Lance	C4723.45.115	Vario				
Nozzle -						
Pump service kits p85						

Scud 350, 400 YDE Standard

AHW06M22X2X10 10m R2 M4022209003 AL55 C3924.01 700mm Dua 15° & C915___M C915500MSS detergent Pump service kits ... p87


Scud 350, 400 YDE Mine Spec

	AHW06M22X2X10	10m R2
	CGPDG5010	Aussie Spray Gun
al	C3905.15	900mm Single
	C915M	15°

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance 60% MORE BITE

Increase the effective working pressure (EWP) of your blaster without loading the pump!



Tele-wand ... REACH FURTHER

Ideal for reaching eaves & washing windows, extends to 5.5m, includes FREE harness. Quik Tip nozzle sold separately.



CLEAN FLAT SURFACES FAST

SLASH CLEANING TIMES BY 75% Clean flat surfaces four times faster, leaving a streak free finish. Standard nozzles included.

AGPDFSC20 20" Spinner \$1.290 AGPDFSCS22Z 22" Cyclone \$1,624



Remove paint & rust fast

M202903460 (to 3.000 psi) \$247 (head, lance, nozzle, probe & hose) MTM160172 (4,000 psi) (head, probe & hose, NB nozzle & lance required

Extra length hose ... CONVENIENT

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)

AHW06FB6FB6X20 (20m) AHW06FB6FB6X30 (30m) \$524 AHW06FB6FB6X50 (50m) \$811 M212003540 (M22 QC) \$23 (2 required) M212003660 nipple to join 2 hoses

4,000 psi Hose Reel Kit .. EASY FIT

Safer & smarter working, includes reel. 30m double wire braid hose. whip hose & mounting plate

For Scud 100 ... call Aussie

ADHR40100D (hose reel kit) A134SS/30MBPH (ss hose reel kit) \$1,460 AHRPLATEL100SS (mounting bar for standard frame) \$230

Drain Clearing Kit, SAFE & SIMPLE

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.





NB nozzle & lance required)

Aussie Blue-Pro hoses, 5,800 psi rated. (M22 & M24 couplings sold separately)

AHW06FB6FB6X20 \$350 (20m)(30m) \$524

M212003660 nipple to join 2 hoses \$16

Drain Clearing Kit, SAFE & SIMPLE

Aussie Jetters Tool Box.

including quick coupler to fit to end of blaster high pressure hose. Includes



Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



Tele-wand ... REACH FURTHER

Ideal for reaching eaves & washing windows, extends to


5.5m, includes FREE harness. Quik Tip nozzle sold separately.



CLEAN FLAT SURFACES FAST

SLASH CLEANING TIMES BY 75% Clean flat surfaces four times faster. leaving a streak free finish. Standard

AGPDFSC20 20" Spinner \$1,290 AGPDFSCS22Z 22" Cyclone \$1.624



Remove paint & rust fast

nozzles included.

M202903460 (to 3.000 psi) (head, lance, nozzle, probe & hose) MTM160172 (4,000 psi)

(head, probe & hose,



Extra length hose ... CONVENIENT

Cleaning large plant?... reach further with these extra length R2 wire braid hose, 3/8 female ends

AHW06FB6FB6X30 AHW06FB6FB6X50 (50m) \$811 M212003540 (M22 QC) \$23 (2 required)

Includes Aussie Viner Mini Reel with 60 metres of

3/16" sewer hose. Full

Safety Plate.

ADRAINKIT



NEW 4,000 PSI ATLAS YANMAR OR HATZ| SUPER HEAVY DUTY

Aussie Pumps



'Big Berty' slow speed pumps for continuous operation (page86)

ATLAS 400

- **Industrial Yanmar L** series air cooled diesel with electric start
- **NEW Scud stainless steel** frame & anti vib mounts, steel wheels with pneumatic tyres
- Gearbox drive provides OH&S safety benefits, minimal maintenance

- 30 litre stainless steel break tank
- Stainless steel reel with 30m Aussie Blue-Pro
- FREE ASP (Aussie Safety Protection) kit including unloader, safety valve & thermal dump
- Detergent injection ... faster cleaning
- Yanmar engine care kit ... see p 62

Aussie Mine Spec Features: Emergency stop

- Fire extinguisher
- Dry cell battery with lockable battery isolation
- Double insulated wire
- Lifting bar/hose mounting bar

HATZ DIESEL VERSION

Industrial Hatz B series diesel with DSE engine control panel & 21 litre fuel tank







Honda petrol drive ... p9

	Pressure	EWP with turbo	Flow	Hatz Engine	НР	Stock code	List price
Atlas 400 Yanmar	4,000 psi	6 19E nci	13 lpm	L100E e/start	11	ABB400/L100ATLAS	\$12,125
Atlas 400 Hatz	4,000 psi (275 bar)	6,485 psi	15 lpm	1B50E e/start	11	ABBSS400/1B50EMS	\$14,240

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
Atlas Yanmar	TTL1330	035	215 kg	1100 x 800 x 1470
Atlas Hatz	TTL1530	035	220 kg	1100 x 800 x 1650

A conserve complied with machine

Accessories supplied with machine							
Hose	AHW06FB6FB6X30	30m R2 3/8" Aussie Blue-Pro non marking hose					
Gun	CGPDG5010	Aussie Blue-Pro Gun					
Lance	C3905.15	900mm Stainless Steel Dual Lance					
Nozzle	C915035M	Laser Cut (15°)					



NEW Premium 'Big Berty' triplex pump for continuous operation (page 86)

- **Heavy duty stainless** steel frame, antivibration mounts
- 16" steel wheels with pneumatic tyres
- Reliable, powerful Kohler air cooled diesel engine

BLASTER

- **FREE ASP (Aussie Safety** Protection) kit ... protects operator & machine from pressure spikes & extended bypass running
- Gearbox drive provides OH&S safety benefits, minimal maintenance
- Heavy duty pro accessories ... gun, single lance & 10m hp hose

Aussie Mine Spec Features:

- **Emergency stop**
- Fire extinguisher
- Dry cell battery with lockable battery isolation
- Double insulated wire
- Lifting bar (ASSPREDLIFTBAR \$350)

KOHLER.

Honda petrol drive ... p10

	Pressure	EWP with turbo	Flow	Kohler Engine	НР	Version	Stock code	List price
PREDATOR	5,000 psi	8,500	16 lpm KD477	23	Standard	ABSSPRED-A/KDE	\$23,420	
A KDE	(350 bar)	psi		KD4//	23	Mine Boss	ABBSSPRED-A/KDMS	\$26,462

Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh)
PREDATOR A KDE	KTL1635	035	250kg	1250 x 800 x 1130 mm

Accessories supplied with machine

	• •					
Hose	AHW06FB6FB6X10	10m R2 3/8" Aussie Blue-Pro non marking hose with M22 couplings				
Gun	MPA30450010	RL56 5,100 psi PA compensated spray gun				
Lance	MPA40025800	800mm PA single lance				
Nozzle	C915035M	Laser Cut (15°)				
Pump service kits n87						

Aussie Pump SAFE OPERATOR PPE to 500 bar ... p 80 Optional accessories **FASTER, SMARTER, SAFER**

Turbo Lance Kit 60% MORE BITE

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-035GLKM24

\$464

Grit Blast Kit ... SURFACE PREP

Remove paint & rust fast (head, probe & hose, NB nozzle & lance required)



MTM160172

Extra length hose ... CONVENIENT

Cleaning large plant?...

reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M24 couplings sold separately)



AHW06FB6FB6X20 (20m)\$350 AHW06FB6FB6X30 (30m) \$524 AHW06FB6FB6X50 (50m) \$811 MPA26065050 (M24 QC) \$46 (2 required) M212003660 nipple to join 2 hoses

5,000 psi Stainless Steel Hose Reel

5,000 psi rated, takes up to 30m of 3/8" hose, universal foot mount. Fits to frame on petrol versions only, otherwise wall mount.


1.3m whip hose.



A134SS/30MBPH (ss hose reel kit) \$1,460 MPA26065050 (M24 QC) \$46 (2 required) AHRBARSSPREDMS mounting bar \$390

Drain Clearing Kit ... SAFE & SIMPLE

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.



ADRAINKIT \$3,384









(slow speed, gearbox drive)

Features Designed for Performance & Longevity

- 1. High pressure seals made up of special compound for wear resistance and Teflon reinforced anti-extrusion ring. Superior sealing system for water up to 74°C.
- 2. Rapid action, mirror finish 316 stainless steel check valves prevent corrosion.
- 3. Smart crankcase with high thermal conductivity & pronounced fins to disperse heat. Lower running temperatures extend seal & pump life.
- 4. Large Tenifer® treated stainless steel plunger rods ... stronger, harder, smoother for longer seal life.
- 5. High quality pure ceramic pistons for years of uninterrupted high-pressure performance.
- 6. Premium oversized bearings for extended pump life. Extra long forged steel crankshaft for a solid coupling pump-motor/engine.
- 7. Oversized hyper 328 Tonolli alloy connecting rods (single piece) for extra strength & easier lubrication.
- 8. Exclusive double "V" and "U" self-lubricating packing seals with an elastomer designed to prevent water from contaminating the oil in the crankcase. This gives years of leak-free operation.
- 9. Low stress valve caps ... eliminates water leaks & thread failures, easier pump maintenance.
- 10. High efficiency brass head ... thicker walls to withstand

high



Aussie Safety Protection kit fitted

(Used on Aussie Scud,

Ultra & Cobra Series)

European-American

Components

Bertolini pump kits for easy upgrades readily available

Exclusive authorised Australian distributor for Bertolini Triplex Pumps



4 year warranty

7,300 PSI (500 BAR) DIESEL

GEARBOX DRIVE | CLASS B (OPERATOR RTO CERT REQUIRED)



RAPTOR DIESEL

- 'Big Berty' slow speed Triplex pump for continuous operation (page 88)
- Kohler industrial diesel engines with emergency
- Heavy duty stainless steel frame, anti-vib mounts
- 16" steel wheels with pneumatic tyres
- FREE ASP (Aussie Safety

Protection) kit ...

4 year warranty

protects operator & machine from pressure spikes & extended by-pass running

- 10 metres of 500 bar hose
- 500 bar accessories ... PA gun, 1050mm lance & ceramic nozzle
- 500 bar certified hose
- FREE hose restraint valued at \$134

Aussie Mine spec includes

drive ... p11

- **Emergency stop**
- Fire extinguisher (2 Kg)
- Dual pole battery isolator
- High-viz class A reflective frame markings
- Double insulated wiring
- Lifting bar (ASSPREDLIFTBAR \$350)

	Pressure	EWP with turbo	Flow	Kohler Engine	НР	Version	Stock code	List price
	7,300 psi	7,300 psi 12,000 500 bar) psi	16 lpm	KD625	25	Standard	ABRAPK25H16/500	\$22,640
	(500 bar)				25	Mine Spec	ABRAPK25H16/500MS	\$26,840


Pump details, weight & dimensions

	Bertolini Pump	Nozzle size	Weight	Dimensions with skid (Lxwxh) mm
RAPTOR 16 KOH	RA1650	030	250kg	1250 x 1200 x 1500

Accessories supplied with machine

Hose Gun/lance	A3641443109 MPA30540000	10M 3/8" 500 bar RL57 500 bar pro gun & 1050mm lance
Gunjiance	WIPA30540000	RL57 500 bar pro gun & 1050mm lance
Nozzle	M0124006210	Ceramic tip 500 bar nozzle 15°

Pump service kits ... p89



Optional accessories **FASTER, SMARTER, SAFER**

Turbo Master 500 MORE BITE

Increase the effective working pressure (EWP) of your blaster without loading the pump! 500 bar (7,300 psi) includes turbo head, gun, 800mm

lance, nozzle & quick coupling nipple

CTN500-030 GLK \$2,357 (insert nozzle size)

Foot Valve ... MORE CONTROL

Stainless steel foot valve adds a second level of operator control, in addition to gun trigger, includes 3m whip hose AST500-M24



Grit Blast Kit ... SURFACE PREP

TPS 450, 500 bar (7,300 psi) c/w probe, plastic hose, lance, gun, nozzle & quick coupling nipple

TPS450/030 GLK \$1,606



500 Bar Hose Reels & Hose

p 73

500 bar reel,(7,300 psi) rated, takes up to 30m hose, universal foot mount. Does not fit onto frame, wall mount only.

HAR700 \$1,634 Whip hose sold separately ... p71




3/8" R2 HP hose, 3/8M BSP ends, 150°C rated, for quick couplings refer p 67 \$1,035

A3641443209 (20m) A3641443309 (30m) \$1,321 AHRSSPRED/KOH mounting bar \$390

Ceramic Nozzles ... LAST LONGER

Aussie White Tip 500 bar 0° & 15°, nozzle, ceramic insert , inlet 1/4" NPT M ... \$151

O° (pencil jet) 15° (fan)





Aussie Pumps

4,300 - 5,000 PSI **MINE SPEC EXTREME**

CLASS B ... OPERATOR CERTIFICATION REQUIRED



- **'Big Berty'** slow speed Triplex pump for continuous operation (page 88)
- Heavy duty gal frame skid base with multiple fork lifting points & integrated bunding
- Reliable, water cooled, multi cylinder, Yanmar engine producing 24kW at 2300 rpm
- Integrated control panel including full engine protection& hour meter.
- 50 litre fuel tank ... runs for approx. 8 hrs.
- Engine governed to 2,400 rpm max
- 60 litre stainless steel break tank with low water shutdown

- FREE ASP (Aussie Safety Protection) kit
- Stainless steel hose reel with 30 metres of R2 double wire braid 400 bar rated hose. (Manual Recoila reel option, \$1,963 extra)
- FREE hose restraint worth

Aussie Mine spec includes

- **Emergency stop**
- Bunded frame
- Fire extinguisher (2 Kg)
- Dual pole battery isolator
- High-viz class A reflective frame markings
- Flashing safety beacon
- Double insulated wiring

Weight



FRFF ASP (Aussie Safety Protection) kit







	Pressure	EWP with turbo	Flow	Yanmar Engine	Stock code	List price
Python MS	4,300 psi (300 bar)	6,485 psi	31 lpm	3 TNV88	ABPYTHON18-3TNV	\$33,400
Predator + MS	5,000 psi (350 bar)	8,500 psi	25 lpm	3 TNV88	ABPRED+3TNV	\$33,400

Pump details, weight & dimensions

Pump service kits ... p89

Python MS	Premium RAS4482	070	565kg	1400x1400x1250
Predator + MS	Premium RAL2535	045	560kg	1400x1400x1250
Accessories supplied with machine				
Hose	AHW06FB6FB6X30	30m R2 3/8	" Aussie Blu	e-Pro hose with M22 couplings
Gun	AGPDG5010	5,000 psi pr	o gun	
Lance	C3905.15	900mm sing	gle lance	
Nozzle	C915M	Laser Cut (1	L5°)	

Nozzle size

Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working



CTN400-045GLKM24 \$464 CTN400-075GLK \$452

Grit Blast Kit ... SURFACE PREP

Remove paint & rust fast (head, probe & hose, NB nozzle & lance required)



Foot Valve ... MORE CONTROL

350 BAR foot valve adds a second level of operator control, in addition to gun

MTM160172

\$644
\$48
¢11

AST350-2605	\$644
AHW06FB6FB6X2 (whip hose)	\$48
C1500.05 (1/4"F x M22 nipple)	\$11
C1500.24 (3/8"M x M22 nipple)	\$11
M212003540 (M22 couplings-2 required)	\$23

500 Bar Personal Protective Gear

Overalls

Aprons

p 80



- Jackets Gloves
- Trousers **Boots**



Drain Clearing Kit, SAFE & SIMPLE

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.

ADRAINKIT



Bertolini Pump

Dims with skid (Lxwxh) mm




- 1. **Two sight glasses**. Makes it easier to monitor oil level.
- O-ring groove in cover crankcase.Increases sealing and strength of rear cover.
- Double cylindrical roller bearing. Increases life of pump.
- Tenifer® treated stainless steel plunger rod
 ... stronger, harder, smoother for longer seal life.
- Valve cap design prevents loosening. Deeper o-ring prevents o-ring extrusion to increase endurance and prevent water leaks.
- 6. **Solid ceramic pistons** ... 99.5% alumina ceramic, for years of uninterrupted high-pressure performance.
- Innovative suction manifold design for better cooling.
 Increases the volume of re-cycling, lubricating the backflow pressure seals ensuring longer life and a quieter operation.
- Sealed chamber between crankcase/head (patented).
 Guarantees perfect suction feed of high/low pressure seals in constant wet conditions.
- 9. Efficient volumetric 316 stainless steel check valves.
- 10. **Bronze connecting rods,** "two piece" matched pairs, designed to absorb and distribute heavier loads with minimum fatigue and wear.
- 11. Superior double "U" packing self-lubricating sealing system, with re-cycling area (exclusive Bertolini technology) to ensure continuous lubrication in any condition. Handles water temperatures to 74°C.




European-American

Components



(Used on Aussie Python,



Aussie Safety Protection kit fitted



