

Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/03/2022

Page 1/9

1 Identification

· Product identifier

- · Product Name: Tuning Solution 1
- · Part Name: CL-TUNE-1
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Spex CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
 732-549-7144
- USMet-CRMSales@antylia.com
- Information department: product safety department • Emergency telephone number:
- Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: hydrochloric acid nitric acid Hazard statements
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage. • Precautionary statements
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- *P310 Immediately call a poison center/doctor.*
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- · Classification system:
- · NFPA ratings (scale 0 4)





Product Name: Tuning Solution 1

· HMIS-ratings (scale 0 - 4)

HEALTH	*3	Health = *3
		Fire = 0
REACTIVITY	0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7647-01-0 hydrochloric acid	5.0%
7697-37-2 nitric acid	2.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	92.988%
7439-92-1 lead	0.001%
7439-93-2 lithium	0.001%
7439-95-4 magnesium	0.001%
7440-16-6 rhodium	0.001%
7440-28-0 thallium	0.001%
7440-39-3 barium	0.001%
7440-41-7 beryllium	0.001%
7440-45-1 cerium	0.001%
7440-48-4 cobalt	0.001%
7440-61-1 uranium	0.001%
7440-65-5 yttrium	0.001%
7440-74-6 indium	0.001%

Safety Data Sheet

acc. to OSHA HCS

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Reviewed on 05/03/2022

(Contd. of page 1)

Product Name: Tuning Solution 1

· Reference to other sections

See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
- PAC-1:	
7647-01-0 hydrochloric acid	1.8 ppm
7439-92-1 lead	0.15 mg/m ³
7439-93-2 lithium	3.3 mg/m ³
7439-95-4 magnesium	18 mg/m ³
7440-16-6 rhodium	3 mg/m ³
7440-28-0 thallium	0.06 mg/m ³
7440-39-3 barium	$1.5 mg/m^3$
7440-41-7 beryllium	0.0023 mg/m
7440-45-1 cerium	30 mg/m ³
7440-48-4 cobalt	0.18 mg/m^3
7440-61-1 uranium	0.6 mg/m^3
7440-65-5 yttrium	$3 mg/m^3$
7440-74-6 indium	0.3 mg/m ³
PAC-2:	
7647-01-0 hydrochloric acid	22 ppm
7439-92-1 lead	120 mg/m ³
7439-93-2 lithium	36 mg/m ³
7439-95-4 magnesium	200 mg/m ³
7440-16-6 rhodium	33 mg/m ³
7440-28-0 thallium	$3.3 mg/m^3$
7440-39-3 barium	180 mg/m ³
7440-41-7 beryllium	0.025 mg/m
7440-45-1 cerium	330 mg/m ³
7440-48-4 cobalt	$2 mg/m^3$
7440-61-1 uranium	5 mg/m ³
7440-65-5 yttrium	33 mg/m ³
7440-74-6 indium	3.3 mg/m ³
- PAC-3:	
7647-01-0 hydrochloric acid	100 ppm
7439-92-1 lead	700 mg/m ³
7439-93-2 lithium	220 mg/m ³
7439-95-4 magnesium	1,200 mg/m
7440-16-6 rhodium	200 mg/m ³
7440-28-0 thallium	200 mg/m ² 20 mg/m ³
7440-39-3 barium	
7440-59-5 barrum 7440-41-7 beryllium	[,100 mg/m 0.1 mg/m ³
7440-41-7 beryllium 7440-45-1 cerium	2,000 mg/m
	2,000 mg/m 20 mg/m ³
7440-48-4 cobalt 7440-61-1 uranium	
	30 mg/m ³
7440-65-5 yttrium	$200 mg/m^3$
7440-74-6 indium	20 mg/m^3

Safety Data Sheet acc. to OSHA HCS

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

 \cdot Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

Reviewed on 05/03/2022

(Contd. of page 2)

Product Name: Tuning Solution 1

Reviewed on 05/03/2022

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

7647-01-0 hydrochloric acid

- PEL Ceiling limit value: 7 mg/m³, 5 ppm
- REL Ceiling limit value: 7 mg/m³, 5 ppm
- TLV Ceiling limit value: 2 ppm
 - A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
	(Contd. on page 5)

(Contd. on page 5)

Product Name: Tuning Solution 1

(Contd.	of	page	4
---------	----	------	---

	(Conta. of page +)
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F)	1.01833 g/cm ³ (8.49796 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	93.0 %
VOC content:	0.00~%
Solids content:	0.0~%
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

· Primary irritant effect:

• on the skin:

- Caustic effect on skin and mucous membranes.
- Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

	ernational Agency for Research on Cancer)	
7647-01-0	hydrochloric acid	3
7439-92-1	lead	28
7440-41-7	beryllium	1
7440-48-4	cobalt	28
· NTP (Nati	ional Toxicology Program)	
7439-92-1	lead	R
	lead	R K
7439-92-1	lead beryllium	

- US —

Product Name: Tuning Solution 1

Reviewed on 05/03/2022

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- $\cdot \textit{Recommendation: Disposal must be made according to official regulations.}$
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric acid solution)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID SOLUTION)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID SOLUTION)
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	
· Class	8 Corrosive substances
	8
· Packing group · DOT, ADR, IMDG, IATA	Π
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemler code): • EMS Number:	80 F-A,S-B
	(Contd on page 7)

Safety Data Sheet

acc. to OSHA HCS



Page 7/9

Product Name: Tuning Solution 1

Reviewed on 05/03/2022

	(Contd. of page 6)
 Segregation groups Stowage Category Stowage Code Segregation Code 	Acids B SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
• Transport in bulk according to Annex II of MARPOL73/78 a	nd the IBC Code Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID SOLUTION), 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Sara	
· Section 313 (Specific toxic chemical listings):	
7647-01-0 hydrochloric acid	
7697-37-2 nitric acid	
7439-92-1 lead	
7439-93-2 lithium	
7440-28-0 thallium	
7440-39-3 barium	
7440-41-7 beryllium	
7440-48-4 cobalt	
· TSCA (Toxic Substances Control Act):	
7732-18-5 water, distilled, conductivity or of similar purity	ACTIVE
7647-01-0 hydrochloric acid	ACTIVE
7439-92-1 lead	ACTIVE
7439-93-2 lithium	ACTIVE
7439-95-4 magnesium	ACTIVE
7440-16-6 rhodium	ACTIVE
7440-28-0 thallium	ACTIVE
7440-39-3 barium	ACTIVE
7440-41-7 beryllium	ACTIVE
7440-45-1 cerium	ACTIVE
7440-48-4 cobalt	ACTIVE
7440-61-1 uranium	ACTIVE
7440-65-5 yttrium	ACTIVE
7440-74-6 indium	ACTIVE
· Hazardous Air Pollutants	
7647-01-0 hydrochloric acid	
7439-92-1 lead	
7440-48-4 cobalt	
Proposition 65	
· Chemicals known to cause cancer:	
7439-92-1 lead	
7440-41-7 beryllium	
7440-48-4 cobalt	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 8)

A3

A1

certipren Printing date 05/03/2022

Product Name: Tuning Solution 1

Reviewed on 05/03/2022

	(Contd. of page 7)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
7439-93-2 lithium	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7439-92-1 lead	B2
7440-39-3 barium	D, CBD(inh), NL(oral)
7440-41-7 beryllium	B1, K/L(inh), CBD(oral)
· TLV (Threshold Limit Value)	
7647-01-0 hydrochloric acid	A4
7439-92-1 lead	A3
7440-39-3 barium	A4

7440-48-4 cobalt

7440-61-1 uranium

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-61-1 uranium

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: hydrochloric acid
- nitric acid
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

· Precautionary statements

- P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 05/03/2022 / -

· Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health

(Contd. on page 9) US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2022

Product Name: Tuning Solution 1

- TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corroisoin/rritation Category 2 Eye Dam. 1: Serious eye damage/eye irritation Category 1

Reviewed on 05/03/2022

(Contd. of page 8)

- US —

