


Pirce Ceiling - White



IP20    

Dimmerable: +  -

TECHNICAL DRAWINGS



DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

FEATURES

Article Code:	1242010A	Material:	Aluminum
Colour:	Bianco	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Width:	cm 97	Glow Wire Test:	650
Height:	cm 44		

NOT INCLUDED SOURCES

Category:	HALO	Color temperature (K):	2950K
Number:	1	Class:	A
Watt:	330W		
Lbs:	R7s		

ALTERNATIVE SOURCES

Category:	LED
Number:	1
Watt:	11w
Delivered lumens output (lm):	1110lm
Type:	2
Socket:	R7s
Class:	A

LUMINAIRE


Watt:	330W	CCT:	2950K
Voltage:	220V-240V		

Pirce Ceiling LED white 2700K


 IP20    

 Dimmerable: +  -

TECHNICAL DRAWINGS



DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

FEATURES

Article Code:	1253W10A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Width:	cm 97	Glow Wire Test:	650
Height:	cm 44		

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	44W	CRi:	90
Delivered lumens output (lm):	3955lm		
Type:	0		
Class:	A		

LUMINAIRE

Watt:	44W	Delivered lumens output (lm):	3097lm
Voltage:	220V-240V	CCT:	2700K
		Efficiency:	82%
		Efficacy:	70.39lm/W
		CRi:	90
		Dimmable Typology:	Push

Notes

Lamp included.


Pirce Ceiling LED white 3000K



IP20    

Dimmerable: +  -

TECHNICAL DRAWINGS



DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

FEATURES

Article Code:	1253110A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Width:	cm 97	Glow Wire Test:	650
Height:	cm 44		

INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	44W	CRi:	90
Delivered lumens output (lm):	4230lm		
Type:	0		
Class:	A		

LUMINAIRE

Watt:	44W	Delivered lumens output (lm):	3313lm
Voltage:	220V-240V	CCT:	3000K
		Efficiency:	82%
		Efficacy:	75.30lm/W
		CRi:	90
		Dimmable Typology:	Push

Notes


Lamp included.

Pirce Ceiling LED 3000K Gold


 IP20    

 Dimmerable: +  -

TECHNICAL DRAWINGS



DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

FEATURES

Article Code:	1253120A	Material:	Aluminum
Colour:	Gold	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Width:	cm 97	Glow Wire Test:	650
Height:	cm 44		

INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	44W	CRi:	90
Delivered lumens output (lm):	4230lm		
Type:	0		
Class:	A		

LUMINAIRE

Watt:	44W	Delivered lumens output (lm):	3313lm
Voltage:	220V-240V	CCT:	3000K
		Efficiency:	82%
		Efficacy:	75.30lm/W
		CRi:	90
		Dimmable Typology:	Push

Notes

Lamp included.