
moooi°



Raimond Dome 79

Raimond Dome brings the poetry of a starry night to our homes, having a powerful lamp right at the centre of its dome-shaped network of twinkling LED lights. This makes it the perfect reading or dining lamp.

Designer Year of design Material Additional Raimond Puts 2012 Stainless steel and PMMA high output central spot

www.moooi.com

moooi°

warm white light in every direction.

Wideangle led spot

The intricate spheres of Raimond transport the electrical current. The LED terminals then join these paths to create an atmospheric ambiance. The transparant lenses are specially detailed to spread

detailing



colour

Stainless steel

packaging

H 91CM | 35,8" W 91CM | 35.8" D 60CM | 23.6"

Colli I/I

Product weight: 7KG | 15.4lb

With packaging: 9KG | 19.8lb

moooi°

technical

CE

LED: power consumption 18W

colour temperature (degrees Kelvin, K) 2879K (warm white, comparable to incandescent)

colour rendering index 81.8

luminous flux (Lumen, Im) 620lm (60W incandescent)

compatible Dimmers (CE):

manufacturer	type
BERKER	286710
BUSCH JAEGER	6513U-102
ELARI	ATD 315
ELARI	ATD 600R
EPV	PAB 315
INSTA	51190
INSTA	51040
JUNG	225TDE
LUTRON	LPRPM-4A
LUTRON	GRAFIK INTEGRAL XGI
OPUS	852395
РЕНА	433HAB
SCHNEIDER	ATD 315
SCHNEIDER	600R
SIEMENS	5 TC8 284

Or similar specifications. Lowest dimming position will be approx. 20% -25% depening on dimmer/ lamp combinations.

Please note when using other dimmers (other types and/or manufacturers) than recommended the dimming curve may not be as fluent, in certain positions flickering or other inconsistencies could occur.

moooi

dimensions

