


UT  
 UT UT  
 UT UT  
 UT  
 UT  
 UT

Collezione di proiettori LED ad alta potenza dal design minimalista ed elegante. Ampia varietà di soluzioni, con fonti luminose e ottiche che possono risolvere qualunque necessità di illuminazione. Possibilità di installazione su binario trifase per la massima flessibilità o a soffitto per una migliore integrazione nell'architettura. Efficienza e affidabilità.

A collection of minimalist and elegant high-power LED projectors. A wide range of solutions with light sources and optics for all your lighting needs. Possibility of installing a three-phase track for maximum flexibility or ceiling installation for a better integration in the architecture. Efficiency and reliability.

UT





Victoria Beckham Store,  
London

UT SPOT

Proiettore professionale ad alta performance disponibile con un'ampia varietà di effetti luminosi.

High performance professional projector available with a wide range of lighting effects.

1 Ottica multi-chip per ottenere angoli di apertura molto stretti.  
Multichip optical design to achieve very narrow beam angles.

2 Versione wall-washer disponibile nella versione track da Ø86.  
A wall-washer version is available in Ø86 track version.



1




2

UT SPOT ALL WHITE

Nuove versioni realizzate nell'esclusiva finitura "all white" per la massima integrazione nell'ambiente.


New versions with the exclusive "all white" finish for the best possible integration into the environment.



UT PRO SURFACE

Versioni per installazione in superficie con basetta integrata e regolatore di potenza incluso.

Versions for surface installation with integrated base and power regulator included.





Flos Booth Euroshop Fair,  
Germany



Boutek, Milan  
Top




Central European University,  
Budapest  
Bottom

- 1 UT SPOT TRACK Ø57
- 2 UT SPOT TRACK Ø86 WALL-WASHER
- 3 UT DOWNLIGHT Ø86
- 4 UT PRO SURFACE 150



Un programma professionale completo ideale per gestire qualsiasi applicazione retail. Il parco ottiche esteso, le potenze e la versatilità che caratterizza ogni modello rendono la gamma UT una soluzione perfetta per ogni tipo di esigenza tecnica all'interno di uno spazio espositivo.


Complete professional program, ideal for controlling any retail application. The extended optics kit, powers and versatility that characterize each model make the UT range the perfect solution for any technical requirement of display areas.





Sistema di regolazione tramite una guida dentata che consente di nascondere i proiettori, integrandoli nell'ambiente.

An adjustment system on a toothed guide permits concealing the spotlights, thus becoming integrated into the environment.







TRACK  
Ø57



LED ARRAY  
23,5W




Dali Version




TRACK  
Ø57



LED ARRAY  
23,5W




Dali Version



CEILING  
Ø57




LED ARRAY  
23,5W




TRACK  
Ø86



LED ARRAY  
HIGH PERFORMANCES  
33W  
PHOSPHOR LED  
27W




Dali Version




TRACK  
WALL-WASHER  
Ø86



LED ARRAY  
HIGH PERFORMANCES  
33W





Dali Version




CEILING  
Ø86



LED ARRAY  
HIGH PERFORMANCES  
33W  
PHOSPHOR LED  
31W / 34W




Super Spot



Spot



Medium



Flood

30 Bianco  
30 White

14 Nero  
14 Black

30.78 All White  
30.78 All White

30 Bianco  
30 White


14 Nero  
14 Black




TRACK  
Ø86




PHOSPHOR LED  
31W / 34W



LED ARRAY  
HIGH PERFORMANCES  
33W




Dali Version



TRACK  
WALL-WASHER  
Ø86




LED ARRAY  
HIGH PERFORMANCES  
33W



TRACK  
MULTICHIP  
Ø86




TOP LED  
11,5W



\*Dimable/Non Dimable  
\*\*Dali Version

Può essere ruotato di 360° e orientato di 90°.  
Can be rotated 360° and swivelled 90°.





UT DOWNLIGHT

UT PRO SURFACE



RECESSED

SURFACE

TRIM / NO TRIM  
Ø57





LED ARRAY  
18W



TRIM / NO TRIM  
Ø86




LED ARRAY  
HIGH PERFORMANCES  
27W



UT PRO SURFACE  
150




LED ARRAY  
23,5W



UT PRO SURFACE  
175




LED ARRAY  
35,3W



UT PRO 150  
GA-69




LED ARRAY  
23,5W



UT PRO 175  
GA-69




LED ARRAY  
35,3W



UT PRO 175 LENS  
GA-69




LED ARRAY  
35,3W



UT PRO WALL-WASHER  
GA-69





TOP LED  
25,5W



Compatible con The Tracking Power.  
Compatible with The Tracking Power.

Può essere ruotato di 360° e orientato di 90°.  
Can be rotated 360° and swivelled 90°.



30 Bianco  
30 White

14 Nero  
14 Black

30 Bianco  
30 White

14 Nero  
14 Black

