

Enlightening Night Serum

Sample ID: 2202LPX0038.0101 Strain: CBD Matrix: Topical Type: Other Sample Size: 1 units; Batch:

Produced: Collected: Received: 02/11/2022 Completed: 08/10/2022 Batch#: 22012107

Client Shikohin Inc. Lic.# 125 Nevada St El Segundo, CA 90245



(562) 753-6700

https://www.labplex.com

Cannabinoids

ND Total THC			2.200 m į Total	g/serving CBD	;		n g/serving nnabinoids	PASSED PA
Analyte	LOD	LOQ	Results	Results	Results	Results	Results	
	mg/g	mg/g	%	mg/g	mg/mL	mg/serving	mg/container	
THCa	0.021	0.063	ND	ND	ND	ND	ND	
∆9-THC	0.006	0.017	ND	ND	ND	ND	ND	
∆8-THC	0.009	0.026	ND	ND	ND	ND	ND	
THCV	0.008	0.025	ND	ND	ND	ND	ND	
CBDa	0.026	0.079	ND	ND	ND ND	ND	ND	
CBD	0.009	0.028	0.217	2.170	2.200	2.200	105.605	
CBDV	0.014	0.043	ND	ND	ND	ND	ND	
CBN	0.004	0.012	ND	ND	ND	ND	ND	
CBGa	0.017	0.052	ND	ND	ND	ND	ND	
CBG	0.019	0.058	ND	ND	ND	ND	ND	
CBC	0.008	0.024	ND	ND	ND	ND	ND	
Total THC			ND	ND	ND	ND	ND	
Total CBD			0.217	2.170	2.200	2.200	105.605	
Total			0.217	2.170	2.200	2.200	105.605	

Date Tested: 02/11/2022

1 mL = 1.014g. 48 servings per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids test ran using test method described in LP.TM.001 using a Shimadzu HPLC-2030C Total cannabinoid concentration (mg/g) = (cannabinoid acid form concentration (mg/g) x 0.877) +

cannabinoid concentration (mg/g). Total cannabinoid concentration (mg/mL) = (cannabinoid acid form concentration (mg/mL) x 0.877) + cannabinoid concentration (mg/mL). Dry-weight percent cannabinoid = wet-weight percent cannabinoid / (1 - percent moisture / 100)





QA Testing

1 of 4

Accreditation No.: 106215 All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 4 CCR Section 15730. Values reported relate only to the product tested. LabPlex makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of LabPlex.



Enlightening Night Serum

Sample ID: 2202LPX0038.0101 Strain: CBD Matrix: Topical Type: Other Sample Size: 1 units; Batch:

Produced: Collected: Received: 02/11/2022 Completed: 08/10/2022 Batch#: 22012107

(562) 753-6700

Client Shikohin Inc. Lic.# 125 Nevada St El Segundo, CA 90245

Pesticides

μg/g μg/g <th< th=""><th>Analyte</th><th>LOD</th><th>LOQ</th><th>Limit</th><th>Results</th><th>Status</th><th>Analyte</th><th>LOD</th><th>LOQ</th><th>Limit</th><th>Results</th><th>Status</th></th<>	Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
Accephate 0.02 0.05 5 ND Pass Hexythiazox 0.02 0.05 2 ND Pass Accequinocyl 0.02 0.05 4 ND Pass Imazali 0.02 0.05 0.2 ND Pass Accetaniprid 0.015 0.05 5 ND Pass Kresoxim Methyl 0.01 0.05 3 ND Pass Aldicarb 0.02 0.05 0.02 ND Pass Malathion 0.03 0.05 5 ND Pass Metalaxyl 0.01 0.05 15 ND Pass Metalaxyl 0.01 0.05 0.02 ND Pass Metalaxyl 0.01 0.05 0.01 ND Pass Captan 0.03 0.07 ND Pass Methomyl 0.01 0.05 0.01 ND Pass Carboruran 0.02 0.05 0.05 ND Pass Carboruran 0.02 0.07 0.02 ND		µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Accequinocyl 0.02 0.05 4 ND Pass Imizalil 0.02 0.05 0.02 ND Pass Acetamiprid 0.015 0.05 5 ND Pass Imidacloprid 0.01 0.05 3 ND Pass Aldicarb 0.02 0.05 0.02 ND Pass Kresoxim Methyl 0.01 0.05 1 ND Pass Actany 0.01 0.05 40 ND Pass Metalaxyl 0.01 0.05 15 ND Pass Bifentrin 0.01 0.05 5 ND Pass Metalaxyl 0.01 0.05 0.02 ND Pass Carbar 0.02 0.05 10 ND Pass Methoryl 0.01 0.05 0.02 ND Pass Carbaryl 0.04 0.05 0.02 ND Pass Naled 0.02 0.05 ND Pass Carbaryl 0.01	Abamectin	0.04	0.05	0.3	ND	Pass	Fludioxonil	0.01	0.05	30	ND	Pass
Acetamiprid 0.015 0.05 5 ND Pass Imidacloprid 0.01 0.05 3 ND Pass Aldicarb 0.02 0.05 0.02 ND Pass Kresoxim Methyl 0.01 0.05 1 ND Pass Bifenazate 0.01 0.05 5 ND Pass Malathion 0.03 0.05 15 ND Pass Bifenthrin 0.01 0.05 5 ND Pass Methocrab 0.02 0.05 10 ND Pass Boscalid 0.02 0.05 10 ND Pass Methoryl 0.01 0.05 0.01 ND Pass Captar 0.003 0.7 5 ND Pass Myclobutaril 0.02 0.04 ND Pass Carbaryl 0.04 0.05 0.02 ND Pass Myclobutaril 0.02 0.05 ND Pass Chlordane 0.005 0.016	Acephate	0.02	0.05	5	ND	Pass	Hexythiazox	0.02	0.05	2	ND	Pass
Aldicarb 0.02 0.05 0.02 ND Pass Kresoxim Methyl 0.01 0.05 1 ND Pass Azoxystrobin 0.01 0.05 40 ND Pass Malathion 0.03 0.05 5 ND Pass Bifenazte 0.01 0.05 5 ND Pass Methiaxyl 0.01 0.05 1 ND Pass Boscalid 0.02 0.05 0.5 ND Pass Methiocarb 0.02 0.05 0.02 ND Pass Carbaryl 0.04 0.05 0.5 ND Pass Methoryl 0.01 0.05 0.04 ND Pass Carbaryl 0.04 0.05 0.05 ND Pass Methoryl 0.01 0.05 ND Pass Chlordane 0.03 0.016 0.05 ND Pass Oxamyl 0.01 0.05 ND Pass Chlordrenapyr 0.02 0.05<	Acequinocyl	0.02	0.05		ND	Pass	Imazalil	0.02	0.05	0.02	ND	
Azoxystrobin 0.01 0.05 40 ND Pass Malathion 0.03 0.05 5 ND Pass Bifenzate 0.01 0.05 5 ND Pass Metalaxyl 0.01 0.05 15 ND Pass Bifenthrin 0.01 0.05 0.5 ND Pass Methiocarb 0.02 0.05 0.02 ND Pass Bascalid 0.02 0.05 0.01 ND Pass Methocarb 0.04 0.05 0.01 ND Pass Carbaryl 0.04 0.05 0.5 ND Pass Myclobutanil 0.02 0.1 9 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Myclobutanil 0.02 0.02 ND Pass Chlorantraniliprole 0.01 0.05 40 ND Pass Parathion Methyl 0.02 0.02 ND Pass Chlorane 0.007 <th>Acetamiprid</th> <th>0.015</th> <th>0.05</th> <th>5</th> <th>ND</th> <th>Pass</th> <th>Imidacloprid</th> <th>0.01</th> <th>0.05</th> <th>3</th> <th>ND</th> <th>Pass</th>	Acetamiprid	0.015	0.05	5	ND	Pass	Imidacloprid	0.01	0.05	3	ND	Pass
Bifenazate 0.01 0.05 5 ND Pass Metalaxyl 0.01 0.05 15 ND Pass Bifenthrin 0.01 0.05 0.5 ND Pass Methogyl 0.01 0.05 0.1 ND Pass Boscalid 0.02 0.05 0.02 ND Pass Methomyl 0.01 0.05 0.1 ND Pass Captan 0.003 0.7 5 ND Pass Methomyl 0.01 0.05 0.04 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.02 ND Pass Chloratne 0.005 0.016 0.005 ND Pass Parathion Methyl 0.002 0.05 0.02 ND Pass Chloratne 0.002 0.05 0.02 ND Pass Pertachloronitrobenzene 0.06 0.07 0.02 ND Pass	Aldicarb	0.02		0.02	ND	Pass	Kresoxim Methyl	0.01	0.05	1	ND	Pass
Bifenthrin 0.01 0.05 0.5 ND Pass Methiocarb 0.02 0.05 0.02 ND Pass Boscalid 0.02 0.05 10 ND Pass Methomyl 0.01 0.05 0.1 ND Pass Captan 0.03 0.7 5 ND Pass Methomyl 0.01 0.05 0.04 ND Pass Carbaryl 0.04 0.05 0.02 ND Pass Methomyl 0.01 0.05 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.5 ND Pass Chlordnar 0.05 0.01 0.05 ND Pass Parathion Methyl 0.02 0.07 ND Pass Chlordnar 0.02 0.05 0.02 ND Pass Parathion Methyl 0.02 0.07 0.02 ND Pass Chlorpyrifos 0.02	Azoxystrobin					Pass	Malathion			0		
Boscalid 0.02 0.05 10 ND Pass Methomyl 0.01 0.05 0.1 ND Pass Captan 0.003 0.7 5 ND Pass Mevinphos 0.04 0.05 0.04 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.5 ND Pass Chlorantraniliprole 0.01 0.05 0.01 0.05 ND Pass Paclobutrazol 0.02 0.05 0.02 ND Pass Chlorantraniliprole 0.01 0.05 0.01 0.05 ND Pass Paclobutrazol 0.02 0.02 ND Pass Chlorprifos 0.02 0.05 0.02 ND Pass Pertachloronitrobenzene 0.06 0.07 0.02 ND Pass Clofentezine 0.02 0.05 0.02 ND Pass Proportuplativitole 0.01 0.05 ND <td< th=""><th>Bifenazate</th><th>0.01</th><th></th><th>-</th><th></th><th></th><th>Metalaxyl</th><th></th><th></th><th></th><th></th><th></th></td<>	Bifenazate	0.01		-			Metalaxyl					
Captan 0.003 0.7 5 ND Pass Mevinphos 0.04 0.05 0.04 ND Pass Carbaryl 0.04 0.05 0.5 ND Pass Myclobutanil 0.02 0.1 9 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.02 ND Pass Chlorantraniliprole 0.01 0.05 0.016 0.005 ND Pass Paclobutrazol 0.02 0.05 0.02 ND Pass Chloratne 0.007 0.07 0.07 ND Pass Parathion Methyl 0.02 0.07 0.02 ND Pass Chlorpyrifos 0.02 0.05 0.02 ND Pass Pentachloronitrobenzene 0.04 0.05 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Propernyl Butoxide 0.01 0.05 A ND Pass </th <th>Bifenthrin</th> <th></th> <th></th> <th></th> <th></th> <th>Pass</th> <th>Methiocarb</th> <th>0.02</th> <th>0.05</th> <th></th> <th></th> <th></th>	Bifenthrin					Pass	Methiocarb	0.02	0.05			
Carbaryl 0.04 0.05 0.5 ND Pass Myclobutanil 0.02 0.1 9 ND Pass Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.5 ND Pass Chlorantraniliprole 0.01 0.05 40 ND Pass Oxamyl 0.01 0.05 0.2 ND Pass Chlordane 0.007 0.07 0.07 ND Pass Parathion Methyl 0.02 0.07 0.02 ND Pass Chlorpyrifos 0.02 0.05 0.02 ND Pass Pertachloronitrobenzene 0.06 0.07 0.2 ND Pass Colfentezine 0.02 0.05 0.02 ND Pass Pertechloronitrobenzene 0.06 0.07 0.2 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Priperonyl Butoxide 0.01 0.05 ND Pass </th <th>Boscalid</th> <th>0.02</th> <th></th> <th></th> <th>ND</th> <th>Pass</th> <th>Methomyl</th> <th>0.01</th> <th>0.05</th> <th></th> <th></th> <th>Pass</th>	Boscalid	0.02			ND	Pass	Methomyl	0.01	0.05			Pass
Carbofuran 0.02 0.05 0.02 ND Pass Naled 0.02 0.05 0.5 ND Pass Chlorantraniliprole 0.01 0.05 40 ND Pass Oxamyl 0.01 0.05 0.2 ND Pass Chlorane 0.005 0.016 0.005 ND Pass Paclobutrazol 0.02 0.05 0.02 ND Pass Chlorpyrifos 0.007 0.07 0.007 ND Pass Pertachloronitrobenzene 0.06 0.07 0.2 ND Pass Clofentezine 0.02 0.05 0.02 ND Pass Pertachloronitrobenzene 0.06 0.07 0.2 ND Pass Colorentezine 0.02 0.05 0.02 ND Pass Pertachloronitrobenzene 0.02 0.05 0.2 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Propiconazole 0.01 0.05 0.2 N												
Chlorantraniliprole 0.01 0.05 40 ND Pass Oxamyl 0.01 0.05 0.2 ND Pass Chlordane 0.005 0.016 0.005 ND Pass Paclobutrazol 0.02 0.05 0.02 ND Pass Chlorfenapyr 0.07 0.07 0.07 ND Pass Parathion Methyl 0.02 0.07 0.02 ND Pass Chlorpyrifos 0.02 0.05 0.02 ND Pass Pertachloronitrobenzene 0.06 0.07 0.2 ND Pass Coldentezine 0.02 0.05 0.02 ND Pass Permethrin 0.04 0.05 0.2 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Premethrin 0.02 0.05 0.2 ND Pass Cypermethrin 0.005 0.28 1 ND Pass Propoxur 0.02 0.05 0.02 ND P	,					Pass						
Chlordane 0.005 0.016 0.005 ND Pass Paclobutrazol 0.02 0.02 0.02 ND Pass Chlorperifos 0.02 0.05 0.02 ND Pass Parathion Methyl 0.002 0.07 0.002 ND Pass Chlorperifos 0.02 0.05 0.02 ND Pass Permethrin 0.04 0.05 0.02 ND Pass Clofentezine 0.02 0.05 0.5 ND Pass Permethrin 0.04 0.05 0.2 ND Pass Coumaphos 0.02 0.05 0.2 ND Pass Phosmet 0.02 0.05 0.2 ND Pass Cypermethrin 0.005 0.28 1 ND Pass Propiconazole 0.01 0.05 0.4 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propoxur 0.02 0.05 0.02 ND Pass						Pass						
Chlorfenapyr 0.007 0.07 ND Pass Parathion Methyl 0.002 0.07 0.002 ND Pass Chlorpyrifos 0.02 0.05 0.02 ND Pass Pentachloronitrobenzene 0.06 0.07 0.2 ND Pass Clofentezine 0.02 0.05 0.5 ND Pass Permethrin 0.04 0.05 2.25 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Phosmet 0.02 0.05 0.2 ND Pass Cyfluthrin 0.005 0.28 1 ND Pass Prepronyl Butoxide 0.01 0.05 8 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propoxur 0.02 0.05 0.02 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Pyrethrins 0.03 0.05 1 ND Pass												
Chlorpyrifos 0.02 0.05 0.02 ND Pass Pentachloronitrobenzene 0.06 0.07 0.2 ND Pass Clofentezine 0.02 0.05 0.5 ND Pass Permethrin 0.04 0.05 205 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Phosmet 0.02 0.05 0.2 ND Pass Cyfluthrin 0.005 0.28 1 ND Pass Piperonyl Butoxide 0.01 0.05 8 ND Pass Cyfluthrin 0.005 0.28 1 ND Pass Projeconzole 0.01 0.05 8 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propiconazole 0.02 0.05 0.02 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Pyrethrins 0.03 0.05 1 ND Pass												
Clofentezine 0.02 0.05 0.5 ND Pass Permethrin 0.04 0.05 205 ND Pass Coumaphos 0.02 0.05 0.02 ND Pass Phosmet 0.02 0.05 0.2 ND Pass Cyfluthrin 0.005 0.28 1 ND Pass Piperonyl Butoxide 0.01 0.05 8 ND Pass Cypermethrin 0.005 0.28 1 ND Pass Propiconazole 0.02 0.05 0.4 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propiconazole 0.02 0.05 0.02 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Propoxur 0.02 0.02 ND Pass Dimethoate 0.02 0.05 0.02 ND Pass Spinosad 0.02 0.05 3 ND Pass Dimethoate												
Coumaphos 0.02 0.05 0.02 ND Pass Phosmet 0.02 0.05 0.2 ND Pass Cyfluthrin 0.005 0.28 1 ND Pass Piperonyl Butoxide 0.01 0.05 8 ND Pass Cypermethrin 0.005 0.28 1 ND Pass Prallethrin 0.03 0.05 0.4 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propiconazole 0.02 0.05 0.02 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Propoxur 0.02 0.05 0.02 ND Pass Diachlorvos 0.02 0.1 0.02 ND Pass Pyrethrins 0.03 0.05 1 ND Pass Dimethoate 0.02 0.05 0.02 ND Pass Spinetoram 0.05 0.05 3 ND Pass	1 /											
Cyfluthrin 0.005 0.28 1 ND Pass Piperonyl Butoxide 0.01 0.05 8 ND Pass Cypermethrin 0.005 0.28 1 ND Pass Prallethrin 0.03 0.05 0.4 ND Pass Daminozide 0.02 0.05 0.02 ND Pass Propiconazole 0.02 0.05 20 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Propiconazole 0.02 0.05 0.02 ND Pass Diazinon 0.01 0.05 0.2 ND Pass Propoxur 0.02 0.05 0.02 ND Pass Dinchlorvos 0.02 0.05 0.02 ND Pass Spinetoram 0.01 0.05 3 ND Pass Dimethoate 0.02 0.05 0.02 ND Pass Spinosad 0.02 0.05 3 ND Pass												
Cypermethrin0.0050.281NDPassPrallethrin0.030.050.4NDPassDaminozide0.020.050.02NDPassPropiconazole0.020.0520NDPassDiazinon0.010.050.2NDPassPropoxur0.020.050.02NDPassDichlorvos0.020.10.02NDPassPyrethrins0.030.051NDPassDimethoate0.020.050.02NDPassPyrethrins0.010.053NDPassDimethomorph0.020.050.02NDPassSpinetoram0.050.053NDPassEthoprophos0.020.050.02NDPassSpinosad0.020.053NDPassEtofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFipronil0.020.050.02NDPassThiacloprid0.020.050.02ND <th>•</th> <th></th>	•											
Diazinon0.020.050.02NDPassPropiconazole0.020.020.0520NDPassDiazinon0.010.050.2NDPassPropoxur0.020.050.02NDPassDichlorvos0.020.10.02NDPassPyrethrins0.030.051NDPassDimethoate0.020.050.02NDPassPyrethrins0.010.053NDPassDimethomorph0.020.0520NDPassSpinetoram0.050.053NDPassEthoprophos0.020.050.02NDPassSpinosad0.020.053NDPassEtofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.050.02NDPassFenhexamid0.020.050.02NDPassTebuconazole0.020.052NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenonyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiacloprid0.020.054.5 <th>,</th> <th></th> <th></th> <th>1</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>-</th> <th></th> <th></th>	,			1						-		
Diazinon 0.01 0.05 0.2 ND Pass Propoxur 0.02 0.05 0.02 ND Pass Dichlorvos 0.02 0.1 0.02 ND Pass Pyrethrins 0.03 0.05 1 ND Pass Dimethoate 0.02 0.05 0.02 ND Pass Pyrethrins 0.01 0.05 3 ND Pass Dimethoate 0.02 0.05 0.02 ND Pass Pyridaben 0.01 0.05 3 ND Pass Dimethomorph 0.02 0.05 0.02 ND Pass Spinosad 0.02 0.05 3 ND Pass Etofenprox 0.02 0.05 0.02 ND Pass Spirotetramat 0.02 0.05 1.0 ND Pass Spirotetramat 0.02 0.05 1.0 ND Pass Spiroxamine 0.02 0.05 0.02 ND Pass Fenoxycarb 0.02	/1											
Dichlorvos0.020.10.02NDPassPyrethrins0.030.051NDPassDimethoate0.020.050.02NDPassPyridaben0.010.053NDPassDimethomorph0.020.0520NDPassSpinetoram0.050.053NDPassEthoprophos0.020.050.02NDPassSpinosad0.020.053NDPassEtofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.05131NDPassFenhexamid0.020.050.02NDPassSpiroxamine0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFipronil0.020.050.02NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass												
Dimethoate0.020.050.02NDPassPyridaben0.010.053NDPassDimethomorph0.020.0520NDPassSpinetoram0.050.053NDPassEthoprophos0.020.050.02NDPassSpinosad0.020.053NDPassEtofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.05131NDPassFenhexamid0.040.0510NDPassSpiroxamine0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenpyroximate0.020.052NDPassThiacloprid0.020.054.5NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass												
Dimethomorph0.020.0520NDPassSpinetoram0.050.053NDPassEthoprophos0.020.050.02NDPassSpinosad0.020.053NDPassEtofenprox0.020.050.02NDPassSpinomesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.05131NDPassFenhexamid0.040.0510NDPassSpiroxamine0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenpyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass												
Ethoprophos0.020.050.02NDPassSpinosad0.020.020.053NDPassEtofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.05131NDPassFenhexamid0.040.0510NDPassSpiroxamine0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenpyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass										-		
Etofenprox0.020.050.02NDPassSpiromesifen0.010.0512NDPassEtoxazole0.010.051.5NDPassSpirotetramat0.020.05131NDPassFenhexamid0.040.0510NDPassSpiroxamine0.020.050.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenpyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass										-		
Etoxazole 0.01 0.05 1.5 ND Pass Spirotetramat 0.02 0.05 131 ND Pass Fenhexamid 0.04 0.05 10 ND Pass Spirotetramat 0.02 0.05 0.02 ND Pass Fenoxycarb 0.02 0.05 0.02 ND Pass Tebuconazole 0.02 0.05 2 ND Pass Fenpyroximate 0.02 0.05 2 ND Pass Thiacloprid 0.02 0.05 0.02 ND Pass Fipronil 0.02 0.05 0.02 ND Pass Thiamethoxam 0.02 0.05 4.5 ND Pass										-		
Fenhexamid0.040.0510NDPassSpiroxamine0.020.020.02NDPassFenoxycarb0.020.050.02NDPassTebuconazole0.020.052NDPassFenpyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass	•											
Fenoxycarb0.020.050.02NDPassTebuconazole0.020.020.052NDPassFenoyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass												
Fenpyroximate0.020.052NDPassThiacloprid0.020.050.02NDPassFipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass												
Fipronil0.020.050.02NDPassThiamethoxam0.020.054.5NDPass	•											
	.,											
Flonicamid0.020.052NDPassTrifloxystrobin0.010.0530NDPass												
	Flonicamid	0.02	0.05	2	ND	Pass	Irifloxystrobin	0.01	0.05	30	ND	Pass

GCMS Date Tested: 02/14/2022 LCMS Date Tested: 02/14/2022 LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides test ran using method described in LP-TM-002 and LP-TM-003 using both a Shimadzu GC-2030 and a Shimadzu LCMS-8060



Jereme Hicklen Lab Director 08/10/2022

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Docult

Accreditation No.: 106215 All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 4 CCR Section 15730. Values reported relate only to the product tested. LabPlex makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of LabPlex.

2 of 4



1570 Seabright Ave https://www.labplex.com Long Beach, CA 90813 Lic# C8-0000041-LIC

Enlightening Night Serum

Strain: CBD Collected: Shikohin Inc. Matrix: Topical Received: 02/11/2022 Lic. # Type: Other Completed: 08/10/2022 125 Nevada St Sample Size: 1 units; Batch: Batch#: 22012107 El Segundo, CA 90245	Sample ID: 2202LPX0038.0101	Produced:	Client
Type: Other Completed: 08/10/2022 125 Nevada St	Strain: CBD	Collected:	Shikohin Inc.
	Matrix: Topical	Received: 02/11/2022	Lic. #
Sample Size: 1 units; Batch: Batch#: 22012107 El Segundo, CA 90245	Type: Other	Completed: 08/10/2022	125 Nevada St
	Sample Size: 1 units; Batch:	Batch#: 22012107	El Segundo, CA 90245

(562) 753-6700

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.21	0.63	1	ND	Pass
Acetone	50.34	187.5	5000	<loq< th=""><th>Pass</th></loq<>	Pass
Acetonitrile	95.75	290.15	410	ND	Pass
Benzene	0.06	0.47	1	ND	Pass
Butane	114.9	348.17	5000	ND	Pass
Chloroform	0.11	0.47	1	ND	Pass
Ethanol	49.78	187.5		ND	Tested
Ethyl-Acetate	43.87	187.5	5000	ND	Pass
Ethyl-Ether	25.28	187.5	5000	ND	Pass
Ethylene Oxide	0.15	0.47	1	ND	Pass
Heptane	37.75	187.5	5000	ND	Pass
Isopropanol	47.06	187.5		ND	Tested
Methanol	106	321.21	3000	ND	Pass
Methylene-Chloride	0.11	0.47	1	ND	Pass
n-Hexane	22.21	187.5	290	ND	Pass
Pentane	62.06	188.06	5000	ND	Pass
Propane	54.06	187.5	5000	ND	Pass
Toluene	81.61	247.31	890	ND	Pass
Trichloroethene	0.1	0.47	1	ND	Pass
Xylenes	86.16	187.5	2170	ND	Pass

Date Tested: 02/14/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Residual solvents is ran using test method LP-TM-005 using a Shimadzu GCMS-QP 2020



ISO/IEC 17025:2017

Jereme Hicklen Lab Director 08/10/2022

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



3 of 4

QA Testing

Accreditation No.: 106215 All Laborary Quality Control samples were performed and met the prescribed acceptance criteria in 4 CCR Section 15730. Values reported relate only to the product tested. LabPlex makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of LabPlex.



Labplex, Inc. (562) 753-6700 1570 Seabright Ave https://www.labplex.com Long Beach, CA 90813 Lic# C8-0000041-LIC

Enlightening Night Serum

Sample ID: 2202LPX0038.0101	Produced:	Client
Strain: CBD	Collected:	Shikohin Inc.
Matrix: Topical	Received: 02/11/2022	Lic. #
Type: Other	Completed: 08/10/2022	125 Nevada St
Sample Size: 1 units; Batch:	Batch#: 22012107	El Segundo, CA 90245

Heavy Metals



Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.002	0.16	1.5	<loq< th=""><th>Pass</th></loq<>	Pass
Cadmium	0.001	0.16	0.5	<loq< th=""><th>Pass</th></loq<>	Pass
Lead	0.001	0.32	0.5	0.320210	Pass
Mercury	0.002	0.064	3	<loq< th=""><th>Pass</th></loq<>	Pass



Date Tested: 02/14/2022 LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Heavy Metals are run using method described in LPTM-004 using a Shimadzu ICP-MS 2030



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ISO/IEC 17025:2017

08/10/2022

QA Testing

4 of 4

Accreditation No.: 106215 All Laborary Quality Control samples were performed and met the prescribed acceptance criteria in 4 CCR Section 15730. Values reported relate only to the product tested. LabPlex makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of LabPlex.