

## Serie | 6, Gas hob, 75 cm, **PPQ7A6B90**







## The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- FlameSelect: for a precise adjustment of the flame in nine defined levels.
- Wok burner: powerful cooking at up to 4 kW.
- Standard and semi-flush built-in option: choose between flush or surface mounted installation.
- Tempered-glass surface: elegant design and easy cleaning.
- Continuous cast-iron pan support: for high firmness and stability of cookware.

#### **Technical Data**

Product name/family: gas hob w integrated controls Construction type: Built-in Energy input: Gas Total number of positions that can be used at the same time: 5 Required niche size for installation (HxWxD):

45 x 560-562 x 480-492

Width of the product (mm): 752 Dimensions of the product (mm): 45 x 752 x 520

Dimensions of the packed product (HxWxD) (mm):

145 x 793 x 597

Net weight (kg): 19.027 Gross weight (kg): 21.0 without Residual heat indicator: Hob front Location of control panel: Hard Glass Basic surface material: Color of surface: Black Color of frame: Black Approval certificates: CE, Eurasian, Morocco Length of electrical supply cord (cm) : 100 4242002914985 EAN code: Electrical connection rating (W): 1 Gas connection rating (W): 11500 Current (A): 220-240 Voltage (V): Frequency (Hz): 60; 50





# Serie | 6, Gas hob, 75 cm, PPQ7A6B90

The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

#### Design

- Tempered glass Black
- frameless design

#### **Special features**

- FlameSelect
- Design co-ordinated control dials
- Ignition via control dials
- Cast iron pan supports with rubber feet

#### Power and size:

- 5 gas burners:
- Dual control burner
- 4 gas + wok (center)
- Left rear: Standard burner 1.75 KW
- Right rear: high-speed burner 3 KW
- Center: wok burner 4 KW
- Left front: economy burner 1 kW
- Right front: standard burner 1.75 KW

#### **Safety Features**

- Flame failure safety device
- Pre-set for natural gas

#### **Technical information**

- Power cord length 100 cm

### Accessories

- LPG jets included. Connection to 28-30/37 mbar bottled gas



# Serie | 6, Gas hob, 75 cm, **PPQ7A6B90**



