

Serie | 6, Built-in warming drawer, 14 cm BIC510NS0B



The multifunction warming drawer for the 14 cm niche: for pre-heating plates and keeping food warm.

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.
- Variable temperature regulation: individual setting of the preferred temperature.

Technical Data

Construction type: Built-in
Color / Material Front: Stainless steel
Maximum number of plates: 14
Maximum number of espresso cups: 64
Dimensions of the product (mm): 140 x 594 x 540

Dimensions of the packed product (HxWxD) (mm):

210 x 660 x 660

Required niche size for installation (HxWxD): 140 x 560 x 550

EAN code: 4242005035397

Electrical connection rating (W): 400

Current (A): 6

Voltage (V): 220-240

Frequency (Hz): 50; 60

Plug type: GB plug

Included accessories

1 x Anti-slip mat





Serie | 6, Built-in warming drawer, 14 cm BIC510NS0B

The multifunction warming drawer for the 14 cm niche: for pre-heating plates and keeping food warm.

Design

- Push-pull opening mechanism

Features

- Can accommodate up to:
- -14 plates
- -64 espresso cups
- Loading up to 15 kg
- Temperature Range: approx. 40 °C to 80 °C
- Rotary dial

Programmes/functions

 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods

Accessories


- 1 x Anti-slip mat

Performance/technical information

- Cavity volume: 23 l
- Length of mains cable: 150 cm
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm 568 mm x 550
- Please refer to the dimensions provided in the installation manual



Serie | 6, Built-in warming drawer, 14 cm BIC510NS0B



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm

