N 70, Gas hob, 60 cm, T26DS49S0





FlameSelect®	Width (cm)	• 56 •
--------------	------------	--------

The gas hob with a stainless-steel surface design and adjustable FlameSelect.

- $\checkmark\,$ FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 steps. Always the same reliable and precise power levels for outstanding cooking convenience.
- $\checkmark\,$ Continuous cast-iron pan supports for maximum stability and cooking convenience.
- $\checkmark\,$ Design co-ordinated control dials easy to operate in an attractive design.

Features

Technical Data

Product name/family : gas hob w integrated controls Construction type : Built-in Energy input : Gas Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) : 45 \times 560-562 \times 480-492 Width of the product (mm) : 582 Dimensions of the product (mm) : 45 x 582 x 520 Dimensions of the packed product (HxWxD) (mm) : 141 x 651 x 578 Net weight (kg): 11.329 Gross weight (kg) : 12.0 Residual heat indicator : without Location of control panel : Hob front Basic surface material : Enamel Color of surface : Black Color of frame : Black Approval certificates : CE Length of electrical supply cord (cm) : 100 EAN code : 4242004203414 Electrical connection rating (W) : 1 Gas connection rating (W): 7500 Current (A) : 3 Voltage (V) : 220-240 Frequency (Hz) : 60; 50



N 70, Gas hob, 60 cm, T26DS49S0

Features

Design

• black enamel

Special features

- FlameSelect with 9 steps
- Design co-ordinated control dials
- Ignition via control dials
- black cast iron pan supports with protective rubber feet

Power and size:

- 4 burner hob
- Right rear: High speed burner 3 KW
- Left rear: Standard burner 1.75 KW
- Right rear: High speed burner 3 KW
- Left front: Standard burner 1.75 KW
- Right front: Economy burner 1 KW

Safety Features

- Flame failure safety device
- Factory set for connection to mains gas

Technical information


• Power cord length 100 cm

Accessories

• LPG jets (28-30/37mbar) included

N 70, Gas hob, 60 cm, T26DS49S0

Dimensioned drawings



3/3