

COOKING PASSION SINCE 1877



The gas hob with heat-resistant ceramic glass surface and adjustable FlameSelect control.

- $\sqrt{\phantom{0}}$  FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 steps. Always the same reliable and precise power levels for outstanding cooking convenience.
- √ 7-segment display with residual heat indicator Provides a digital display of the power level selected for a particular cooking zone. After the hob is turned off, the indicator informs you of the cooking zone's residual heat.
- $\sqrt{}$  Extremely easy-to-clean ceramic glass surface
- $\sqrt{\phantom{a}}$  Continuous cast-iron pan supports for maximum stability and cooking convenience.
- $\sqrt{\,}$  Design co-ordinated control dials easy to operate in an attractive design.







#### Features

Technical Data

Product name/family : gas hob w integrated controls

Construction type : Built-in

Energy input: Gas

Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) :  $45 \times 560-562 \times 10^{-2}$ 

490-502

Width of the product (mm):606

Dimensions of the product (mm) :  $45 \times 606 \times 546$ 

Dimensions of the packed product (HxWxD) (mm) :  $165 \times 691 \times 646$ 

Net weight (kg): 12.030 Gross weight (kg): 14.0 Residual heat indicator: Separate

Location of control panel : Hob front Basic surface material : Ceramic Color of surface : Black, Stainless steel Color of frame : Black, Stainless steel Approval certificates : CE, Eurasian Length of electrical supply cord (cm) : 100

EAN code: 4242004203445 Electrical connection rating (W): 2 Gas connection rating (W): 7700

Current (A): 3 Voltage (V): 220-240 Frequency (Hz): 50; 60



# N 90, Gas hob, 60 cm, T26TA49N0

#### Features

#### Design

• black ceramic glass

### Special features

- FlameSelect with 9 steps
- LED display for each zone
- Design co-ordinated control dials
- Ignition via control dials
- Stainless steel frame
- black cast iron pan supports with protective rubber feet

### Power and size:

- 4 burner hob
- Left rear: Economy burner 1.1 KW
- Right rear: High speed burner 2.8 KW
- Left front: Standard burner 1.9 KW
- Right front: Standard burner 1.9 KW

## Safety Features

- Flame failure safety device
- 2-stage residual heat indicators
- $\bullet$  Factory set for connection to mains gas

#### Technical information

• Power cord length 100 cm

## Accessories

• LPG jets (28-30/37mbar) included

#### Dimensioned drawings

