N 50, Built-in double oven, Stainless steel U1ACI5HN0B



COOKING PASSION SINCE 1877





Included accessories

 $3 \times combination grid, 1 \times universal pan$

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated

Z11CB10E0 Baking tray, grey enamelled

Z11CR10X0 Baking and roasting grid (standard)

Z11GT10X3 Glass roasting dish, 5,4l

Z11TF36X0 3 level telescopic rails, full ext

Z11TI15X0 Cliprails

Z1913X0 Baking Stone

Built-in oven with CircoTherm® - The award-winning hot air system from Neff

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\rm CircoTherm^{\odot}}$ the unique hot air-system for simultaneous baking and roasting on up to 3 levels
- $\sqrt{}$ EcoClean the self-cleaning catalytic coating on the sides of your oven make cleaning the inside easier.
- $\sqrt{}$ EasyClean the quick and easy option for day-to-day maintenance

¬/

- $\sqrt{\,}$ BaseClean a special cleaning programme designed to help clean the base of the oven
- $\sqrt{\,}$ Clip-on Rail easily removed and installed telescopic rails for flexible use on all shelf levels
- $\sqrt{}$ MeatProbe ensures meats are cooked perfectly every time
- $\sqrt{1}$ 1-level clip rail out for flexible usage on all levels.

 $\sqrt{}$

 $\sqrt{\ }$ SinglePoint MeatProbe - keeps one eye constantly on the oven temperature.

Features

Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in Integrated Cleaning system : No

Dimensions of the product (mm) : $888 \times 594 \times 550$

Dimensions of the packed product (HxWxD) (mm) : $960 \times 690 \times 660$

Control Panel Material : Glass Door Material : Glass Net weight (kg) : 54.051 Usable volume of cavity (I) : 71

Cooking method: Bottom heat, Conventional heat, Full width grill,

Hot Air, Hotair gentle, Hot air grilling, Pizza setting Temperature control : No control of the temperature

Number of interior lights : 1 Approval certificates : CE, VDE EAN code : 4242004222057

Energy efficiency class (2010/30/EC) : A

Energy consumption per cycle conventional (2010/30/EC) : 1.02 Energy consumption per cycle forced air convection (2010/30/EC) : 0.81

Energy efficiency class (2010/30/EC) - cavity 2 : B

Energy consumption per cycle conventional - cavity 2 (2010/30/EC) :

0.83

Energy efficiency index (2010/30/EC) : 95.3

Energy efficiency index cavity 2 (2010/30/EC) : 120.3

Electrical connection rating (W): 5900

Current (A): 32 Voltage (V): 220-240 Frequency (Hz): 50

Plug type : fixed connection, no plug



N 50, Built-in double oven, Stainless steel U1ACI5HNOB

Features

Design

- Retractable control dials
- Bar handle

Main Lower oven

- Oven capacity: 71 litre
- 1 Clip rail, Stop function
- Heating up indicator
- Control panel lock
- Smooth cavity interior, Shelf support rails
- Cavity (inner surface) bottom: Enamel grey
- Interior halogen light
- Single-point meat probe

Programmes/functions

- 7 heating methods: CircoTherm®, Top/bottom heat, Hot air grilling, Full surface grill, CircoTherm® intensive, Bottom heat, CircoTherm® gentle
- Manual rapid heating up

Cleaning

- EcoClean Direct : side liners, back panel, ceiling
- EcoClean programme, Base Clean programme
- Full glass inner door

Secondary top oven

- Cavity volume: 34 Litre
- Interior halogen light
- Cavity (inner surface) top: Enamel grey

Programmes/functions

 Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat

Cleaning

• EcoClean Direct :back panel, ceiling, side liners

Standard accessories

- 3 x combination grid, 1 x universal pan
- 1 Clip rail, Stop function

Performance/technical information

Energy efficiency rating (acc. EU Nr. 65/2014): A
 Energy consumption per cycle in conventional mode: 1.02 kwh
 Energy consumption per cycle in fan-forced convection mode: 0.81 kwh

Number of cavities: 1 Heat source: electrical Cavity volume: 71 litre

• Energy efficiency rating (acc. EU Nr. 65/2014): B

Energy consumption per cycle conventional mode: 0.83 kwh

Number of cavities: 2 Heat source: electrical Cavity volume: 34 Litre • Nominal voltage: 220 - 240 V

• Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm

• Please refer to the dimensions provided in the installation manual

N 50, Built-in double oven, Stainless steel U1ACI5HN0B

Dimensioned drawings

