

Prepared for:
Exclusive Hemp Farms
3222 School Rd.
San Juan Bautista, CA 95045


CBD Crystal Resistant Distillate

Batch ID or Lot Number: 1600002	Test: Potency	Reported: 06Aug2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000251516	Started: 03Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03Aug2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.047	0.169	ND	ND	
Cannabichromenic Acid (CBCA)	0.043	0.155	ND	ND	
Cannabidiol (CBD)	0.159	0.436	49.140	491.40	
Cannabidiolic Acid (CBDA)	0.163	0.447	ND	ND	
Cannabidivarin (CBDV)	0.038	0.103	1.050	10.50	
Cannabidivarinic Acid (CBDVA)	0.068	0.187	ND	ND	
Cannabigerol (CBG)	0.026	0.096	2.300	23.00	
Cannabigerolic Acid (CBGA)	0.110	0.402	ND	ND	
Cannabinol (CBN)	0.034	0.125	0.160	1.60	
Cannabinolic Acid (CBNA)	0.075	0.274	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.132	0.479	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.120	0.435	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.106	0.385	ND	ND	
Tetrahydrocannabivarin (THCV)	0.024	0.087	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.093	0.340	ND	ND	
Total Cannabinoids			52.650	526.50	
Total Potential THC			0.000	0.00	
Total Potential CBD			49.140	491.40	

Final Approval


K Winternheimer

Karen Winternheimer
06Aug2023
10:08:00 AM MDT

PREPARED BY / DATE


Samantha Smith

Sam Smith
06Aug2023
10:10:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/cc79da51-e869-45c1-99a2-6565bfa1946>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

cc79da51e86945c199a26565bfa1946.1