


2023 PRODUCT CATALOG



## WELCOME

In 2023 we will celebrate our 28th anniversary. What started out as a small veteran-owned welding job shop has grown into the leading safe manufacturer in the country. Our success reflects the unmatched opportunity and liberty afforded to Americans under the US Constitution, the incredible dedication of everyone at Team Rhino, and most of all, the trust and loyalty of our customers. We would be nothing without our customers.

We look forward to taking care of you, our customers, and continuing to make the best products we can.

Protecting and Securing America

Team Rhino

## CONTENTS

- 3 Welcome
- 5 New SafeX™ Security System
- 7 Swing Out Gun Rack System
- 9 Ironworks Thunderbolt Series
- 11 Rhino Thunderbolt Series
- 13 Ironworks AIW Series
- 15 Rhino A Series
- 17 Rhino RSX Series with SafeX™
- 19 Rhino CX Series with SafeX™
- 21 Rhino RBX/RBFX Series with SafeX™
- 23 Ironworks Vault Door Series
- 25 Rhino Vault Door Series
- 27 Kodiak KSX Series with SafeX™
- 29 Kodiak KBX Series with SafeX™
- 31 Longhorn Series
- 33 Tool and Storage






# SAFEX SECURITY SYSTEM

## Rhino's NEWEST Revolution in Security

**Patent Pending** 

#### WHAT IS SAFEX"?


To understand what SafeX™ is, you first need to understand what makes SafeX™ different than "the other guys." Traditional flat military-type bars and round bolts rely solely on the rigidity of the outer frame to secure the door. As you can see in the images below, when the body of the safe can be pried away from the door, standard locking systems are rendered useless because they merely slide behind the door frame.




Our testing has shown that leading gun safes being sold on the market today for approximately \$2,000 or less can usually be pried open in a few minutes. Most people would agree this isn't the best bang for their buck.


#### **HOW SAFEX" WORKS**

SafeX™ doesn't use flat military-type bars or round bolts that slide behind the door frame. Instead, it uses wide flanged anchor studs built into the outside door frame of the safe. When the door is shut, these anchor studs protrude into the door. Then, inside the door, a thick steel locking plate moves behind the rim of the anchor stud to securely interlock and "bolt" the door to the frame. This interlocking feature makes all the difference by limiting the separation that can be achieved between door and door frame during a pry attack.




In our **HEAD-TO-HEAD PRY TESTS,** SafeX™ could not be pried open, while leading brands using industry traditional flat military-type bars and round bolts failed in only a few minutes. These pry tests were apples-to-apples tests where all the safes had the same steel thickness and are sold at the same price range.





#### IMPROVED FIRE PROTECTION

A heat-activated fire seal, that can expand up to 8 times its thickness, is mounted in the gap between the door and the frame of the safe reducing the space available for prying. In a fire, this placement of the fire seal blocks heat from getting to the sides and back of the door frame for improved fire protection.



#### MORE ROOM FOR YOUR VALUABLES

When locked, the slim door design of SafeX™ is relatively flush with the interior door frame of the safe. This creates more storage space inside the safe than standard designs where the door significantly extends into the safe's interior.

## SAFEX" - TAKE A QUANTUM LEAP IN SECURITY

Friendly trained professionals are ready for your call. / 208-454-5545 / rhinosafe.com



Floor Storage Area Under Rack Unlike Other Rack Systems



Firearms Can Be Stored Barrel Up or Down to Fit More Scoped Firearms



Flexible Cushioned Butt and Barrel Rests Help Protect From Damage



#### THE MOST SPACE-EFFICIENT WAY TO STORE YOUR FIREARMS.

Storing and accessing your firearms has never been this easy and convenient.

6-GUN SWING OUT GUN RACK
APPROVED FOR THE FOLLOWING MODELS:

RHINO AIW/A6033 RSB/CD6030 RSX/CX6030 RSB/CD6636 RSX/CX6636 13-GUN SWING OUT GUN RACK
APPROVED FOR THE FOLLOWING MODELS:

KODIAK KB/KBX5940

RHINO AIW/A6042 AIW/A7242 AIW/A7256 RSB/CD6040 RSX/CX7241 RSB/CD7242 RSX/CX7253

RSB/CD7256



## SWING OUT GUN RACK SYSTEM

#### ★ UNEQUALED STORAGE & FASTER ACCESS TO MORE WEAPONS ★

Rhino's exclusive **patented** Swing Out Gun Rack System (U.S. patent number 9,140,049) is available in two sizes and available on most models. With it, you will store more firearms, including scoped and tactical, and have the fastest access to all of them. Store firearms on the rack in any orientation you need to better fit together (muzzle up or muzzle down, trigger in or trigger out) to use almost every slot on the rack. Simply swing the rack out to have instant access to any firearm along the back or side walls.

Long gun capacity, scoped gun capacity, and easy access to your guns are usually trade-offs. If you want a lot of one, you typically have to sacrifice the other two. With Rhino's exclusive patented Swing Out Gun Rack System with Rifle Rods, this problem is eliminated and you can have it all.

- Store more scoped firearms
- · No more digging through your firearms to get to the one you want
- Full access to your door organizer, unlike door mounted rack systems
- 2-3 times to fast-access your firearms than conventional safes
- · 2-3 times to fast-access your firearms than safes with door mounted rack systems
- Store up to 4 times more scoped and tactical firearms



Scan QR Code for More Details

CONVENIENCE COMPARISON	COMPETITOR CONVENTIONAL SAFES	COMPETITOR DOOR MOUNTED GUN RACKS	RHINO SWING OUT GUN RACK WITH RIFLE RODS
FAST-ACCESS TO ALL AREAS OF DOOR ORGANIZER	YES	NO	YES
FLOOR STORAGE AREA	NO	NO	YES
FAST-ACCESS TO ALL FIREARMS IN BAY	NO	NO	YES
BEST WITH AR/OPTICS/SCOPED FIREARMS	NO	NO	YES

ACTUAL* CAPACITY COMPARISON 34-35 CUBIC FEET SAFES	CONVENTIONAL SAFES WITH OR WITHOUT DOOR MOUNTED GUN RACK	RHINO SWING OUT GUN RACK WITH RIFLE RODS	INCREASE
TOTAL CAPACITY	34-36	47	34%
FAST-ACCESS FIREARMS	6-9	22	366%
FAST-ACCESS AR/OPTICS/SCOPED FIREARMS	4-6	16	400%

\*Based on a typical mix of scoped, non-scoped, tactical/AR style firearms.



#### **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Antiqued Ironworks Finish



# IRONWORKS THUNDERBOLT SERIES

★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★ PATENTED IRONWORKS DESIGN ★

MODEL	WEIGHT (approx.)	LONG GUN Capacity		CUBIC FEET (approx.)	DOORBOLTS
IWT6033X	1125 lbs	36	60 x 33 x 27	30.9	14
IWT6042X	1327 lbs	54	60 x 42 x 27	39.4	14
IWT7242X	1526 lbs	54	72 x 42 x 27	47.3	16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock

U.L. Listed Biometric Electronic Lock with Keypad Back-Up Swing Out Gun Rack (Factory Installed Only - Includes Rifle Rods) Executive Shelving Kit











# MADE IN USA WITH GLOBAL COMPONENTS





# RHINO THUNDERBOLT SERIES

★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★

AVAILABLE COLORS

INTERIOR

TEXTURED EXTERIOR

**GLOSS EXTERIOR** 

PEARL WHITE

MODEL	100	LONG GUN Capacity		CUBIC FEET (approx.)	DOORBOLTS
RT6033X	1098 lbs	36	60 x 33 x 27	30.9	14
RT6042X	1295 lbs	54	60 x 42 x 27	39.4	14
RT7242X	1490 lbs	54	72 x 42 x 27	47.3	16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack (Factory Installed Only - Includes Rifle Rods)
Executive Shelving Kit

#### **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet (Electric Dehumidifier Included)
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Decorative Finials Included with Gloss Finishes
- Customizable Color Options







### **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- 5.9" Thick Formed Composite Door with Full Coverage .25" Solid Steel Plate Front
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Compatible Swing Out Gun Rack
- Antiqued Ironworks Finish





# IRONWORKS AIW SERIES

★ 10 GA AND 1/4" STEEL CONSTRUCTION ★ HANDCRAFTED FINISH ★ PATENTED IRONWORKS DESIGN ★

		LONG GU	N CAPACITY			
MODEL	WEIGHT (approx.)	REGULAR Interior	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
AIW6033X AIW6042X	960 lbs 1120 lbs	36 54	30%	60 x 33 x 27 60 x 42 x 27	30.9 39.4	14 14
AIW7242X AIW7256X	1300 lbs 1615 lbs	54 68	MOTE THAN REGULAR INTERIOR	72 x 42 x 27	47.3 63.0	16 16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock

U.L. Listed Biometric Electronic Lock with Keypad Back-Up Swing Out Gun Rack (Includes Rifle Rods) Executive Shelving Kit





Model AIW6042X
Upgrade Shown: Swing Out Gun Rack (includes Rifle Rods)



# MADE IN USA WITH GLOBAL COMPONENTS





# RHINO A SERIES

★ 10 GA AND 1/4" STEEL CONSTRUCTION ★

#### LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR Interior	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
A6033X	950 lbs	36	UP to 30% more than regular interior	60 x 33 x 27	30.9	14
A6042X	1100 lbs	54		60 x 42 x 27	39.4	14
A7242X	1270 lbs	54		72 x 42 x 27	47.3	16
A7256X	1580 lbs	68		72 x 56 x 27	63.0	16

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack (Includes Rifle Rods)
Two-Tone Gloss (Excludes Black and Pearl White)


Executive Shelving Kit


## **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 10 Gauge Steel Body
- 5.75" Thick Formed Composite Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-Tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-Pry Doorbolt Guides
- Internal Electrical / USB Outlet
- Factory-Installed LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Compatible Swing Out Gun Rack
- Decorative Finials included with Gloss Finishes
- Customizable Color Options



Model A6033XGL in Gloss Bronze Finish
Upgrade Shown: U.L. Listed Direct-Drive Electronic Lock





MADE IN USA

WITH GLOBAL COMPONENTS



# RHINO STRONGBOX SERIES

## \* FEATURING THE NEW SAFEX SECURITY SYSTEM \*

**Patent Pending** 

#### **FEATURES**

- U.L. Listed **Direct-Drive** Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- NEW Rhino Vector<sup>™</sup> Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Included for Maximum Storage
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets (Excludes RSB3022E)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Compatible Swing Out Gun Rack (Excludes RSB3022E)
- Pre-Drilled to Bolt to Floor
- Antiqued Ironworks Finish

•	
	M
	RSB
	RSX RSX RSX RSX
	RSX
	RSX
	DCA
	nox

		LONG GUI	I CAPACITY		
MODEL	WEIGHT (approx.)	REGULAR Interior	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
RSB3022E RSX6030 RSX6636 RSX7241 RSX7253	250 lbs 640 lbs 875 lbs 950 lbs 1190 lbs	N/A 40 49 56 78	N/A up to 30% more than regular interior	30 x 22 x 20 60 x 30 x 25 66 x 36 x 25 72 x 41 x 27 72 X 53 x 27	7.64 26.0 34.4 46.1 59.6


Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up





Model RSX6030





## **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- NEW Rhino Vector<sup>™</sup> Interior Rapidly Optimizes Space with Ultra-Flexibility
- Rifle Rods Included for Maximum Storage
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets (Excludes CD3022)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Compatible Swing Out Gun Rack (Excludes CD3022)
- Pre-Drilled to Bolt to Floor
- Decorative Finials included with Gloss Finishes
- Customizable Color Options







# RHINO GX SERIES

## \* FEATURING THE NEW SAFEX SECURITY SYSTEM \*

**Patent Pending** 

LONG GUN CAPACITY									
MODEL	WEIGHT (approx.)	REGULAR Interior	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)				
CD3022 CX6030 CX6636 CX7241 CX7253	240 lbs 630 lbs 865 lbs 940 lbs 1180 lbs	N/A 40 49 56 78	N/A up to 30% more than regular interior	30 x 22 x 20 60 x 30 x 25 66 x 36 x 25 72 x 41 x 27 72 x 53 x 27	7.64 26.0 34.4 46.1 59.6				

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Swing Out Gun Rack (Includes Rifle Rods)
Factory Installed LED Lighting
Two-Tone Gloss (Excludes Black and Pearl White)
Executive Shelving Kit



Model CX7241 in Granite Finish











# RHINO RBX/RBFX SERIES

\* FEATURING THE NEW SAFEX SECURITY SYSTEM \*

**Patent Pending** 

## **FEATURES**

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Anti-Tamper Clutched Handle
- Non-Adjustable Top Shelf & Gun Shelf, Two Adjustable Right Side Shelves
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Pre-Drilled to Bolt to Floor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Textured Powder-Coat Finish







Model RBFX6036

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
RBX/RBFX6028	375 lbs	42	60 x 28 x 22	21.4
RBX/RBFX6033	420 lbs	44	60 x 33 x 22	25.2
RBX/RBFX6036	485 lbs	50	60 x 36 x 22	27.5

Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up



Model IWVD8030 Out-Swing Standard Hinge Shown. Available in Reverse





Model IWVD8240 In-Swing Standard Hinge Shown. Available in Reverse Upgrade Shown: U.L. Listed Direct-Drive Electronic Lock



## IRONWORKS VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

INSTALLATION INSTRUCTIONS AVAILABLE AT RHINOSAFE.COM

#### **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & Designed to Fit a Variety of Wall Types, 8"+ Thick
- Industrial Cast Hand Wheel & Antiqued Ironworks Finish to Compliment Any Decor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Antiqued Ironworks Finish

#### ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

#### ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

#### OUT-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
IWVD8030 IWVD8035 IWVD8040	900 lbs 1030 lbs 1100 lbs	80.25 x 30.5 80.25 x 35.5 80.25 x 40.5	83 x 36 83 x 41 83 x 46	81 x 31.25 81 x 36.25 81 x 41.25	16 16 17
IWVD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

1 1 1 1 1 1 1 1 1	SW			 1111	
	7 11	1 N	1 N		

		MINIMUM	MAXIMUM	
MODEL	WEIGHT (approx.)	ROUGH DOOR OPENING (H" x W")	ROUGH DOOR OPENING (H" x W")	DOORBOLTS
IWVD8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up



Model VD8045GL Back of Door Shown

#### AVAILABLE COLORS

#### TEXTURED EXTERIOR









BLACKSTONE



TR













Model VD8045GL Out-Swing in Gloss Crimson Finish Standard Hinge Shown. Available in Reverse Upgrade Shown: Two-Tone Gloss Finish



## RHINO VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

INSTALLATION INSTRUCTIONS AVAILABLE AT RHINOSAFE.COM

#### **FEATURES**

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate & Spring-Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring-Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release & Panic Room Lock-In Mechanism
- Standard & Reverse Opening Capabilities
- Clamshell Design Simplifies Installation & is Designed to Fit a Variety of Wall Types, 8"+ Thick
- Decorative Finials Included with Gloss Finishes
- Customizable Color Options
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire

#### ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing can be Installed Using Expansion Anchors or Lag Bolts (Not Included)

#### ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Protection at 1400°F (Fire Protection can Vary Based on Installation & Room Construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

#### OUT-SWING MODELS

MODEL	WEIGHT	MINIMUM ROUGH DOOR OPENING	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation)	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation)	DOODDOLTO
MODEL	(approx.)	(H" x W")	(H" x W")	(H" x W")	DOORBOLTS
VD8030 VD8035	900 lbs 1030 lbs	80.25 x 30.5 80.25 x 35.5	83 x 36 83 x 41	81 x 31.25 81 x 36.25	16 16
VD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
VD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

#### IN-SWING MODELS

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
V8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Direct-Drive Electronic Lock
U.L. Listed Biometric Electronic Lock with Keypad Back-Up
Two-Tone Gloss (Excludes Black and Pearl White)



Model KSX5928



# \*\* KODIAK STRONGBOX SERIES

## \* FEATURING THE NEW SAFEX SECURITY SYSTEM \*

**Patent Pending** 

#### **FEATURES**

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Factory-Installed Swing Out Gun Rack (Excludes KSX5928)
- Triple Hardplate & Spring-Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- Patented Anti-Tamper Clutched Handle
- NEW Rhino Vector<sup>™</sup> Interior Rapidly Optimizes Space with Ultra-Flexibility
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled to Bolt to Floor
- Unique Antiqued Finish

MODEL	WEIGHT (approx.)	LONG GUN Capacity	SWING OUT RACK CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KSX5928	465 lbs	38	N/A	59 x 28 x 20	19.1
KSX5940S0	720 lbs	42	13	59 x 40 x 23	31.4
K8X713680	778 lbs	40	13	71 x 36 x 24	35.5





# KODIAK KBX SERIES

## \* FEATURING THE NEW SAFEX SECURITY SYSTEM \*

**Patent Pending** 

### **FEATURES**

- U.L. Listed Electronic Lock
- CA DOJ Certified Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate & Spring-Loaded Relocker Protects the Lock
- Patented Anti-Tamper Clutched Handle
- 14 Gauge Steel Construction
- Internal Electrical / USB Outlet (Excludes KBX5622 & KBX5629)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-Drilled for Electric Dehumidifier (Excludes KBX5933 & KBX5940)
- Pre-Drilled to Bolt to Floor
- Pre-Drilled for Compatible Swing Out Gun Rack (Model KBX5940 Only)
- Textured Powder-Coat Finish

#### 30 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5629	390 lbs	42	56 x 29 x 22	20.7

#### 40 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN Capacity	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5933	470 lbs	46	59 x 33 x 22	24.8
KBX5940	573 lbs	57	59 x 40 x 23	31.4

#### 60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN Capacity	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
KBX5622	350 lbs	35	56 x 22 x 22	15.7



Model KBX5940



# LONGHORN SERIES

RHINO METALS \* BEAUTIFUL IRONWORKS STYLING \* CONVENIENT ACCESS \*





Model LSB1014



Model LSB1818

## **FEATURES**

- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Anti-Punch and Anti-Drill Boltworks (Excludes LSB1014)
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-Tamper Clutched Handle (Excludes LSB1014)
- 1" Diameter Doorbolts
- Adjustable Shelf (Excludes LSB1014)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Warranty (Details in Owner's Manual)
- Unique Antiqued Finish



Model LSB2418

MODEL	WEIGHT (approx.)	FIRE RATING	LOCK STYLE	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
LSB1014	30 lbs	30 min	High-Security Keyed Lock	10 x 14 x 10	0.81	3
LSB1818	90 lbs	60 min	U.L. Listed Electronic Lock	18 x 18 x 14	2.63	4
LSB2418	130 lbs	60 min	U.L. Listed Electronic Lock	24 x 18 x 16	4.0	4



## Nightstand / End Table Safe

- Fast Access to Your Handgun
- External Electrical / USB Outlet (On the Back)
- Heavy-Duty Drawer



- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- 1.05 cu ft. Interior Capacity
- Internal Safe Dimension 15.4"H x 15.5"W x 7.5"D
- 14 Gauge Steel Construction
- Thick Composite Door
- · Anti-Punch and Anti-Drill Boltworks
- 1" Diameter Doorbolts (4 Total)
- · Adjustable Shelf
- Handgun Holder on Doorback
- Fully Upholstered Interior
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- 150 lbs
- Overall Dimensions 26"H x 20"W x 18"D
- Drawer Dimensions 5"H x 13"W x 13"D
- External Electrical / USB Outlet (On the Back)





