



DATA SHEET - ELECTRICAL ABSORPTION

Model	Voltage	Kw	Ampere	Motor
SUN6	230/50/1	0.37	3	1
	230/60/1	0.37	3	1
	110/60/1	0.37	3	1
SUN10	230/50/1	0.37	3	1
	230/60/1	0.37	3	1
	110/60/1	0.37	3	1
SUN15	230/50/1	0.55	4	1
	230/60/1	0.55	4	1
	110/60/1	0.55	4	1
SUN20	230/50/1	1.1	7	1
	230/60/1	1.1	7	1
	110/60/1	1.1	7	1

SUNMIX
NEW GENERATION MACHINES



DATA SHEET - ELECTRICAL ABSORPTION

Model	Voltage	Kw	Ampere	Motor
SUN25 TL A	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
SUN25 TL B	400/50/1	0.9/1.9	8	1
	400/60/1	0.9/1.9	8	1
	220/60/3	0.9/1.9	10	1
SUN30 TL A	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
SUN30 TL B	400/50/1	0.9/1.9	8	1
	400/60/1	0.9/1.9	8	1
	220/60/3	0.9/1.9	15	1
SUN40 TL A	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
SUN40 TL B	400/50/1	1.1/2.2	8	1
	400/60/1	1.1/2.2	8	1
	220/60/3	1.1/2.2	15	1
SUN50 TL A	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
SUN50 TL B	400/50/1	1.5/3.0	12	1
	400/60/1	1.5/3.0	12	1
	220/60/3	1.5/3.0	16	1

SUNMIX
NEW GENERATION MACHINES



DATA SHEET - ELECTRICAL ABSORPTION

Model	Voltage	Kw	Ampere	Motor
SUN25 CL	400/50/1	1.1/2.2	5	2
	400/60/1	1.1/2.2	5	2
	220/60/3	1.1/2.2	10	2
SUN30 CL	400/50/1	1.1/2.2	7	2
	400/60/1	1.1/2.2	7	2
	220/60/3	1.1/2.2	12	2
SUN40 CL	400/50/1	1.1/2.2	7	2
	400/60/1	1.1/2.2	7	2
	220/60/3	1.1/2.2	12	2
SUN50 CL	400/50/1	1.5/3.0	10	2
	400/60/1	1.5/3.0	10	2
	220/60/3	1.5/3.0	16	2
SUN60 CL	400/50/3	1.5/3.0	10	2
	400/60/3	1.5/3.0	10	2
	220/60/3	1.5/3.0	16	2
SUN80 CL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2
SUN100 CL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2
SUN120 CL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2

SUN160 CL	400/50/3	5.0/8.0	28	2
	400/60/3	5.0/8.0	28	2
	220/60/3	5.0/8.0	35	2

SUN200 CL	400/50/3	5.0/8.0	28	2
	400/60/3	5.0/8.0	28	2
	220/60/3	5.0/8.0	35	2

SUN250 CL	400/50/3	8.0/12.5	36	2
	400/60/3	8.0/12.5	36	2
	220/60/3	8.0/12.5	38	2

SUN300 CL	400/50/3	8.0/12.5	36	2
	400/60/3	8.0/12.5	36	2
	220/60/3	8.0/12.5	38	2

SUNMIX
NEW GENERATION MACHINES



DATA SHEET - ELECTRICAL ABSORPTION

Model	Voltage	Kw	Ampere	Motor
SUN25 PL	400/50/1	1.1/2.2	5	2
	400/60/1	1.1/2.2	5	2
	220/60/3	1.1/2.2	10	2
SUN30 PL	400/50/1	1.1/2.2	7	2
	400/60/1	1.1/2.2	7	2
	220/60/3	1.1/2.2	12	2
SUN40 PL	400/50/1	1.1/2.2	7	2
	400/60/1	1.1/2.2	7	2
	220/60/3	1.1/2.2	16	2
SUN50 PL	400/50/1	1.5/3.0	10	2
	400/60/1	1.5/3.0	10	2
	220/60/3	1.5/3.0	16	2
SUN60 PL	400/50/3	1.5/3.0	10	2
	400/60/3	1.5/3.0	10	2
	220/60/3	1.5/3.0	16	2
SUN80 PL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2
SUN100 PL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2
SUN120 PL	400/50/3	2.6/4.8	23	2
	400/60/3	2.6/4.8	23	2
	220/60/3	2.6/4.8	25	2

SUN160 PL	400/50/3	5.0/8.0	28	2
	400/60/3	5.0/8.0	28	2
	220/60/3	5.0/8.0	35	2

SUN200 PL	400/50/3	5.0/8.0	28	2
	400/60/3	5.0/8.0	28	2
	220/60/3	5.0/8.0	35	2

SUN250 PL	400/50/3	8.0/12.5	36	2
	400/60/3	8.0/12.5	36	2
	220/60/3	8.0/12.5	38	2

SUN300 PL	400/50/3	8.0/12.5	36	2
	400/60/3	8.0/12.5	36	2
	220/60/3	8.0/12.5	38	2

SUNMIX
NEW GENERATION MACHINES



DATA SHEET - ELECTRICAL ABSORPTION

Model	Voltage	Kw	Ampere	Motor
QUEEN30-1	230/50/1	2.2	15	2
	230/60/1	2.2	15	2
	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
QUEEN30-2	400/50/3	3	7	2
	400/60/3	3	7	2
	220/60/3	3	12	2
QUEEN40-1	230/50/1	2.2	16	2
	230/60/1	2.2	16	2
	230/50/1	2.2	12	1
	230/60/1	2.2	12	1
QUEEN40-2	400/50/3	3	7	2
	400/60/3	3	7	2
	220/60/3	3	15	2
QUEEN50-1	230/50/1	2.5	16	2
	230/60/1	2.5	16	2
	230/50/1	2.5	12	1
	230/60/1	2.5	12	1
QUEEN50-2	400/50/3	3.5	10	2
	400/60/3	3.5	10	2
	220/60/3	3.5	16	2
QUEEN60-2	400/50/3	3.5	10	2
	400/60/3	3.5	10	2
	220/60/3	3.5	16	2

QUEEN80-2	400/50/3	5.5	23	2
	400/60/3	5.5	23	2
	220/60/3	5.5	25	2

QUEEN100-2	400/50/3	5.5	23	2
	400/60/3	5.5	23	2
	220/60/3	5.5	25	2

QUEEN120-2	400/50/3	5.5	23	2
	400/60/3	5.5	23	2
	220/60/3	5.5	25	2

QUEEN160-2	400/50/3	11	28	2
	400/60/3	11	28	2
	220/60/3	11	35	2

QUEEN200-2	400/50/3	11	28	2
	400/60/3	11	28	2
	220/60/3	11	35	2

QUEEN250-2	400/50/3	15	36	2
	400/60/3	15	36	2
	220/60/3	15	38	2

QUEEN300-2	400/50/3	15	36	2
	400/60/3	15	36	2
	220/60/3	15	38	2