

**CAT MATE®**

**DOG MATE®**



**2020 Global Trade Brochure**

## C3000 Automatic Dry Food Pet Feeder

The **CAT MATE C3000** feeder is designed to ensure your pet's recommended dry food allowance, in order to minimise the health risks and costs of overfeeding. Our carefully developed dry food feeder allows you to program up to 3 individually sized meals over a day and will allow meals to be served in advance of their programmed times, if required.

Alternatively, the feeder may be used manually to serve accurate meals on demand or in a **frequent feed mode** for pets with specific dietary requirements, e.g. diabetes.

- **Easy to use, programmable LCD control.**
- **Battery powered.** 4 x 'C' batteries (not supplied) give approximately 6 to 9 months operation in continuous use.
- **Pet-proof,** snap lock lid and feed outlet.
- Maximum **3Kg (6.5lb) capacity** food hopper (approximately 1 month for 1 cat).
- Unique feed mechanism ensures **accurate and consistent meal sizes from 10g (2 teaspoons)** upwards - for all popular dry cat / small dog foods.
- May be easily fastened on to a wooden board for extra stability, if required.
- Easy to clean, **dishwasher-proof** bowl, hopper, lid, nozzle and feed screw.
- 3 year guarantee.

**Food capacity:** 3Kg (6.5lb)



Ref. 347



Ref. 365



## C500 Automatic Pet Feeder with Digital Timer

The **CAT MATE C500** will serve meals at your pet's normal meal times when you are away - during the day, evening or over the weekend. Suitable for feeding both wet and dry foods, the twin ice packs and close fitting lid help keep food fresh. Just program the easy to use digital timer to the required meal times. Once set, all programmed feeds are visible on the LCD display.

- **Easy to use digital timer** allows you to program individual meal times.
- **Battery powered.** 3 x AA batteries (not supplied) give approximately 12 months operation.
- **Five large food compartments** each hold 330g (3/4 lb) of food - enough for two cats or a small dog.
- **Twin ice packs** (included) helps keep food fresh.
- Easy to clean, **dishwasher-proof** lid and bowl.
- **Tamper-resistant** to pets.
- May be easily fastened to a wooden board for extra stability, if required.
- 3 year guarantee.

**Food capacity:** 330g (3/4 lb) x 5

# C300 Automatic Pet Feeder with Digital Timer

The **CAT MATE C300** will serve meals at your pet's normal meal times when you are away - during the day, evening or over the weekend. Suitable for feeding both wet and dry foods, the ice pack and close fitting lid help keep food fresh. Just program the easy to use digital timer to the required meal times. Once set, all programmed feeds are visible on the LCD display.

- **Easy to use digital timer** allows you to program individual meal times.
- **Battery powered.** 3 x AA batteries (not supplied) give approximately 12 months operation.
- **Three large food compartments** each hold 330g (3/4 lb) of food - enough for two cats or a small dog.
- **Ice pack** (included) helps keep food fresh.
- Easy to clean, **dishwasher-proof** lid and bowl.
- **Tamper-resistant** to pets.
- May be easily fastened to a wooden board for extra stability, if required.
- 3 year guarantee.

**Food capacity:** 330g (3/4 lb) x 3



Ref. 366



# C200 Automatic Pet Feeder

The **CAT MATE C200** will feed one or two cats or small dogs when you are away - during the day, evening or over the weekend. Food is kept fresh in two easy to clean compartments sealed by closely fitting lids, and cooled by a built-in ice pack. Just set the timer on each lid to open at the required time, up to 48 hours later.

- **Easy to use 48 hour timer.**
- **Battery powered.** 1 x AA battery (not supplied) gives over 12 months operation.
- **Two large food bowls** each holds 400g (14 oz.) wet food.
- **Ice pack** (included) helps keep food fresh.
- **Lid-link clip** ensures simultaneous opening of both lids for feeding two cats.
- Easy clean, removable, **dishwasher-proof** lids and bowl.
- **Tamper resistant** to pets and fly proof.
- For dogs, feeder may be easily attached to a wooden board.
- 3 year guarantee.

**Food capacity:** 450g (1lb) x 2

Ref. 401



# C100 Automatic Pet Feeder

The **CAT MATE C100** is designed to feed your cat, kitten or small dog, when you are away. Food is kept fresh in an easy clean compartment sealed by a closely fitting lid. Just set the timer on the lid to open at the required time, up to 24 hours later.

- **Easy to use 24 hour timer.**
- **Battery powered.** 1 x AA battery (not supplied) gives over 12 months operation.
- **Large food bowl** holds 400g (14 oz.) wet food - enough for 2 cats.
- Easy clean, removable, **dishwasher-proof** lid and bowl.
- **Tamper resistant** to pets and fly proof.
- For dogs, feeder may be easily attached to a wooden board.
- 3 year guarantee.

**Food capacity:** 400g (14 oz.)



Ref. 405





## Shell Pet Fountain

Your pet's health and vitality require adequate water consumption. Our carefully developed, unique design is exceptionally quiet in operation and maximises the appeal of drinking by providing multi-height drinking levels with plenty of water movement to ensure naturally oxygenated, cool water throughout the day.

- **Multi-height drinking stations.** Water remains available for your pet even when power is cut or disconnected.
- **Compact 16cm (6 1/4") square footprint.**
- Shell attachment creates a waterfall to attract your pet with the gentle sound of flowing water.
- I.P.S. (Isolated Pump System) for **super-quiet operation.** Includes pump cleaning brush.
- **Easily visible water level indicators.** Unique design creates distinct water noise when water level is low.
- **Low voltage power** supply with 3m (10') lead length.
- **3-stage filtration ensures healthy drinking water** for your pet and prevents harmful scaling deposits (replacement cartridges available).
- Easy to clean, **dishwasher-proof** bowls.
- Suitable for cats and small dogs.
- 3 year guarantee.

**Water capacity:** 3 Litres (100 fl oz)

Ref. 410



## Colour variations available



Ref. 411



Ref. 412



Ref. 413




## 3-Stage Filter Cartridges

Replacement filter cartridges for use with all **Cat Mate and Dog Mate Pet Fountains.**

- ① **Pre-filter** traps dirt and fur.
- ② **Ion exchange resin** helps prevent harmful scaling deposits.
- ③ **Activated carbon** removes chlorine and unpleasant odours.

Pack of 4

Ref. 386



# Pet Fountain

Your pet's health and vitality require adequate water consumption. Our carefully developed, unique design is exceptionally quiet in operation and maximises the appeal of drinking by providing multi-height drinking levels with plenty of water movement to ensure naturally oxygenated, cool water throughout the day.

- **Multi-height drinking stations.**
- Ramp **reduces water splashing.**
- I.P.S. (Isolated Pump System) for **super-quiet operation.**
- **Low voltage power** supply with 3m (10') lead length.
- Polymer-carbon filter for water purification (replacement cartridges available).
- Easy to clean, **dishwasher-proof** bowls.
- Suitable for cats and small dogs.
- 3 year guarantee.

**Water capacity:** 2 Litres (70 fl oz)

Ref. 335



# Large Pet Fountain

Your pet's health and vitality require adequate water consumption. Our carefully developed, unique design is exceptionally quiet in operation and maximises the appeal of drinking by providing multi-height drinking levels with plenty of water movement to ensure naturally oxygenated, cool water throughout the day.

- Suitable for **dogs of all sizes.**
- **Multi-height drinking stations.**
- Ramp **reduces water splashing.**
- I.P.S. (Isolated Pump System) for **super-quiet operation.**
- **Low voltage power** supply with 3m (10') lead length.
- **3-stage filtration ensures healthy drinking water** for your pet and prevents harmful scaling deposits (replacement cartridges available).

- Easy to clean, **dishwasher-proof** bowls.
- 3 year guarantee.

**Water capacity:** 6 Litres (200 fl oz)

Ref. 385



# 2-Stage Filter Cartridges

Replacement filter cartridges for use with all **Cat Mate and Dog Mate Pet Fountains.**

- 1 **Pre-filter** traps dirt and fur.
- 2 **Activated carbon** removes chlorine and unpleasant odours.

Pack of 2

Ref. 339































Pack of 6

Ref. 389



# Selection Chart




## CAT MATE®

	Product Reference	Colours Available	Page Number															
				2 Way Lock	4 Way Lock	Keeps stray pets out	Keeps all unwanted animals out	Entry with implanted microchip	Entry with	Individual entry/exit control	Cat location display	Timer control	Dogs to shoulder height	Doors/Panels (Self lining thickness)	Walls	Screens	UPVC / Metal Doors	Single/ Multiple Glazing*
Lockable Cat Flap	304		8	✓	-	-	-	-	-	-	-	-	-	13mm (½")	-	✓	✓	-
Lockable Cat Flap with Door LIner	234		8	✓	-	-	-	-	-	-	-	-	-	50mm (2")	✓ <sup>1</sup>	-	✓	-
4 Way Locking Cat Flap	309		8	-	✓	-	-	-	-	-	-	-	-	13mm (½")	-	✓	✓	-
4 Way Locking Cat Flap with Door Liner	235		9	-	✓	-	-	-	-	-	-	-	-	50mm (2")	✓ <sup>1</sup>	-	✓	-
Rotary 4 Way Locking Cat Flap	358		9	-	✓	-	-	-	-	-	-	-	-	50mm (2")	✓ <sup>2,3</sup>	-	✓	✓ <sup>3</sup>
Large Cat Flap	221		9	-	✓	-	-	-	-	-	-	-	-	50mm (2")	✓	-	✓	-
Glass Fitting Cat Flap	210		10	-	✓	-	-	-	-	-	-	-	-	32mm (1¼")	-	-	✓	✓
Large Glass Fitting Cat Flap	357		10	-	✓	-	-	-	-	-	-	-	360mm (14")	50mm (2")	-	-	✓	✓
Electromagnetic Cat Flap	254		10	-	✓	✓	-	-		-	-	-	-	60mm (2½")	✓	-	✓	-
Timer Control Cat Flap	359		11	-	✓	-	-	-	-	-	-	✓	-	50mm (2")	✓ <sup>2,3</sup>	-	✓	✓ <sup>3</sup>
Microchip Cat Flap	360		12	-	✓	✓	-	✓		-	-	-	-	86mm (3½")	✓ <sup>2,3</sup>	-	✓ <sup>4</sup>	✓ <sup>3</sup>

## CAT MATE® Elite

I.D. Disc Cat Flap with Timer Control	305		13	-	✓	✓	✓	-		✓	✓	✓	-	50mm (2")	✓ <sup>2</sup>	-	✓	✓
Microchip Cat Flap with Timer Control	355		13	-	✓	✓	-	✓		-	✓	✓	-	100mm (4")	✓ <sup>2</sup>	-	✓	✓

## DOG MATE®

Small Dog Door	221D		14	-	✓	-	-	-	-	-	-	-	360mm (14")	50mm (2")	✓	-	✓	-
Medium Dog Door	215		14	✓	-	-	-	-	-	-	-	-	460mm (18")	50mm (2")	✓	-	✓	-
Large Dog Door	216		15	✓	-	-	-	-	-	-	-	-	630mm (25")	50mm (2")	✓	-	✓	-



Allows access with a Cat Collar Magnet (Ref. 257)



Allows access with an Elite I.D. Disc (Ref. 310)

Adapter kits / wall liners available for easy installation:

1. Wall Liner (Ref. 303)
2. Elite Wall Liner (Ref. 308)
3. Cat Flap Adapter Kit For Walls and Glass Panels (Ref. 361)
4. Cat Flap Adapter Kit For UPVC / Metal Doors (Ref. 387)

\* For existing toughened / double / triple glazing, a new glass panel will be required



## Lockable Cat Flap

An economically priced flap with uncompromised quality. This lockable flap features an easy to use slide lock and is particularly recommended for thin panel doors and screens.

- Self lining to 13mm (1/2") thick.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure..
- Rainproof seal.
- Easy to use, tamper-proof **2 way lock**.
- 3 year guarantee.

Ref. 304W



Ref. 304B



**Installation:** Doors, Screens

**Cut out size:** Width 165mm (6 1/2") x Height 174mm (6 7/8")

**Overall size:** Width 192mm (7 5/8") x Height 200mm (7 7/8")

## 4 Way Locking Cat Flap

For control over your cats access to and from the house, this 4 way locking cat flap offers exceptional value for money. Particularly recommended for thin panel doors and screens.

- Self lining to 13mm (1/2") thick.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Rainproof seal.
- Easy to use, tamper-proof **4 way lock**.
- 3 year guarantee.

Ref. 309W



Ref. 309B



**Installation:** Doors, Screens

**Cut out size:** Width 165mm (6 1/2") x Height 174mm (6 7/8")

**Overall size:** Width 192mm (7 5/8") x Height 200mm (7 7/8")



## Rotary 4 Way Locking Cat Flap

A stylish and cost effective cat flap of uncompromised quality, combining simple functionality with rugged construction. The easy to use, manual rotary lock allows complete control of your cat's movements through the flap.

- Easy to use, rotary **4 way lock**.
- Self lining to 50mm (2") thick - ideal for all doors, panels and walls.\*
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Silent action will not frighten pets or disturb owner.
- Rainproof seal.
- 3 year guarantee.

**Installation:** Doors (including metal), Glass\*, Walls\*

**Cut out size:** Width 173mm (6 7/8") x Height 198mm (7 3/4")

**Overall size:** Width 197mm (7 3/4") x Height 246mm (9 11/16")

\* Cat Mate Adapter Kit for Walls and Glass Panels (Ref. 361) & Cat Mate Elite Wall Liner (Ref. 308) available separately.

Ref. 358W





## Lockable Cat Flap with Door Liner to 50mm (2")

This high quality product with its unique trimmable door liner enables neat, easy installation in all doors, panels and walls.

- **Self lining to 50mm (2")** thick - ideal for all doors, panels and walls.\*
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Rainproof seal.
- Easy to use, tamper-proof **2 way lock**.
- 3 year guarantee.

**Installation:** Doors, Walls\*

**Cut out size:** Width 165mm (6½") x Height 174mm (6⅞")

**Overall size:** Width 192mm (7⅝") x Height 200mm (7⅞")

\* **Cat Mate Wall Liner (Ref. 303)** available separately.

Ref. 234W



Ref. 234B



## Wall Liner

Any number of these paintable **50mm (2")** sections may be added to the following products to enable easy wall installation:

- **Cat Mate Lockable Cat Flap with Wall Liner (Ref. 234W, 234B)**
- **Cat Mate 4 Way Locking Flap with Wall Liner (Ref. 235W, 235B)**

Ref. 303



## 4 Way Locking Cat Flap with Door Liner to 50mm (2")

This high quality product with its unique trimmable door liner enables neat, easy installation in all doors, panels and walls.

- **Self lining to 50mm (2")** thick - ideal for all doors, panels and walls.\*
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Rainproof seal.
- Easy to use, tamper-proof **4 way lock**.
- 3 year guarantee.

**Installation:** Doors, Walls\*

**Cut out size:** Width 165mm (6½") x Height 174mm (6⅞")

**Overall size:** Width 192mm (7⅝") x Height 200mm (7⅞")

\* **Cat Mate Wall Liner (Ref. 303)** available separately.

Ref. 235W



Ref. 235B







## Glass Fitting Cat Flap

The attractive circular styling of this 4 way locking flap is popular for wooden panel doors in addition to glass and acrylic. It is particularly recommended for single/multiple glazing.

- **Self lining to 32mm (1¼")** thick - ideal for all single/multiple glazing.\*
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Rainproof seal.
- Easy to use, tamper-proof **4 way lock**.
- 3 year guarantee.

**Installation:** Doors, Glass

**Cut out size:** Diameter 223mm (8¾")

**Overall size:** Diameter 245mm (9⅝")

Ref. 210W



\* For existing toughened/multiple glazing, a new panel will be required.

## Large Glass Fitting Cat Flap

Specially developed for the largest cats or small dogs such as Yorkshire Terriers, Pekinese, Dachshund, Miniature Poodles and Spaniels up to a **shoulder height of 360mm (14")**. The circular design makes this a stylish alternative for fitting to all doors. It is particularly recommended for single/multiple glazing.

- **Self lining to 50mm (2")** thick - ideal for all doors and thin panels.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most pets.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- Secure double point **4 way lock**.
- 3 year guarantee.

**Installation:** Doors, Glass

**Cut out size:** Diameter 283mm (11⅛")

**Overall size:** Diameter 305mm (12")

Ref. 357W



\* For existing toughened/multiple glazing, a new panel will be required.



## Large Cat Flap

Specially developed for the largest cats or small dogs such as Yorkshire Terriers, Pekinese, Dachshund, Miniature Poodles and Spaniels up to a **shoulder height of 360mm (14")**. A secure 4 way locking mechanism gives complete control of your pets movement.

- **Self lining to 50mm (2")** thick - ideal for all doors and thin panels.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most pets.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- Secure double point **4 way lock**.
- 3 year guarantee.

**Installation:** Doors, Walls

**Cut out size:** Width 204mm (8") x Height 221mm (8¾")

**Overall size:** Width 235mm (9¼") x Height 252mm (10")

Ref. 221W



Ref. 221B





## Electromagnetic Cat Flap

Stray pets can often be a big problem, but this highly proven design provides a reliable solution. Your cat wears a small magnet that doubles as an identification tag. A sensitive, fast-reacting circuit in the cat flap guarantees instant entry for selected cats of all size and temperament. An easy to use 4 way locking system enables complete control over your cats movements.

- **Self lining to 60mm (2<sup>3</sup>/<sub>8</sub>"**) thick - ideal for all doors.
- **Battery powered.** 1 x PP3/9V battery (not supplied) gives approximately 12 months operation.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most pets.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- Easy to use **4 way lock.**
- Includes: 2 x **Cat Mate Cat Collar Magnets (Ref. 257).**
- 3 year guarantee.

**Installation:** Doors (including metal), Walls

Ref. 254W

**Cut out size:** Width 168mm (6<sup>5</sup>/<sub>8</sub>"  
Height 219mm (8<sup>5</sup>/<sub>8</sub>"

**Overall size:** Width 195mm (7<sup>5</sup>/<sub>8</sub>"  
Height 242mm (9<sup>1</sup>/<sub>2</sub>"



## Cat Collar Magnets

Pack of 2 replacement cat collar magnets.

For use with **Cat Mate Electromagnetic Cat Flap (Ref. 254W)**

Ref. 257



## Timer Control Cat Flap

This cat flap has been designed to help reduce cat road accidents and undesirable hunting activities. An easy to use LCD time control allows you to choose the high risk periods during which you do not wish your cats to go out through the flap, e.g. rush hour, night time, etc. A secure 5 way rotary lock allows you complete control of your cats' movements through the flap.

- Easy to use, programmable **LCD timer** controls exit times.
- **Battery powered.** 2 x AA batteries (not supplied) gives over 2 years operation.
- Easy to use, secure **5 way rotary lock** (4 way lock + timer mode).
- **Self lining to 50mm (2")** thick - ideal for all doors, panels and walls.\*
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Rainproof seal.
- 3 year guarantee.

**Installation:** Doors (including metal), Glass\*, Walls\*

**Cut out size:** Width 173mm (6<sup>7</sup>/<sub>8</sub>"  
Height 198mm (7<sup>3</sup>/<sub>4</sub>"

**Overall size:** Width 197mm (7<sup>3</sup>/<sub>4</sub>"  
Height 246mm (9<sup>11</sup>/<sub>16</sub>"

Ref. 359W



\* Cat Mate Adapter Kit for Walls and Glass Panels (Ref. 361) & Cat Mate Elite Wall Liner (Ref. 308) available separately.



## Microchip Cat Flap

This cat flap has been developed to offer a stylish and effective solution for **entry control using your cat's implanted microchip or unique I.D. disc**. The streamlined design maximises entrance opening space - providing easy, stress-free access for your cat.

- **Entry operated by your cat's unique microchip or Cat Mate I.D. Disc** (available separately). **Keeps stray pets out.** Suitable for up to 30 cats.
- **Easy to program**, at the push of a single button. The LED indicator flashes when your cat's microchip or I.D. disc is registered.
- **Battery powered**. 4 x AA batteries (not supplied) give approximately 12 months operation.
- **Self lining to 85mm (3<sup>3</sup>/<sub>8</sub>"**) thick - ideal for all doors including metal.\* Easily fitted to walls or glass panels with adapter kit.\*\*
- Transparent flap is preferred by most cats and is made from super tough polymer.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- Easy to use, rotary **4 way lock**.
- 3 year guarantee.

**Installation:** Doors (including metal\*), Glass\*\*, Walls\*\*

**Cut out size:** Width 173mm (6<sup>7</sup>/<sub>8</sub>"  
Height 198mm (7<sup>7</sup>/<sub>8</sub>"

**Overall size:** Width 197mm (7<sup>7</sup>/<sub>8</sub>"  
Height 246mm (9<sup>11</sup>/<sub>16</sub>"

Ref. 360W



Ref. 360B



\* Cat Mate Adapter Kit for UPVC / Metal Doors (Ref. 387)

\*\* Cat Mate Adapter Kit for Walls and Glass Panels (Ref. 361) & Cat Mate Elite Wall Liner (Ref. 308) available separately.



## Cat Flap Adapter Kit for UPVC / Metal Doors

This adapter kit is specifically required for installation into UPVC / metal doors with a panel thickness over 35mm (1<sup>3</sup>/<sub>8</sub>" to improve the sensing range of your cat's implanted microchip.

For use with **Microchip Cat Flap (Ref. 360W, 360B)**

Ref. 387



## Cat Flap Adapter Kit for Walls and Glass Panels

This paintable adapter kit enables easy installation into walls and glass panels for the following products:

**Cat Mate Microchip Cat Flap (Ref. 360W, 360B)**

**Cat Mate Timer Control Cat Flap (Ref. 359W)**

**Cat Mate Rotary 4 Way Locking Cat Flap (Ref. 358W)**

Ref. 361



## Elite Wall Liner

Any number of these paintable **50mm (2")** sections may be added to the following products to enable easy wall installation:

**Cat Mate Elite Microchip Cat Flap with Timer Control (Ref. 355W)**

**Cat Mate Elite I.D. Disc Cat Flap with Timer Control (Ref. 305W)**

**Cat Mate Microchip Cat Flap (Ref. 360W, 360B)\***

**Cat Mate Timer Control Cat Flap (Ref. 359W)\***

**Cat Mate Rotary 4 Way Locking Cat Flap (Ref. 358W)\***

Ref. 308



\* Also requires **Cat Mate Adapter Kit for Walls and Glass Panels (Ref. 361)**.



## Microchip Cat Flap with Timer Control

- **Entry operated by your cat's unique microchip** or Cat Mate I.D. Disc. (available separately) for up to 9 cats - keeps stray pets out.
- **4 way lock** control.
- LCD display shows selected entry and exit lock status, **cat location and time since flap last used** for up to 3 selected cats. Low battery indicator.
- **Battery powered.** Requires 4 x AA batteries (not supplied) give approximately 12 months operation.
- **Timer function** controls access for all your cats, e.g. to keep cats in at night.
- **Self lining up to 100mm (4")** thick - suitable for all doors and single/multi glazed panels.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- 3 year guarantee.

**Installation:** Doors (including metal), Glass, Walls\*

Ref. 355W

**Cut out size:** Width 178mm (7<sup>1</sup>/<sub>16</sub>"")  
Height 204mm (8<sup>1</sup>/<sub>16</sub>"")  
Diameter 232mm (9<sup>1</sup>/<sub>8</sub>"")

**Overall size:** Width 248mm (9<sup>3</sup>/<sub>4</sub>"")  
Height 265mm (10<sup>3</sup>/<sub>8</sub>"")



\* Cat Mate Elite Wall Liner (Ref. 308) available separately.



## Electronic I.D. Disc

Gives a unique identity to every pet. Packed individually.

For use with:

Cat Mate Microchip Cat Flap (Ref. 360W, 360B)

Cat Mate Elite Microchip Cat Flap with Timer Control (Ref. 355W)

Cat Mate Elite I.D. Disc Cat Flap with Timer Control (Ref. 305W)

Ref. 310



## I.D. Disc Cat Flap with Timer Control

- **Entry and exit operated by unique electronic I.D. Discs\*** (2 supplied) for up to 9 cats - keeps all other animals out.
- **Individual entry and exit control.**
- **4 way lock** control.
- LCD display shows selected entry and exit lock status, **cat location and time since flap last used** for up to 3 selected cats.
- **Battery powered.** 4 x AA batteries (not supplied) give approximately 12 months operation.
- **Timer function** controls access for all your cats, e.g. to keep cats in at night.
- **Self lining up to 50mm (2")** thick - suitable for all doors and single/multi glazed panels.
- Draft and weatherproof fully brush sealed flap with magnetic closure.
- 3 year guarantee.

**Installation:** Doors (including metal), Glass, Walls\*\*

**Cut out size:** Width 178mm (7<sup>1</sup>/<sub>16</sub>"")  
Height 204mm (8<sup>1</sup>/<sub>16</sub>"")  
Diameter 232mm (9<sup>1</sup>/<sub>8</sub>"")

**Overall size:** Width 248mm (9<sup>3</sup>/<sub>4</sub>"")  
Height 265mm (10<sup>3</sup>/<sub>8</sub>"")

Ref. 305W



\* Cat Mate ID Disc (Ref. 310).

\*\* Cat Mate Elite Wall Liner (Ref. 308) available separately.



## Small Dog Door

Specially developed for the largest cats or small dogs such as Yorkshire Terriers, Pekinese, Dachshund, Miniature Poodles and Spaniels up to a **shoulder height of 360mm (14")**. A secure 4 way locking mechanism gives complete control of your pets movement.

- **Self lining to 50mm (2")** thick - ideal for all doors and thin panels.
- Silent action will not frighten pets or disturb owner.
- Transparent flap is preferred by most pets.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- Secure double point **4 way lock**.
- 3 year guarantee.

**Installation:** Doors, Walls

**Cut out size:** Width 204mm (8") x Height 221mm (8<sup>3</sup>/<sub>4</sub>")

**Overall size:** Width 235mm (9<sup>1</sup>/<sub>4</sub>") x Height 252mm (10")

Ref. 221WD



## Medium Dog Door

The robust construction and security locking panel are popular features of this dog door. The medium door is suitable for Spaniels, Terriers, Poodles, Beagles etc. up to a **shoulder height of 460mm (18")**.

- **Self lining to 50mm (2")** thick - ideal for all doors and walls.\*
- **Robust locking panel** provides security and makes it clear to your dog when the door is locked.
- Silent action weatherproof flap with vision panel.
- Lightweight flap may be used by cats.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- 3 year guarantee.

**Installation:** Doors, Walls\*

**Cut out size:** Width 242mm (9<sup>1</sup>/<sub>2</sub>") x Height 300mm (11<sup>3</sup>/<sub>4</sub>")

**Overall size:** Width 290mm (11<sup>3</sup>/<sub>8</sub>") x Height 350mm (13<sup>3</sup>/<sub>4</sub>")

Ref. 215W



Ref. 215B



\* Requires **2mm (3/32")** thick plastic sheet for lining walls over 50mm (2") thick.



# Large Dog Door

The robust construction of this door makes it suitable for Labradors, German Shepherds and other large dogs up to a **shoulder height of 630mm (25")**.

- **Self lining to 50mm (2")** thick - ideal for all doors and walls.\*
- **Robust locking panel** provides security and makes it clear to your dog when the door is locked.
- Silent action weatherproof flap with vision panel.
- Lightweight flap may be used by cats.
- Draft and weatherproof brush sealed flap with magnetic closure.
- Rainproof seal.
- 3 year guarantee.

**Installation:** Doors, Walls\*

**Cut out size:** Width 318mm (12<sup>1</sup>/<sub>2</sub>" ) x Height 391mm (15<sup>3</sup>/<sub>8</sub>" )

**Overall size:** Width 366mm (14<sup>3</sup>/<sub>8</sub>" ) x Height 441mm (17<sup>3</sup>/<sub>8</sub>" )

Ref. 216W



Ref. 216B



\* Requires **2mm (7/32")** thick plastic sheet for lining walls over 50mm (2") thick.

# Pet Product Spares

Pet Mate offers a comprehensive range of spare parts for all Cat Mate and Dog Mate products.

The following items are available for these product ranges:

### Pet Doors

- Replacement flaps
- Replacement locks
- Locking panels & locking pins

### Pet Feeders

- Replacement bowls
- Replacement lids
- Ice packs

### Pet Fountains

- Replacement power supplies
- Replacement pumps
- Pump cleaning brushes





**CAT MATE<sup>®</sup>**

**DOG MATE<sup>®</sup>**

Established in 1986, **Pet Mate Ltd** continues to design and manufacture world leading, innovative, high quality products at competitive prices.

All **Cat Mate** and **Dog Mate** products are designed in the UK after worldwide market research and are extensively protected by international patents.

As a measure of success, **Pet Mate** now supplies distributors in 40 countries. Since 1991 distribution in the North American market has been handled by **Ani Mate** - a wholly owned operating division of **Pet Mate Ltd**.

**Pet Mate Ltd.**

📍 Lyon Road  
Hersham  
Surrey KT12 3PU  
England

☎ +44 (0)1932 700 000

✉ sales@pet-mate.com

**Ani Mate**

📍 104A Longview Street  
Conroe  
Texas 77301  
USA

☎ (936) 760 4333

All goods are subject to Pet Mate's standard terms and conditions of sale. As part of our commitment to continuous product improvement, we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in the catalogue.

[www.pet-mate.com](http://www.pet-mate.com)