

PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE FIRE ALARM AND LIFE SAFETY INDUSTRIES



www.sdifire.com



FOR OVER 20 YEARS...

SDi has cultivated a reputation as the world's leading provider of specialized equipment for the fire protection and security industries.

Our partnerships with detector manufacturers and affiliations with industry associations provide critical insight into the fire detection market and ensure our products are compatible, code compliant, and meet all industry standards.

We are dedicated to introducing exceptional products and innovative solutions to the fire and security industries, providing quality today and advancing technology for tomorrow.

.....



CONTENTS

AEROSOLS

Solo A10 Aerosol Smoke	4
Solo C6 CO Aerosol	4
A7 Air Detector Duster	4
Blowout Detector Duster	4
SmokeSabre	5
Smoke Centurion	5

SOLO DETECTOR TESTERS

Solo 330 Dispenser	6
Solo 332 Dispenser	6
Solo 460 Cordless Heat Tester	7
Solo 461 Heat Detector Test Kit	7

Solo 200 Removal Tool	8
-----------------------------	---

SOLO ACCESS POLES

Solo 101 4' Extension Pole	9
Solo 108 8' Access Pole	9
Solo 100 15' Access Pole	9

SOLO 365

Solo 365 Test Kit	10, 11
Solo 365 Smoke Cartridges	11
Solo 365 ASD Adapter	11

TESTIFIRE

Testifire 1001	13
Testifire 2001	13
Testifire CO Capsules	13
Testifire Smoke Capsules	13
Testifire Kits	14

TRUTEST SENSITIVITY TESTING

Trutest Unit	15
Smoke 400 Aerosol	15

SOLO TEST KITS

Solo Smoke Starter Kits	16
Solo Smoke, Heat & CO Kits	16
Solo & Trutest Kits	17
Smart 365 Kit	18

ALARM COMPONENT TESTERS

Cell Checker	20
Power Checker	20
Duct Checker	20
dB Checker	21
AV Checker	21

SPEECH INTELLIGIBILITY TESTING

SM50 Speech Intelligibility Meter	22
BTB65 Talkbox	22
Speech Intelligibility Testing Kit	23

SDi Service	24
-------------------	----

SPARE & MISCELLANEOUS PARTS

Solo Accessories	25
Solo 610 Equipment Bag	25
Solo 726 Charger	25
Solo 743 PDA Holder	25
Solo 760 Battery Baton	25
Testifire Accessories	25
Testifire Remote Control	25
Trutest Pole Clamp	25

AEROSOLS



SOLO A10 AEROSOL SMOKE



Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.



SOLO C6 AEROSOL CO



Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.

A7 AIR DETECTOR DUSTER



Non-flammable hand-held canned air solution. A7 Air is silicone-free and conforms to new global aerosol regulations. A7 Air 10oz cans are sold in cases of 12.



BLOWOUT DETECTOR DUSTER



BlowOut hand-held air duster is perfect for use with fire alarm equipment. BlowOut comes with a directional straw, allowing access to hard to reach areas. BlowOut 10oz cans are sold in cases of 12.



sales@sdifire.com



SMOKESABRE

SABRE



Hand-held smoke detector tester is perfect for smaller jobs.

Hand-held aerosol smoke for the functional testing of smoke detectors. Silicone-free. No CFC's. Sold in cases of 12.



SMOKE CENTURION

M8



Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



AEROSOL DISPENSERS



SOLO 330 AEROSOL DISPENSER

SOLO330



Solo 330 is universal, lightweight and simple to use. Its swing frame allows for use at any angle.

Use with Solo A10 or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*

Fits
Up To 4"
Diameter



SOLO 332 AEROSOL DISPENSER

SOLO332



Solo 332 is a universal, lightweight and simple to use dispenser with a swing frame for use at any angle.

Use with Solo A10 or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*

Fits
Up To 7"
Diameter



HEAT DETECTOR TESTING



Tests
Up To
194°F

SOLO 460 CORDLESS HEAT TESTER

SOLO460



The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use.

Suitable for fixed temperature, rate-of-rise, and combination detectors up to 194°F/90°C.

Contact us for Solo 423/424 Corded Heat Detector Tester.

SOLO 461 HEAT DETECTOR TEST KIT

SOLO461



Includes:

- 1x Solo 460 Cordless Heat Head Unit
- 2x Solo 760* Battery Batons
- 1x Solo 726* Charger

*Kit pictured with Solo 770 battery and 727 charger.
Coming soon to SDi





SOLO 200 UNIVERSAL DETECTOR REMOVAL TOOL

SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. For use with Solo Access Poles. *Lifetime limited warranty.*

sales@sdifire.com

SOLO ACCESS POLES



SOLO 100 15' TELESCOPIC ACCESS POLE

SOLO 100



The lightweight, easy to use Solo 100 Access Pole extends from 4.8ft to 14.9ft. Add up to three extension poles to test up to 29.5ft.

Minimum possible whip or bend at height. Certified non-conductive, protecting both the engineer and overhead live equipment from inadvertent shorts. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 108 8' TELESCOPIC ACCESS POLE

SOLO 108



The lightweight, easy to use Solo 108 Access Pole adds 7.2ft to your testing height capability.

Minimum possible whip or bend at height. Certified non-conductive. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 101 4' EXTENSION POLE

SOLO 101



The lightweight, easy to use Solo 101 Extension Pole adds 3.9ft to your testing height capability. Can be used on its own or add up to three extension poles to extend the Solo 100 or Solo 108.

Minimum possible whip or bend at height. Certified non-conductive. *Lifetime limited warranty.*





SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER



Solo 365, the latest innovation in Solo's detector tester line, uses non-hazardous, non-pressurized, environmentally-friendly cartridge technology for smoke generation.

Solo 365 allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Its unique clearing mode all but eliminates repeat alarms by clearing remaining smoke.

sales@sdifire.com



**SOLO 365 SMOKE
DETECTOR TESTER**



Includes:

- 1x Solo 365 Smoke Detector Tester
- 1x Solo ESI Smoke Cartridge
- 1x Solo 371 Smoke Generator
- 1x 370 Lithium Ion Battery Pack
- 1x USB Universal Charger



**SOLO 372 ASD
ADAPTER**



Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

CONSUMABLES

Solo 365 Smoke Cartridges (6-Pack)	SOLOES6
Solo 365 Battery Pack	SOLO370
Solo 365 Smoke Generator	SOLO371

www.sdifire.com

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors.

Choose Testifire 100I for testing heat and smoke or Testifire 200I to test heat, smoke, and CO.

Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.



MULTICRITERIA DETECTOR TESTERS



TESTIFIRE SMOKE AND HEAT TEST KIT



Includes:

- 1x Testifire 1000 Head Unit
- 1x TSI Smoke Capsule
- 1x Solo 726* Battery Charger
- 2x Solo 760* Battery Batons



Tests
Up To
212°F

CONSUMABLES

Testifire Smoke Capsules (3-Pack)	TS3
-----------------------------------	-----

*Pictured with Solo 770 battery and 727 charger.
Coming soon to SDi



TESTIFIRE SMOKE, HEAT AND CO TEST KIT

Tests
Up To
212°F



Includes:

- 1x Testifire 2000 Head Unit
- 1x TSI Smoke Capsule
- 1x TCI CO Capsule
- 1x Solo 726* Battery Charger
- 2x Solo 760* Battery Batons



CONSUMABLES

Testifire Smoke Capsules (3-Pack)	TS3
Testifire CO Capsules (3-Pack)	TC3

MULTICRITERIA TEST & INSPECTION KITS

SMOKE & HEAT DETECTOR TESTING KIT

TF1851



24ft Reach

Includes:

- Testifire 1001* Smoke & Heat Kit
- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



SMOKE & HEAT DETECTOR TESTING KIT

TF1823



30ft Reach

Includes:

- Testifire 1001* Smoke & Heat Kit
- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



SMOKE, HEAT & CO DETECTOR TESTING KIT

TF2851



24ft Reach

Includes:

- Testifire 2001* Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



SMOKE, HEAT & CO DETECTOR TESTING KIT

TF2823



30ft Reach

Includes:

- Testifire 2001* Smoke, Heat & CO Kit
- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool
- 1x Solo 610 Carrying Bag



*Kits are pictured with Solo 770 battery and 727 charger.
Coming soon to SDI

sales@sdifire.com

DETECTOR SENSITIVITY TESTING



TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

TT801



Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT

TT800KIT



Includes:

- 1x Trutest 801 Smoke Detector Sensitivity Tester
- 12x Trutest Smoke 400 Detector Test Aerosol Canisters
- 1x Storage Case and Pole Bag
- 1x Solo 100 15' Telescopic Access Pole



SMOKE 400 AEROSOL SMOKE DETECTOR TESTER

SMOKE400



Smoke 400 is a non-flammable aerosol that is used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.



SMOKE STARTER KIT

10ft
Reach

SOLO810



Includes:

- 1x Solo 101 4' Extension Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



SMOKE STARTER KIT

12ft
Reach

SOLO808



Includes:

- 1x Solo 108 8' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



SMOKE STARTER KIT

20ft
Reach

SOLO809



Includes:

- 1x Solo 100 15' Access Pole
- 1x Solo 330 Dispenser
- 12x Smoke Centurion Aerosols
- 1x Solo 604 Carrying Bag



SMOKE, HEAT & CO TECHNICIAN KIT

24ft
Reach

SOLO851



Includes:

- 1x Solo 100 15' Access Pole
- 1x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 726* Battery Charger
- 2x Solo 760* Battery Batons
- 1x Solo 610 Carrying Bag



SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT

30ft
Reach

SOLO823



Includes:

- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Pole
- 1x Solo 200 Universal Removal Tool
- 1x Solo 330 Dispenser
- 1x Solo 460 Heat Detector Tester
- 1x Solo 726* Battery Charger
- 2x Solo 760* Battery Batons
- 1x Solo 610 Carrying Bag



sales@sdifire.com

SOLO & TRUTEST KIT

ST1

Includes:

- 1x Solo 823* Enhanced Technician Kit
- 1x Trutest 801 Detector Sensitivity Tester
- 12x Smoke 400 Aerosol
- 12x Solo A10 Smoke Detector Tester
- 12x A7 Air Detector Duster
- 1x Cell Checker

ENHANCED SOLO & TRUTEST KIT

ST2

Includes:

- 1x ST1* Solo and Trutest Kit
- 1x Duct Checker
- 1x dB Checker
- 12x Smoke Centurion

*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi



ELECTRONIC DETECTOR TEST KITS

COMPACT SMOKE TESTING KIT

SMART365 

Includes:

- 1x Smart Kit Backpack (with pole bag attachment)
- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 110 Smart 5.75' Telescopic Pole
- 3x Solo 111 Smart 1.65' Extension Poles

20ft Reach



ELECTRONIC SMOKE TESTING KIT

SOLO900 

Includes:

- 1x Solo 100 15' Access Pole
- 3x Solo 101 4' Extension Poles
- 1x Solo 200 Removal Tool
- 1x Solo 365 Electronic Smoke Detector Tester
- 1x Solo 610 Carrying Bag

30ft Reach



sales@sdifire.com





ALARM COMPONENT TESTERS



POWER CHECKER

PC01



Power Checker uses a patented, high accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (non-rechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.



DUCT CHECKER

DUCT01

Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer approved, easy to use, and ensures accurate results.



CELL CHECKER

CELL03



Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12- volt batteries up to 200AH. Cell Checker also tests SLA batteries.



CELL CHECKER ACCESSORIES

Padded Case	CELL01CS
48" Plier-Type Lead	CELL01LD
48" Clip-Type Lead	CELL01RL
Cell Checker Accessory Kit (Case & Strap)	CELLPAC

DB CHECKER SOUND LEVEL METERS

The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. Two models are available to support either A frequency weighting (dB02) or A to C frequency weighting (dB01).

checker™
ALARM COMPONENT TESTERS

DB CHECKER 01/02

DB01/DB02

Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz
- Easy to use
- A or C frequency weighting (dB01)
- A frequency weighting (dB02)



AV CHECKER

AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.

checker™
ALARM COMPONENT TESTERS

AV CHECKER

AV02

Specifications:

- Ensures duct detector will sample the air velocity correctly
- Easy to use
- Includes custom hard case
- Digital thermometer function
- Conforms to NFPA 72
- Meets CAN/ULC S536-04,5.7.4.4.1



SPEECH INTELLIGIBILITY TESTING

Fire safety should never be taken for granted. Having an effective, accurate fire safety system is crucial and reliable testing tools are essential to ensure that system is functioning properly. Voice evacuation alarm systems require specific testing tools to ensure the voice is clear and easily understood. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.



SPEECH INTELLIGIBILITY TESTER

SM50

Bedrock SM50 is a universal, easy to use speech intelligibility tester for fire safety systems. The SM50 is designed for ease-of-use, with a simple, user-friendly touch screen for precise and basic control. SM50 is capable of taking both STIPA and full STI measurements and includes features such as RTA, FFT, Reverberation Time, Noise Curves, and more. A built-in USB port provides fast and versatile connectivity to your network. Includes a hard case.

- Conforms to IEC651 Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 – 2013, ANNEX D



TALKBOX

BTB65

Along with the SM50, SDi also offers the BTB65 Talkbox. The Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 – 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1m
- Signal level can be increased/decreased relative to environment
- Powered through external power supply (included)
- Can be purchased with the SM50 as a bundle or as a standalone unit



INTELLIGIBILITY TESTING KIT & CASE



INTELLIGIBILITY MEASUREMENT KIT

SMBTBKT

All the necessary tools for speech intelligibility measurements using STIPA or Full STI.

Includes:

- 1x SM50 STIPA Meter
- 1x BTB65 Talkbox
- 1x Custom Hard Case



CUSTOM HARD CASE

SMBTBCS

Custom hard case fits SM50 STIPA Meter and Talkbox along with all their components, including chargers, microphone, wind screen, calibration certificates and more.

Included with the purchase of SMBTBKT, or available for purchase separately.



SERVICE

In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner.

Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
 - Trutest
 - Cell Checker
 - dB Checker
 - SM50 & BTB65 Talkbox

For service inquiries, please call (732) 751-9266 or email the service team at service@sdifire.com.



SPARE & MISCELLANEOUS PARTS

MISCELLANEOUS

PDA Holder	SOLO743
------------	---------

SOLO 200

Solo 200 Transparent Grips	SPARE1002
----------------------------	-----------

SOLO 330/332

Replacement Red Cup (<i>Solo 330 Only</i>)	SPARE1028
--	-----------

Silicone Membrane	SPARE1005
-------------------	-----------

SOLO 365

Solo 365 Battery Pack	SOLO370
-----------------------	---------

Solo 365 Smoke Generator	SOLO371
--------------------------	---------

Solo 365 Cup & Membrane	SPARE1058
-------------------------	-----------

Solo 365 Membrane	SPARE1059
-------------------	-----------

Solo 365 Universal Charger/USB Cable	SPARE1060
--------------------------------------	-----------

SOLO 461

Battery Baton	SOLO760
---------------	---------

Charger	SOLO726
---------	---------

Silicone Membrane	SPARE1005
-------------------	-----------

Heat Baffle	BAFFLE
-------------	--------

TESTIFIRE

Testifire Inner Cup	SPARE1048
---------------------	-----------

Testifire Membrane Bellows	SPARE1049
----------------------------	-----------

Testifire Remote Control	TF25
--------------------------	------

















Battery Baton	SOLO760
---------------	---------

Charger	SOLO726
---------	---------

TRUTEST


Trutest Pole Clamp	TRUT730
--------------------	---------

AEROSOL COMPARISON CHART

	SOLO A10	SOLO C6	A7 AIR	SMOKE CENTURION	SMOKESABRE	BLOWOUT
VOLUME	4.8 Oz	-	10 Oz	2.6 Oz	2.6 Oz	10 Oz
ONE SECOND BURSTS	600+	250	Varies	800	300	Varies
FLAMMABILITY						
SILICONE						
UL			-			-
BASE	Alcohol	-	-	Oil	Oil	-
HANDHELD/ DISPENSER	Both	Both	Handheld	Both	Handheld	Handheld
PRODUCT CODE:	SOLOA10	SOLOC6	A7AIR	M8	SABRE	BLOWOUT

SDi SALES TERRITORIES

SDi 2020



Northeast Region

Pat Ryan

pat.ryan@sdifire.com

Phone: (732) 299-2402



Southeast Region

Lynde Bailey

lynde.bailey@sdifire.com

Phone: (813) 508-5111



Midwest Region

Andrea Barghini

andrea.barghini@sdifire.com

Phone: (312) 402-4550



Southern Region

Lynde Bailey

lynde.bailey@sdifire.com

Phone: (813) 508-5111



Northwest Region

Mariana Ferguson

mariana.ferguson@sdifire.com

Phone: (208) 982-2479




Southwest Region


Ivy Moon


ivy.moon@sdifire.com


Phone: (310) 344-6608




SDi, LLC

 3535 Route 66, Bldg. 6, Neptune, NJ 07753

 Email: sales@sdifire.com

 Web: www.sdifire.com

 Tel: (732) 751-9266

Connect with us

