

30V-90V INPUT TO 12V STEPDOWN

## CONVERTER



## DATA SHEET







AB-DC-SD

30V-90V to 12V Converter

ELECTRICAL SPECIFICATIONS	
Rated voltage	60/72V
Voltage range	30-90V
Efficiency (type)	>93%
Voltage output	12V
Max. rated output	50A
Max. rated power	600W
Voltage regulation	±1%
Load regulation	2%
SAFETY SPECIFICATIONS	
Short circuit protection	YES
Over current / temp protection	YES
Over voltage protection	YES
Waterproof	IP67
MECHANICAL SPECIFICATIONS	
Working Temperature	-40°C to 80°C (-40°F to 176°F)
Size (W*H*D)	150×130×50mm (5.9×5.11×1.9 inch)
Weight	1.3 kg (2.8lb)
Cooling	Free Air Convection



- Smart chip protection, anti-overheating, overcurrent protection: Monitors the converter status (charge, discharge, current, temperature, etc.).
- Anti-shock, anti-drop, anti-moisture, anti-dust: Can monitor the product status (charge, discharge, current, temperature, cycle life, etc.) and change the data for different applications.
- Internal resistance capacitor filter to withstand high temperature: The converter features proprietary technology that monitors temperature, requiring no additional components. The entire process of temperature controlled is completely seamless.

Large external fins help to dissipate heat.


- Non-isolated connection between Input and Output: Current is able to flow directly between the two sides as they share a common ground. Connections are more spaceefficient due to their compact design.
- Waterproof IP67:

IP67 represents one of the highest levels of protection offered by an IP rating. This rating provides: Complete protection against ingress of dust and airborne particles. Protection against water and liquids, up to and including immersion in up to one meter of water.



## DIMENSIONS:





## MARKET APPLICATIONS:









**GOLF CART** 



ENERGY STORAGE



LIGHT EV





Abyss Battery® Tel: 1+(855)-719-1727 E-mail: Info@abyssbattery.com Address: 1920 W Bay Dr, Largo, FL 33770

