

Dyna-Glo[®]

**PERSONAL COMFORT PRODUCTS
WAREHOUSE CATALOG**

2023-2024



VENT-FREE WALL HEAT

Dyna-Glo[®]

**VENT-FREE
WALL HEAT**



Vent-Free Wall Heat 4

MODEL NUMBER: BF10DTDG-2
BTU: 10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20DTDG-2
BTU: 20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR18DTDG-2
BTU: 18,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR30DTDG-2
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30DTDG-2
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR12DTDG-2
BTU: 12,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: GBF30DTDG-2
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10DTL-2
BTU: 10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20DTL-2
BTU: 20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR18DTL-2
BTU: 18,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR30DTL-2
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30DTL-2
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR12DTL-2
BTU: 12,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting



MODEL NUMBER: BF10PMDG
BTU: 8,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 8,000BTU / MED - 9,000BTU / HI - 10,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20PMDG
BTU: 16,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 16,000 BTU / MED - 18,000 BTU / HI - 20,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20NMDG
BTU: 10,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 10,000 BTU / MED - 15,000 BTU / HI - 20,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30NMDG
BTU: 15,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 15,000 / BTU MED - 22,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30PMDG
BTU: 24,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 24,000 BTU / MED - 27,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10NMDG
BTU: 5,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 5,000 BTU / MED - 7,500 BTU / HI - 10,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR6PMDG-1
BTU: 6,000
 ⓧ HEATS UP TO 200 SQ.FT.

LP



- Liquid Propane Ready
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR12PMDG-1
BTU: 6,000-12,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / HI - 12,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR18PMDG-1
BTU: 6,000-18,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / MED - 12,000 BTU / HI - 18,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR30PMDG-1
BTU: 6,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / MED - 18,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR18NMDG-1
BTU: 6,000-18,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / MED - 12,000 BTU / HI - 18,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR30NMDG-1
BTU: 6,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / MED - 18,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR6NMDG-1
BTU: 6,000
 ⓧ HEATS UP TO 200 SQ.FT.

NG



- Natural Gas Ready
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IR12NMDG-1
BTU: 6,000-12,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 6,000 BTU / HI - 12,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting



MODEL NUMBER: BFSS10LPT-2P
BTU: 8,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS20LPT-2P
BTU: 16,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS20NGT-2N
BTU: 10,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS30NGT-2N
BTU: 15,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS30LPT-2P
BTU: 24,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS10NGT-2N
BTU: 5,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS12LPT-2P
BTU: 12,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS18LPT-2P
BTU: 18,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS30LPT-2P
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS18NGT-2N
BTU: 18,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS12NGT-2N
BTU: 12,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRSS30NGT-2N
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting



MODEL NUMBER: IBF10PMDG
BTU: 10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA10DM
BTU: 10,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRA12DM
BTU: 12,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRA18DT
BTU: 18,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA20DT
BTU: 20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA30DT
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: IRA30DT
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10DTDG-4
BTU: 10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20DTDG-4
BTU: 20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30DTDG-4
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20DTL-4
BTU: 20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30DTL-4
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: GBF30DTDG-4
BTU: 30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10DTL-4
BTU: 10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10PMDG-4
BTU: 8,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 8,000BTU / MED - 9,000BTU / HI - 10,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20PMDG-4
BTU: 16,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 16,000 BTU / MED - 18,000 BTU / HI - 20,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30PMDG-4
BTU: 24,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Variable control knob offers the most customizable heat settings LOW - 24,000 BTU / MED - 27,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF10NMDG-4
BTU: 5,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 5,000 BTU / MED - 7,500 BTU / HI - 10,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF20NMDG-4
BTU: 16,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 16,000 BTU / MED - 18,000 BTU / HI - 20,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BF30PMDG-4
BTU: 24,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Variable control knob offers the most customizable heat settings LOW - 15,000 / BTU MED - 22,000 BTU / HI - 30,000 BTU
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting



MODEL NUMBER: BFSS10LPT-4P
BTU: 8,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS20LPT-4P
BTU: 16,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS20NGT-4N
BTU: 10,000-20,000
 ⓧ HEATS UP TO 700 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS30NGT-4N
BTU: 15,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS30LPT-4P
BTU: 24,000-30,000
 ⓧ HEATS UP TO 1,000 SQ.FT.

LP



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFSS10NGT-4N
BTU: 5,000-10,000
 ⓧ HEATS UP TO 300 SQ.FT.

NG



- Natural Gas Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting



MODEL NUMBER: IBF10PMDG
BTU: 10,000
 ☒ HEATS UP TO 300 SQ.FT.

LP or NG



- Liquid Propane Ready
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA20DT-4
BTU: 20,000
 ☒ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA10DM-4
BTU: 10,000
 ☒ HEATS UP TO 700 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting

MODEL NUMBER: BFA30DT-4
BTU: 30,000
 ☒ HEATS UP TO 1,000 SQ.FT.

LP or NG



- Dual Fuel Technology
- Thermostat control knob automatically maintains your ideal heat level
- No electricity required allows for reliable back-up heating incase of an emergency situation
- Separately sold optional fan (WHF100) improves the amount of square footage the heat reaches
- Separately sold optional base legs (WBL100) allows for stable floor mounting





6440 W Howard St
Niles, IL 60714-3302

(877) 447-4768
www.ghpgroupinc.com