

# AP 600mg Vanilla Orange

## Batch Specific Information

**Product Name** "20mg/ml Active Cannabinoid" Herbal Supplement  
**Product Description** Sublingual tincture, 2% active hemp extract infused in fractionated coconut oil (MCT) with natural vanilla orange flavoring  
**Lot Number** 21T8244A  
**Expiration Date** AUG 2023  
**Date of Production (Batch Date)** SEP 2021  
**Batch Size:** 3750 units **Quantity Produced:** 3516 units

## Raw Ingredients

Ingredient	Manufacturer	Lot Number
MCT Oil, coconut derived	Kraft Chemical	BTA2012206
Ananda Extract (hemp extract)	Ecofibre Industries Operations	CKS-LEX19-01
Blood Orange Flavor	FlavoRx	B1246
Vanilla Oil Flavor	FlavoRx	B1205

### Manufactured By:

Ananda Health  
PO Box 399  
Georgetown, KY 40324  
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

September 08, 2021

PO BOX 399  
 Georgetown, KY - 40324

Order No. 526973  
 Sample No. 1094425

## SAMPLE INFORMATION

**Description** AP VANILLA ORANGE 600 TINC  
**Lot Number** 21T8244A  
**Category** Non-Inhalable Edible  
**Received** September 03, 2021

## ANALYTICAL RESULTS

**Analysis** Cannabinoid Profile  
**Instrument** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Method** MF12D012  
**Analysis Date** September 03, 2021 to September 08, 2021

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	0.79	0.079	0.75
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	19.77	1.977	18.77
CBDA	ND	ND	ND
CBC	1.02	0.102	0.97
CBCA	ND	ND	ND
CBDV	0.05	0.005	0.05
CBG	0.29	0.029	0.27
CBGA	ND	ND	ND
CBN	<LOQ	<LOQ	<LOQ
Total THC	0.79	0.079	0.75
Total CBD	19.77	1.977	18.77
Total Cannabinoids	21.93	2.193	20.81
Total Active Cannabinoids	21.93	2.193	20.81
<b>g/ml Conversion Factor</b>	0.949		

✓AST  
 9/9/21

Reported by  
**Anresco, Inc.**

Limit of Detection: 0.0167 mg/g  
 Limit of Quantitation: 0.05 mg/g  
 ND = None Detected  
 <LOQ = Below Limit of Quantitation  
 <LOD = Below Limit of Detection



Yeon Kyeong Ko  
 Analyst

September 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

September 07, 2021


PO BOX 399  
Georgetown, KY - 40324

Order No. 526973  
Sample No. 1094425

## SAMPLE INFORMATION

**Description** AP VANILLA ORANGE 600 TINC  
**Lot Number** 21T8244A  
**Category** Non-Inhalable Edible  
**Received** September 03, 2021

## ANALYTICAL RESULTS

**Analysis** Heavy Metals  Pass  
**Instrument** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)  
**Method** MF 24E020  
**Analysis Date** September 03, 2021 to September 07, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected

✓AST  
9/9/21



Eric Tam  
Senior Chemist

September 07, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

September 08, 2021

**ANANDA HEMP**  
PO BOX 399  
Georgetown, KY - 40324

Order No. 526973  
Sample No. 1094425

## SAMPLE INFORMATION

Description AP VANILLA ORANGE 600 TINC  
Lot Number 21T8244A  
Received September 03, 2021

## ANALYTICAL RESULTS

Analysis Date September 03, 2021 to September 08, 2021

Findings	Analysis	Results	Method
	Standard Plate Count	<10 cfu/g	FDA BAM
	Yeast	<10 cfu/g	AOAC 2014.05
	Mold	<10 cfu/g	AOAC 2014.05
	Coliforms	<10 cfu/g	FDA BAM - ECC Agar
	E. coli	<10 cfu/g	FDA BAM - ECC Agar
	Enterobacteriaceae	<10 cfu/g	AOAC 2003.01
	Salmonella	Negative/1g	AOAC 2016.01

✓ ADJ  
9/9/21

Reported by  
**Anresco, Inc.**

  
Laila Lam  
Microbiologist





September 08, 2021

PO BOX 399  
 Georgetown, KY - 40324

Order No. 526973  
 Sample No. 1094425

## SAMPLE INFORMATION

**Description** AP VANILLA ORANGE 600 TINC  
**Lot Number** 21T8244A  
**Category** Non-Inhalable Edible  
**Received** September 03, 2021

## ANALYTICAL RESULTS

**Analysis** Pesticides Screen ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** September 03, 2021 to September 08, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.20/0.06	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass

✓ 10/1  
 9/9/21

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

✓AST  
9/9/21

ND = None Detected

Reported by  
**Anresco, Inc.**





Blenda Cong  
Analyst II

September 08, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

## ANALYTICAL RESULTS

**Analysis** Mycotoxins Screen  **Pass**

**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Method** MF 21P030

**Analysis Date** September 03, 2021 to September 08, 2021

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

*✓ADT  
9/9/21*

Reported by  
**Anresco, Inc.**

ND = None Detected



Blenda Cong  
Analyst II

September 08, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".



September 08, 2021


PO BOX 399  
 Georgetown, KY - 40324


Order No. 526973  
 Sample No. 1094425

## SAMPLE INFORMATION

**Description** AP VANILLA ORANGE 600 TINC  
**Lot Number** 21T8244A  
**Category** Non-Inhalable Edible  
**Received** September 03, 2021

## ANALYTICAL RESULTS

**Analysis** Residual Solvent Screen  Pass  
**Instrument** Gas Chromatography Mass Spectrometry (GC/MS)  
**Method** USP OVI<467>  
**Analysis Date** September 03, 2021 to September 08, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND 	1	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected




Jordean Vargas  
 Analyst

September 08, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".